# LEZYNE

CELEBRATING THE ESSENCE OF ENGINEERED DESIGN

VEAD CEVENTEEN CATALOC







# Y17 CATALOG

# **LED LIGHTS**

FRONT LIGHTS / PAGE 08
REAR LIGHTS / PAGE 22
LED PAIRS / PAGE 32
E-BIKE LIGHTS / PAGE 44
STVZO LIGHTS / PAGE 56

# **INFLATION**

FLOOR PUMPS / PAGE 64 HAND PUMPS / PAGE 74 CO2 SYSTEMS / PAGE 84

# **TOOLS**

SHOP TOOLS / PAGE 92
MULTI TOOLS & KITS / PAGE 96
INSERT TOOLS / PAGE 103

# **TIRE REPAIR**

TUBELESS / PAGE 104
PATCH KITS / PAGE 108
LEVERS / PAGE 110

# **ACCESSORIES**

AIRTAG™ ACCESSORIES / PAGE 114
BELLS / PAGE 116
PHONE MOUNTS / PAGE 117
BIKE STORAGE / PAGE 118

# **BAGS & ORGANIZERS**

CADDY'S / PAGE 120

SADDLE BAGS / PAGE 124

KITS / PAGE 126

BAR & FRAME BAGS / PAGE 127


ORGANIZERS / PAGE 128

# **GPS DEVICES**

COMPUTERS / PAGE 132 SENSORS & MOUNTS / PAGE 142

# **BOTTLES & CAGES**

BOTTLE & CAGES / PAGE 144 WATER BOTTLES / PAGE 150



Scan QR code for more information on our



# **SUSTAINABILITY**

At Lezyne, we pride ourselves on our core values of high-quality, engineered design. Our new packaging solutions are a testament to this commitment to excellence. We believe that every detail matters, from the materials we use to our packaging design. By prioritizing product protection and reducing waste, we're doing our part to contribute to a more sustainable future while maintaining our dedication to innovative and engineered design.



# **PURE FUNCTION AND CLEAN AESTHETICS**

We built Lezyne on a foundation of formidable engineering, award-winning design, and in-house manufacturing. This combination has brought us to the forefront of the bicycle accessories realm, where we continue to lead the way. We are the designers, developers, and producers of every product we sell, so nothing holds us back. Without traditional manufacturing limits, we've innovated and progressed to new heights this year. Our expanded Year 17 Collection features the pinnacle of new tech and designs, refined over nearly two decades.

Lezyne – Engineered Design.



**NEW PRODUCTS HAVE THIS ICON NEXT TO THE LISTING** 



#### **LED LIGHTS**

Our lights continue to lead the industry in quality, design, and safety. All of our lights are designed and produced in-house to meet out strict performance standards and feature advanced programming, the best materials, optimized lenses, and class-leading emitters. They are then verified in our own integrating sphere and each light is quality controlled before leaving our factory. Furthermore, with daytime visibility becoming more important than ever, we offer a full range of head and taillight options to keep you visible at all hours of the day. We've continued to develop "Smart Connect" for our LED platform, giving users even more control and ease of use throughout or line of premium bike lights.





The Alert feature detects deceleration on the bike.



Control compatible Smart Connect LED lights with our app or GPS.



New lens technology provides up to 270° of visibility.



Disruptive flash patterns for the best daytime visibility.



Infinite Light Power Pack Compatible.



Engineered three-LED system with optimized lens.



Waterproof USB-C fast charge compatible.



IPX7 Waterproof rating.





#### LED ALLY APP


Smart Connect is an innovative technology we developed in-house to control, simplify, and customize compatible Lezyne LED lights. Using the app, Smart Connect lights can be controlled directly and/or programmed (as a combo or individually). Paired combos allow the front light to wirelessly control the rear light.







#### MEGA DRIVE 2400+ FRONT



- Waterproof USB-C 2A fast charging. (cable not included)
- · Innovative High-Beam/Low-Beam patterns.
- CNC-machined aluminum construction with cooling fins.
- · Optional GoPro mount available separately.
- Infinite Light Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- 9600 mAh battery capacity.

LOADED KIT Includes:

- · Mega Drive 2400+ Front Light.
- · Infinite Light Power Pack+.
- LED Alloy Handlebar Mount.
- · GoPro LED Adapter.


	ECONOMY	ENDURO	BLAST	OVER DRIVE	DAY FLASH	FEMTO	PULSE	NIGHT FLASH
31/5	300	≈700	1500	₽2400	700	20	250	600
	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS
0	15:00	6:00	4:00	2:15	125:00	450:00	35:00	10:30
	h:min	h:min	h:min	h:min	h:min	h:min	h:min	h:min
Power Pack+ Compatible	4	+	4	4	4	4	4	4

Gloss Black: 1-LED-7-V404

Black Loaded Pro Kit: 1-LED-7A-V404









#### SUPER DRIVE 1800+ SMART FRONT

- Max 1,800 lumen output / 180-hour max runtime in Femto mode.
- · Waterproof USB-C 2A fast charging. (cable not included)
- CNC-machined aluminum construction with cooling fins.
- Tri-Focus Optics: brighter center spot in large wide-angle pattern.
- Smart Connect Compatible control your lights with our free LED Ally App.
- Optional GoPro mount available separately.
- Infinite Light Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- 6600 mAh battery capacity.

LOADED KIT Includes:

- · Super Drive 1800+ Smart Front light.
- KTV Pro Smart Rear.
- · LED Handlebar Mount.
- · GoPro LED Adapter.

	Power Pack+ Compatible	*	*	*	4	4	*	4
	0	9:00 h:min	6:00 h:min	2:45 h:min	1:45 h:min	21:00 h:min	180:00 h:min	45:00 h:min
	315	350 LUMENS	₹500 LUMENS	1100 LUMENS	¥1800 LUMENS	750 LUMENS	20 LUMENS	200 LUMENS
- 1		ECONOMY	ENDURO	BLAST	OVER DRIVE	DAY FLASH	FEMTO	PULSE

Gloss Black: 1-LED-6-V804 Black Loaded Pro Kit: 1-LED-6A-V904























Front: 153g - Rear: 46g

- The most advanced front/rear combo of cyclin lights available.
- Smart Connect Compatible control your lights with our free LED Ally App.
- Highly disruptive Daytime Flash mode.
- Front Max 1000 lumens / 160-hour runtime in Femto mode.
  - Machined aluminum body / versatile mounting strip.
- Rear Max 75 lumens / 19.5-hour runtime in Flash mode.
  - Co-molded construction / Wide Angle Optics: 270° of visibility.

TOIL									
	BLAST	ENDURO	ECONOMY	FEMTO	DAY FLASH	FLASH 1F	LASH 2	PULSE	OVERDRIV E
外外	500 LUMENS	250 LUMENS	150 LUMENS	7 LUMENS	800 LUMENS	125 LUMENS	125 LUMENS	300 LUMENS	1000 LUMENS
0	3:00 h:min	5:30 h:min	9:00 h:min	160:00 h:min	15:00 h:min	24:00 h:min	24:00 h:min	10:00 h:min	1:30 h:min

ricai						
	DAYFLASH	FLASH 1	FLASH 2	PULSE	BLASTE	CONOMY
外	75 LUMENS	25 LUMENS	10 LUMENS	25 LUMENS	20 LUMENS	3 LUMENS
0	10:00 h:min	8:45 h:min	19:30 h:min	8:45 h:min	4:00 h:min	18:00 h:min

Pair: 1-LED-32P-V104

#### KTV PRO SMART PAIR

Front: 47.4g - Rear: 46g

KTV SMART DRIVE (FRONT)

- Smart Connect Compatible control your lights with our free LED Ally App.
- Max 200 lumens / 20-hour runtime in Flash mode.
- Highly disruptive Daytime Flash mode.
- Integrated USB stick for cable-free recharging.
- Rigorously tested to IPX7 waterproofing standards.

#### KTV PRO SMART (REAR)

- Max 75 lumens / 19.5-hour runtime in Flash mode.
- Wide Angle Optics: 270° of visibility.
- Highly disruptive Daytime Flash mode.
- Unique aero and round seatpost compatible design.
- Rigorously tested to IPX7 waterproofing standards.
- Integrated USB stick for cable-free recharging.

#### Front

1 10111						
	BLAST	ECONOMY	DAY FLASH	FLASH 1	FLASH 2	PULSE
31/5	70 LUMENS	15 LUMENS	200 LUMENS	30 LUMENS	15 LUMENS	30 LUMENS
0	2:00 h:min	10:00 h:min	6:30 h : min	13:15 h:min	20:00 h:min	8:00 h:min

	DAY FLASH	FLASH 1	FLASH 2	PULSE	BLASTE	CONOMY
31/5	75 LUMENS	25 LUMENS	10 LUMENS	25 LUMENS	20 LUMENS	3 LUMENS
0	10:00 h:min	8:45 h:min	19:30 h:min	8:45 h:min	4:00 h:min	18:00 h:min


Pair: 1-LED-13P-V104











<sup>\*</sup>Available individually (See p.25): KTV Pro Smart Rear: 1-LED-13R-V104

<sup>\*</sup>Available individually (See p.25): KTV Pro Smart Rear: 1-LED-13R-V104







# NEW MACRO DRIVE 1400+ 230g

- Max 1,400 lumen output / 300-hour max runtime in Femto mode.
- Waterproof USB-C 2A fast charging. (cable not included)
- CNC-machined aluminum construction with cooling fins.
- Tri-Focus Optics: brighter center spot in large wide-angle pattern.
- Optional GoPro mount available separately.
- Infinite Light Power Pack+ Compatible.
- · Rigorously tested to IPX7 Waterproofing standards.
- 5200 mAh battery capacity.

34	200	¥450	950	©1400	700	20	100
-i -	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS
0	25:00 h:min	12:30 h:min	4:00 h:min	3:00 h:min	100:00 h:min	300:00 h:min	14:00 h:min
Power Pack+ Compatible	4	*			4	4	4



Satin Black: 1-LED-4-V737















### NEW LITE DRIVE 1200+ 174g

- Max 1,200 lumen output / 60-hour max runtime.
- · Waterproof USB-C 2A fast charging. (cable not included)
- CNC-machined aluminum construction with cooling fins.
- · Fresh Optical Design.
- Optional GoPro mount available separately.
- Infinite Light Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- 3800 mAh battery capacity.

	ECONOMY	ENDURO	BLAST	OVER DRIVE	DAY FLASH	FEMTO	PULSE
315	150	₹300	600	₹1200	700	20	100
	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS
0	20:00	9:30	4:00	2:00	40:00	60:00	14:00
	h:min	h:min	h:min	h:min	h:min	h:min	h:min
Power Pack+ Compatible	*	*	*	*	+	*	*

Satin Black: 1-LED-16-V337





# NEW MICRO DRIVE PRO 1000+ 168q

- Max 1,000 lumen output / 60-hour max runtime.
- Waterproof USB-C charging. (cable not included)
- · CNC-machined aluminum construction with cooling fins.
- Fresh Optical Design.
- Optional GoPro mount available separately.
- Infinite Light Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- 2800 mAh battery capacity.

	ECONOMY	ENDURO	BLAST	OVER DRIVE	DAYFLASH	FEMTO	PULSE
315	125	₹300	600	₹1000	700	20	100
	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS
()	11:00	6:00	3:15	1:30	40:00	60:00	14:00
	h:min	h:min	h:min	h:min	h:min	h:min	h:min
Power Pack+ Compatible	*				*	*	

Satin Black: 1-LED-25F-V337













### NEW MICRO DRIVE 800+ 135q

- Max 800 lumen output / 35-hour max runtime.
- Waterproof USB-C charging. (cable not included)
- CNC-machined aluminum construction with cooling fins.
- · Fresh Optical Design.
- Optional GoPro mount available separately.
- Infinite Light Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standard.
- 1900 mAh battery capacity.

	ECONOMY	ENDURO	BLAST	DAY FLASH	FEMTO	PULSE
31/5	₹100	400	₹800	700	20	100
	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS
0	10:00	3:00	2:00	30:00	35:00	10:00
	h:min	h:min	h:min	h:min	h:min	h:min
Power Pack+ Compatible	*			*	+	

Satin Black: 1-LED-2-V637















### NEW CLASSIC DRIVE XL 700+ 124g

- Max 700 lumens / 45-hour runtime in Femto mode.
- · Classic Lezyne styling with modern technology.
- · Machined aluminum construction.
- · Highly disruptive Daytime Flash mode.
- Waterproof USB-C 2A fast charging. (cable not included)
- Infinite Light Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- 3300 mAh battery capacity.

	ECONOMY	ENDURO	BLAST	OVER DRIVE	DAYFLASH	FEMTO	PULSE
31/5	150	₽250	400	₽5700	700	20	150
	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS
0	9:00	6:00	4:00	2:00	32:00	45:00	32:00
	h:min	h:min	h:min	h:min	h:min	h:min	h:min
Power Pack+ Compatible	*	*			*	*	*

Satin Black: 1-LED-30-V237





### NEW CLASSIC DRIVE 500+ 95g

- Max 500 lumens / 80-hour runtime in Femto mode.
- · Classic Lezyne styling with modern technology.
- Compact, machined aluminum construction.
- Highly disruptive Daytime Flash mode.
- · Waterproof USB-C charging. (cable not included)
- Infinite Light Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- 1900 mAh battery capacity.

	ECONOMY	ENDURO	BLAST	DAY FLASH	FEMTO	PULSE
31/5	100 LUMENS	200 LUMENS	500 LUMENS	500 LUMENS	20 LUMENS	100 LUMENS
(0)	10:00 h:min	4:30 h:min	1:45 h:min	30:00 h:min	80:00 h:min	20:00 h:min
Power Pack <sup>+</sup> Compatible				4	7	

Satin Black: 1-LED-29-V237













#### NEW HELMET LITE DRIVE 1200+ 207g

- Max 1,200 lumen output / 60-hour max runtime.
- · Waterproof USB-C 2A fast charging. (cable not included)
- · CNC-machined aluminum construction with cooling fins.
- Fresh Optical Design.
- GoPro adapter-based helmet mount.
- Composite Matrix mount construction.
- · Velcro strap fits nearly all helmet styles.
- · Officially legal on the German market.
- Infinite Light Power Pack+ Compatible.
- 3800 mAh battery capacity.

1		ECONOMY	ENDURO	BLAST	OVER DRIVE	DAY FLASH	FEMTO	PULSE
	31/5	150 LUMENS	≅300 LUMENS	600 LUMENS	№1200 LUMENS	700 LUMENS	20 LUMENS	100 LUMENS
	0	20:00 h:min	9:30 h:min	4:00 h:min	2:00 h:min	40:00 h:min	60:00 h:min	14:00 h:min
	Power Pack <sup>+</sup> Compatible	*	*	*	*	+	+	*

RACE MOD

Satin Black: 1-LED-16H-V337

This product is not affiliated with, endorsed by or in any way associated with GoPro Inc. or its products and services. GoPro, HERO, Session, Karma and their respective logos are trademarks or registered trademarks of GoPro, Inc.

### NEW HELMET MICRO DRIVE PRO 1000+ 201g

- Max 1,000 lumen output / 60-hour max runtime.
- · Waterproof USB-C charging. (cable not included)
- CNC-machined aluminum construction with cooling fins.
- · Fresh Optical Design.
- · GoPro adapter-based helmet mount.
- Composite Matrix mount construction.
- Velcro strap fits nearly all helmet styles.
- Officially legal on the German market.
- Infinite Light Power Pack+ Compatible.
- 2800 mAh battery capacity

	ECONOMY	ENDURO	BLAST	OVER DRIVE	DAY FLASH	FEMTO	PULSE
31/5	125	₽300	600	№1000	700	20	100
	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS
0	11:00	6:00	3:15	1:30	40:00	60:00	14:00
	h:min	h:min	h:min	h:min	h:min	h:min	h:min
Power Pack <sup>+</sup> Compatible	+				+	+	

RACE MODE

Satin Black: 1-LED-25H-V337

This product is not affiliated with, endorsed by or in any way associated with GoPro Inc. or its products and services. GoPro, HERO, Session, Karma and their respective logos are trademarks or registered trademarks of GoPro, Inc.

## HELMET HECTO DRIVE 500XL 84g

- Max 500 lumens / 20-hour runtime in Femto mode.
- CNC-machined aluminum with cooling fins.
- Highly disruptive Daytime Flash mode.
- Integrated USB stick for cable-free recharging.
- GoPro adapter-based helmet mount.
- Composite Matrix construction.
- Velcro strap fits nearly all helmet styles.
- Officially legal on the German market.

1		BLASTE	NDUROE	CONOMY	FEMTOD	FLASH 1F	LASH 2	AY FLASH	PULSE
	六	500 LUMENS	200 LUMENS	100 LUMENS	15 LUMENS	50 LUMENS	50 LUMENS	500 LUMENS	50 LUMENS
	0	1:00 h:min	2:00 h:min	4:00 h:min	20:00 h:min	13:30 h:min	13:30 h:min	5:45 h:min	15:00 h:min

Black: 1-LED-9H-V504

This product is not affiliated with, endorsed by or in any way associated with GoPro Inc. or its products and services. GoPro, HERO, Session, Karma and their respective logos are trademarks or registered trademarks of GoPro, Inc.


















# NEW FUSION DRIVE PRO 600+ 129g

- Max 600 lumen output / 36-hour max runtime.
- Waterproof USB-C charging. (cable not included)
- CNC-machined aluminum construction with cooling fins.
- Fresh Optical Design.
- Optional GoPro mount available separately.
- Infinite Light Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- 1900 mAh battery capacity.

	ECONOMY	ENDURO	BLAST	DAY FLASH	FEMTO	PULSE
31/5	100 LUMENS	300 LUMENS	600 LUMENS	600 LUMENS	20 LUMENS	100 LUMENS
0	10:00 h:min	5:00 h:min	2:00 h:min	36:00 h:min	36:00 h:min	12:00 h:min
Power Pack+ Compatible	4			4	4	

Satin Black: 1-LED-39-V137

















- Waterproof USB-C charging. (cable not included)
- CNC-machined aluminum construction with cooling fins.
- Fresh Optical Design.
- Optional GoPro mount available separately.
- Infinite Light Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- 1400 mAh battery capacity.

	ECONOMY	ENDURO	BLAST	DAY FLASH	FEMTO	PULSE
31/5	100	250	500	500	20	100
	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS
(0)	9:00	3:30	1:45	30:00	35:00	12:00
	h:min	h:min	h:min	h:min	h:min	h:min
Power Pack <sup>+</sup> Compatible	*			4	*	

Satin Black: 1-LED-38-V137









#### HECTO DRIVE 500XL 84q


- DAYTIME FLASH
- $\bullet$  Max 500 lumens / 20-hour runtime in Femto mode.
- $\bullet \ {\hbox{\footnotesize CNC-machined aluminum with cooling fins.}}$
- Highly disruptive Daytime Flash mode.
- Integrated USB-stick for cable-free recharging.
- $\bullet \ \mbox{Optional GoPro mount available separately}.$
- $\bullet \ \mbox{Rigorously tested to IPX7 Waterproofing standards}.$
- 650 mAh battery capacity.

	BLASTE	NDUROE	CONOMY	FEMTOD	FLASH 1F	LASH 2	AY FLASH	PULSE
31/5	500	200	100	15	50	50	500	50
	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS
(0)	1:00	2:00	4:00	20:00	13:30	13:30	5:45	15:00
	h:min	h:min	h:min	h:min	h:min	h:min	h:min	h:min

Neo Metallic: 1-LED-9F-V530 Black: 1-LED-9F-V504, Silver: 1-LED-9F-V506 Red: 1-LED-9F-V511, Blue: 1-LED-9F-V510



#### MINI DRIVE 400XL 64q





- CNC-machined aluminum construction.
- Highly disruptive Daytime Flash mode.
- Integrated USB-stick for cable-free recharging.
- Optional GoPro mount available separately.
- Rigorously tested to IPX7 Waterproofing standards.
- 650 mAh battery capacity.

1		BLAST	ENDU RO	ECONOMY	FEMTOD	FLASH 1F	LASH 2	AY FLASH	PULSE
ı	31/5	400 LUMENS	150 LUMENS	75 LUMENS	15 LUMENS	50 LUMENS	50 LUMENS	400 LUMENS	50 LUMENS
	0	1:00 h:min	2:30 h:min	5:00 h:min	20:00 h:min	13:30 h:min	13:30 h:min	7:00 h:min	15:00 h:min

Black: 1-LED-24F-V204, Silver: 1-LED-24F-V206 Red: 1-LED-24F-V211, Blue: 1-LED-24F-V210









- Max 400 lumens / 21.5-hour runtime in Flash mode.
- Lightweight, durable, and waterproof co-molded design.
- Five ultra high-output LEDs with built-in side visibility.
- Ten combined solid and flash output modes.
- Highly disruptive Daytime Flash mode.
- Integrated USB-stick for cable-free recharging.
- · Multiple mounting options, including aero bars and front racks.
- Rigorously tested to IPX7 Waterproofing standards.
- 520 mAh battery capacity.

1		BLAST	ENDURO	ECONOMY	FLASH 1	FLASH 2	FLASH 3	FLASH4	FLASH 5	FLASH 6	DAY FLASH
	31/5	100 LUMENS	50 LUMENS	15 LUMENS	25 LUMENS	50 LUMENS	50 LUMENS	75 LUMENS	25 LUMENS	50 LUMENS	400 LUMENS
	0	2:30 h:min	4:30 h:min	11:00 h:min	13:00 h:min	4:00 h:min	5:30 h:min	4:30 h:min	11:00 h:min	21:30 h:min	5:00 h:min

Black: 1-LED-21F-V304

# NEW ZECTO DRIVE 250+ 47g

- Max 250 lumens / 40-hour runtime in Femto mode.
- · Six combined solid and flash output modes.
- Highly disruptive Daytime Flash mode.
- Waterproof USB-C charging. (cable not included)
- Patented 2-in-1 clip-on or strap mount options.
- Rigorously tested to IPX7 Waterproofing standards.
- 650 mAh battery capacity.

スド	40 LUMENS	80 LUMENS	250 LUMENS	75 LUMENS	20 LUMENS	75 LUMENS
0	8:30 h:min	5:00 h:min	22:00 h:min	10:00 h:min	40:00 h:min	7:00 h:min

BLACK: 1-LED-8F-V404





# NEW

# KTV DRIVE PRO+ 73q

- Max 300 lumens / 100-hour runtime in Femto mode.
- · Highly disruptive Daytime Flash mode.
- Waterproof USB-C charging. (cable not included)
- integrated strap hooks for low-profile mounting.
- Rigorously tested to IPX7 Waterproofing standards.
- 1400 mAh battery capacity.

	ECONOMY	ENDURO	BLAST	DAY FLASH	FEMTO	PULSE
31/5	100	200	300	300	20	100
	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS
0	8:00	4:30	3:00	28:00	100:00	12:00
	h:min	h:min	h:min	h:min	h:min	h:min
Power Pack+ Compatible	4			4	4	

BLACK: 1-LED-8F-V404

# KTV DRIVE





- Highly disruptive Daytime Flash mode.
- Integrated USB-stick for cable-free recharging.
- Durable co-molded rubber body.
- Patented 2-in-1 clip-on or strap mount options.
- Rigorously tested to IPX7 Waterproofing standards.
- 400 mAh battery capacity.

	BLAST	ENDURO	DAY FLASH	FLASH 1	FLASH 2
31/5	70	15	200	30	15
	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS
0	2:00	10:00	6:30	13:15	20:00
	h:min	h:min	h:min	h:min	h:min


Black: 1-LED-12F-V404

Box Set (Black), 12 PCS: 1-LED-12F-BOX12-V404



DAYTIME FLASH

USB-C


















- 15 lumens of output.
- Durable co-molded construction.
- Wide Angle Optics: 270° of visibility.
- $\bullet \ Versatile\ mounting\ strap.$
- Micro USB rechargeable.
- Rigorously tested to IPX7 Waterproofing standards.
- 210 mAh battery capacity.

	FLASH 1/2/3	PULSE	SOLID
31/5	15	15	15
	LUMENS	LUMENS	LUMENS
0	20:00	12:00	6:00
	h:min	h:min	h:min



Black: 1-LED-31F-V104, White: 1-LED-31F-V107 Blue: 1-LED-31F-V110, Red: 1-LED-31F-V111 Box Set (Black), 24 PCS: 1-LED-31F-B0X-V104









# FEMTO DRIVE (FRONT)

30g

- CNC-machined aluminum body.
- Single LED produces up to 15 lumens.
- 180° of visibility.
- Patented 2-in-1 clip and strap mounting system.
- Rigorously tested to IPX7 Waterproofing standards.
- Powered by two CR2032 batteries.
- Available in four anodized colors.

	FLASH 1/2/3	PULSE	SOLID
31.5	15	15	15
	LUMENS	LUMENS	LUMENS
0	60:00	60:00	30:00
	h:min	h:min	h:min

Black: 1-LED-1-V104, Silver: 1-LED-1-V106 Blue: 1-LED-1-V110, Red: 1-LED-1-V111 Box Set (Black), 36 PCS: 1-LED-1F-B0X36-V104














### STRIP DRIVE PRO ALERT 400+

71g







DAYTIME FLASH

USB-C

- Highly disruptive Daytime Flash mode.
- Wide Angle Optics: 270° of visibility.
- USB-C waterproof charging.
   (cable not included)
- · Lightweight and durable co-molded design.
- · Aero and round seatpost compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- 1400 mAh battery capacity.

	ECONOMY	BLAST	PULSE	FLASH 1	DAY FLASH 1	DAY FLASH 2	FEMTO	<b>ACTIVE ALI</b>
31/5	15 LUMENS	80 LUMENS	80 LUMENS	50 LUMENS	200 LUMENS	400 LUMENS	5 LUMENS	150
0	26:00 h:min	5:30 h:min	14:00 h:min	11:00 h:min	30:00 h:min	18:00 h:min	80:00 h:min	LUMEN

1-LED-37R-V204





# KTV DRIVE PRO+ ALERT REAR

50g



- Detects deceleration and changes output mode correspondingly.
- Max 150 lumens / 20-hour runtime in Femto mode.
- $\bullet$  Wide Angle Optics for up to 270° of visibility.
- · Aero and round seatpost compatible.
- Lightweight and durable co-molded design.
- Integrated USB-stick for cable-free recharging.
- Rigorously tested to IPX7 Waterproofing standards.
- 400 mAh battery capacity.



1-LED-35R-V204




















# NEW STRIP DRIVE PRO 400+

- Max 400 lumens / 80-hour runtime in Femto mode.
- Highly disruptive Daytime Flash mode.
- Wide Angle Optics: 270° of visibility.
- USB-C waterproof charging. (cable not included)
- Lightweight and durable co-molded design.
- Seven combined solid and flash modes.
- Aero and round seatpost compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- 1900 mAh battery capacity.

1		ECONOMY	BLAST	PULSE	FLASH 1	DAY FLASH 1	DAY FLASH 2	FEMTO
	314	15 LUMENS	80 LUMENS	80 LUMENS	50 LUMENS	200 LUMENS	400 LUMENS	5 LUMENS
	0	26:00 h:min	5:30 h:min	14:00 h:min	11:00 h:min	30:00 h:min	18:00 h:min	80:00 h:min

1-LED-22R-V404












# **NEW** ZECTO DRIVE MAX 400+



- Highly disruptive Daytime Flash mode.
- USB-C waterproof charging. (cable not included)
- Six combined solid and flash output mode.
- Patented 2-in-1 clip and strap mounting system.
- Rigorously tested to IPX7 Waterproofing standards.
- 1300 mAh battery capacity.

	ECONOMY	BLAST	PULSE	FLASH 1	DAY FLASH	FEMTO
31/5	15	80	80	50	400	5
	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS
0	18:00	3:45	9:00	13:00	16:00	70:00
	h:min	h:min	h:min	h:min	h:min	h:min


1-LED-8R-MAX-V204





DAYTIME FLASH







- · Laser mode beams two safety strips on the ground.
- Rigorously tested to IPX7 Waterproofing standards.
- · Solid and flashing output modes for LEDs and lasers.
- · Aero and round seatpost compatible.
- 520 mAh battery capacity.





1-LED-23R-V104









### STRIP DRIVE 300+

71g

- Max 300 lumens / 80-hour runtime in Femto mode.
- Highly disruptive Daytime Flash mode.
- Wide Angle Optics: 270° of visibility.
- USB-C waterproof charging. (cable not included)
- Lightweight and durable co-molded design.
- · Seven combined solid and flash modes.
- Aero and round seatpost compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- 1400 mAh battery capacity.

		ECONOMY	BLAST	PULSE	FLASH 1	DAY FLASH 1	DAY FLASH 2	FEMTO
3,1	4	15 LUMENS	60 LUMENS	60 LUMENS	40 LUMENS	150 LUMENS	300 LUMENS	5 LUMENS
C	)	18:00 h:min	5:30 h:min	12:00 h:min	32:00 h:min	24:00 h:min	17:00 h:min	80:00 h:min

1-LED-21R-V304



WIDE

DAYTIME FLASH

USB-C







- Max 75 lumens / 19.5-hour runtime in Flash mode.
- · Smart Connect technology.
- Wide Angle Optics: 270° of visibility.
- Highly disruptive Daytime Flash mode.
- Unique aero and round seatpost compatible design.
- Rigorously tested to IPX7 Waterproofing standards.
- · Integrated USB-stick for cable-free recharging.
- 400 mAh battery capacity.

Connects to other Lezyne Wireless compatible lights and Y12+ Lezyne GPS.

	DAY FLASH	FLASH 1	FLASH 2	PULSE	BLAST	ECONOMY
31/5	75	25	10	25	20	3
	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS
0	10:00	8:45	19:30	8:45	4:00	18:00
	h:min	h:min	h:min	h:min	h:min	h:min

1-LED-13R-V104





# **NEW** KTV DRIVE PRO+



- Highly disruptive Daytime Flash mode.
- Wide Angle Optics: 270° of visibility.
- $\bullet$  Unique aero and round seatpost compatible design.
- Rigorously tested to IPX7 Waterproofing standards.
- · Integrated USB-stick for cable-free recharging.
- 400 mAh battery capacity.

	ECONOMY	BLAST	PULSE	FLASH 1	DAY FLASH	FEMTO
31/5	10	50	50	25	150	5
	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS
(0)	9:00	2:00	4:00	18:00	10:30	20:00
	h:min	h:min	h:min	h:min	h:min	h:min

1-LED-12RPRO-V404








### STICK DRIVE SEAT CLAMP

50g



- Quickly unclips from magnetic base for easy recharging.
- Wide Angle Optics for up to 270° of visibility.
- Replaces 035.4 seat clamp for integrated mounting.
- Integrated USB-stick for cable-free recharging.
- Lightweight design, constructed from durable composite material.
- Rigorously tested to IPX7 Waterproofing standards.
- 300 mAh battery capacity.

	DAY FLASH	FLASH 1	FLASH 2	FLASH3	BLAST	ENDURO	FEMTO
31/5	30	4	12	12	30	12	4
	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS
0	5:30	16:40	6:30	23:00	1:30	3:30	9:30
	h:min	h:min	h:min	h:min	h:min	h:min	h:min

1-LED-33R-SC-V104





# **ZECTO DRIVE 200+ (REAR)**







- Max 200 lumens / 35-hour runtime in Femto mode.
- Highly disruptive Daytime Flash mode.
- $\bullet\, {\sf USB-C}\ waterproof\ charging.}\ ({\sf cable}\ {\sf not\ included})$
- · Six combined solid and flash output mode.
- Patented 2-in-1 clip and strap mounting system.
- Rigorously tested to IPX7 Waterproofing standards.
- 650 mAh battery capacity.

	ECONOMY	BLAST	PULSE	FLASH 1	DAY FLASH	FEMTO
31/5	15 LUMENS	50 LUMENS	50 LUMENS	50 LUMENS	200 LUMENS	5 LUMENS
(	8:00 h:min	2:45 h:min	7:00 h:min	6:00	13:00 h:min	35:00 h:min

1-LED-8R-V304







# KTV DRIVE+ (REAR)

45g



- Max 40 lumens / 45-hour runtime in Femto mode.
- Highly disruptive Daytime Flash mode.
- Wide Angle Optics: 270° of visibility.
- Unique aero and round seatpost compatible design.
- Rigorously tested to IPX7 Waterproofing standards.
- Integrated USB stick for cable-free recharging.
- 400 mAh battery capacity.

_	ECONOMY	BLAST	PULSE	FLASH 1	DAY FLASH	FEMTO
31/5	5	20	20	20	40	5
	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS
0	10:00	2:30	5:00	9:00	12:00	45:00
	h:min	h:min	h:min	h:min	h:min	h:min



Box Set (Black), 24 PCS: 1-LED-12R-BOX12-V504



WIDE





### STICK DRIVE

23g



- Quickly unclips from magnetic base for easy recharging.
- Wide Angle Optics for up to 270° of visibility.
- Replaces 035.4 seat clamp for integrated mounting.
- Integrated USB-stick for cable-free recharging.
- · Lightweight design, constructed from durable composite material.
- Rigorously tested to IPX7 Waterproofing standards.
- 300 mAh battery capacity.

	DAY FLASH	FLASH 1	FLASH 2	FLASH3	BLAST	ENDURO	FEMTO
31/5	30	4	12	12	30	12	4
	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS	LUMENS
0	5:30	16:40	6:30	23:00	1:30	3:30	9:30
	h:min	h:min	h:min	h:min	h:min	h:min	h:min

1-LED-33R-V104

















# FEMTO USB DRIVE (REAR)

24g



- · Compact, super lightweight.
- 5 lumens of output.
- Durable co-molded construction.
- Wide Angle Optics: 270° of visibility.
- · Versatile mounting strap.
- Micro-USB rechargeable.
- $\bullet \ \mbox{Rigorously tested to IPX7 Waterproofing standards}.$
- 210 mAh battery capacity.

	FLASH 1/2/3	PULSE	SOLID
31/5	5	5	5
	LUMENS	LUMENS	LUMENS
0	15:00	9:00	4:30
	h:min	h:min	h:min





# FEMTO DRIVE (REAR)

26g

- CNC-machined aluminum body.
- Single LED produces up to 7 lumens.
- 180° of visibility.
- Patented 2-in-1 clip and strap mounting system.
- Rigorously tested to IPX7 Waterproofing standards.
- Powered by two CR2032 batteries.
- Available in 4 anodized colors.

	FLASH 1/2/3	PULSE	SOLID
31/5	7	7	7
	LUMENS	LUMENS	LUMENS
0	60:00	60:00	30:00
	h:min	h:min	h:min

Black: 1-LED-1R-V104, Silver: 1-LED-1R-V106 Blue: 1-LED-1R-V110, Red: 1-LED-1R-V111 Box Set (Black), 36 PCS: 1-LED-1R-B0X36-V104







#### INFINITE LIGHT POWER PACK XL+

- IPX7-rated external power pack enhances runtimes of compatible LEDs.
- Powerful 13,200mAh battery capacity, 49WHR.
- Extra-long cable (985mm / 39").
- Compatible with iPhone 15, Samsung, etc., and other USB-C devices (older iPhones require USB-C to Lightning adapter)
- USB-C PD compliant, 5V-3A, 9V and 12V
- Securely mounts to frame with adjustable Velcro strap
- Compatible LEDs: Mega Drive 2400+, Super Drive 1800+, Macro Drive 1400+, Lite
   Drive 1200+, Micro Drive Pro 1000+, Micro Drive 800+, Classic Drive XL 700+, Classic

   Drive 500+, Fusion Drive Pro 600+, Fusion Drive 500+, KTV Drive Pro 300+
   1-LED-PWRPK-V304



## NEW

#### INFINITE LIGHT POWER PACK+

- IPX7-rated external power pack enhances runtimes of compatible LEDs.
- Powerful 7600mAh battery capacity, 28WHR.
- Extra-long cable (985mm / 39").
- Compatible with iPhone 15, Samsung, etc., and other USB-C devices (older iPhones require USB-C to Lightning adapter)
- USB-C PD compliant, 5V-3A, 9V and 12V
- Securely mounts to frame with adjustable Velcro strap
- Compatible LEDs: Mega Drive 2400+, Super Drive 1800+, Macro Drive 1400+, Lite
  Drive 1200+, Micro Drive Pro 1000+, Micro Drive 800+, Classic Drive XL 700+, Classic
  Drive 500+, Fusion Drive Pro 600+, Fusion Drive 500+, KTV Drive Pro 300+

1-LED-PWRPK-V204





### LED HELMET MOUNT - AL GP 27g

- Universal helmet mount adapts to most strap-style lights.
- Composite matrix construction.
- · Velcro strap fits nearly all helmet styles.
- Includes Alloy GoPro LED Adapter. (Hardware screws, Alloy GoPro LED adapter and O-ring)
- Compatible with Lezyne LED Micro Drive Pro 1000+ and Lite Drive 1200+ models. 1-LED-HMOUNT-V604

This product is not affiliated with, endorsed by or in any way associated with GoPro Inc. or its products and services. GoPro, HERO, Session, Karma and their respective logos are trademarks or registered trademarks of GoPro, Inc.



# LED HELMET MOUNT – GP 32.8q

- Universal helmet mount adapts to most strap-style lights.
- Composite matrix construction.
- Velcro strap fits nearly all helmet styles.
- Includes GoPro LED Adapter (Hardware screws, GoPro LED adapter and O-ring)
- Compatible with Lezyne LED Mini, Hecto, Micro, Micro Pro and Lite drive models.

1-LED-HMOUNT-V504

This product is not affiliated with, endorsed by or in any way associated with GoPro Inc. or its products and services. GoPro, HERO, Session, Karma and their respective logos are trademarks or registered trademarks of GoPro, Inc.



# UNIVERSAL HELMET MOUNT 28.5q

- Universal helmet mount adapts to most strap-style lights.
- Composite Matrix construction.
- Velcro strap fits nearly all helmet styles.

1-LED-HMOUNT-V404





3.



5.



# LED END PLUGS

1. HECTO/MICRO/MINI DRIVE 10g 1-LED-RP-PLGHM-V104

2. STRIP DRIVE (FRONT) 7.1g

ALSO FITS Y12 STRIP DRIVE (FRONT+REAR)

1-LED-RP-PLGST-V104

3. KTV DRIVE (FRONT+REAR) 8g 1-LED-RP-PLGKT-V104

> 4. FEMTO USB (FRONT) 2.6g 1-LED-RP-PLGFF-V104

5. FEMTO USB (REAR) 3.4g
1-LED-RP-PLGFR-V104

6. STICK DRIVE STVZO (REAR) 50.1g 1-LED-33R-STSC-V104

> 7. STICK DRIVE (REAR) 4g 1-LED-RP-33RMT-V104



### **CR2032 BATTERIES**

**2-PACK 2g(pcs)** 1-LED-BAT-2032-V2 **8-PACK 2g(pcs)** 1-LED-BAT-2032-V1



ALUMINUM LED HANDLE BAR MOUNT

51.2g 31.8mm: 1-LED-HB31-V404



LED HANDLE BAR MOUNT

41.4g 25.4mm + 31.8mm: 1-LED-HBM-V304



LED BAR MOUNT ADAPTER

6g 1-LED-HBMA-V104



**GOPRO LED ADAPTER** 

4g 1-LED-GPAD-V104



**D-SHAPE SEATPOST ADAPTER** 

4g 1-LED-DSAD-V104












# LED REPLACEMENT STRAPS

- 1. FEMTO USB STRAP 4g
- 2. FEMTO/ZECTO/KTV STRAP 4.8g
- 3. STRIP DRIVE STRAP (FRONT+REAR) 7.4g
- 4. MINI/HECTO/MICRO/MICRO PRO/ LITE/CLASSIC/CLASSICXL STRAP 24g
- 5. MACRO/SUPER/MEGA STRAP 32.7g ALSO FITS OLDER SUPER/DECA





# NEW

# TYPE C USB CABLE

12g 1-LED-USB-V304

- TYPE-C to USB-A cable.
- Cable length: 30cm.
- For use with USB-C rechargeable lights and Infinite Light Power Pack+.



# MICRO USB CABLE

14g 1-LED-USB-V204



# LED REMOTE SWITCH

**14g** 1-LED-RB-V104

- External button for compatible LED lights.
- Toggle modes while keeping hands on the bars.







### NEW MACRO DRIVE 1400+ / STRIP DRIVE PRO 400+ PAIR

Front: 154.1g - Rear: 71g

MACRO DRIVE 1400+ (FRONT)

- Max 1,400 lumen output / 300-hour max runtime in Femto mode.
- Waterproof USB-C 2A fast charging. (cable not included)
- · CNC-machined aluminum construction with cooling fins.
- Tri-Focus Optics: brighter center spot in large wide-angle pattern.
- Optional GoPro mount available separately.
- Infinite Light Power Pack+ Compatible.
- · Rigorously tested to IPX7 Waterproofing standards.
- 5200 mAh battery capacity.

#### STRIP DRIVE PRO 400+ REAR

- Max 400 lumens / 80-hour runtime in Femto mode.
- · Highly disruptive Daytime Flash mode.
- Wide Angle Optics: 270° of visibility.
- USB-C waterproof charging. (cable not included)
- · Lightweight and durable co-molded design.
- · Seven combined solid and flash modes.
- · Aero and round seatpost compatible.
- · Rigorously tested to IPX7 Waterproofing standards
- 1900 mAh battery capacity

1-LED-4P-V1737





WIDE

USB-C

#### NEW

#### LITE DRIVE 1200+ / KTV DRIVE PRO+ PAIR

Front: 174g - Rear: 45g

LITE DRIVE 1200+ (FRONT)

- Max 1,200 lumen output / 60-hour max runtime.
- Waterproof USB-C 2A fast charging. (cable not included)
- CNC-machined aluminum construction with cooling fins.
- · Fresh Optical Design.
- Optional GoPro mount available separately.
- Infinite Light Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- · 3800 mAh battery capacity.

#### KTV DRIVE PRO+ (REAR)

- Max 150 lumens / 20-hour runtime in Femto mode.
- · Highly disruptive Daytime Flash mode.
- Wide Angle Optics: 270° of visibility.
- Unique aero and round seatpost compatible design.
- Rigorously tested to IPX7 Waterproofing standards.
- Integrated USB-stick for cable-free recharging.
- 400 mAh battery capacity.

1-LED-16P-V737





USB-C

USB-C

### NEW

#### MICRO DRIVE 800+ / STRIP DRIVE 300+ PAIR

Front: 135g - Rear: 71g

MICRO DRIVE 800+ (FRONT)

- Max 800 lumen output / 35-hour max runtime.
- · Waterproof USB-C charging. (cable not included)
- CNC-machined aluminum construction with cooling fins.
- · Fresh Optical Design.
- Optional GoPro mount available separately.
- Infinite Light Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standard.
- 1900 mAh battery capacity.

#### STRIP DRIVE 300+ (REAR)

- Max 300 lumens / 80-hour runtime in Femto mode.
- · Highly disruptive Daytime Flash mode.
- Wide Angle Optics: 270° of visibility.
- USB-C waterproof charging. (cable not included)
- · Lightweight and durable co-molded design.
- · Seven combined solid and flash modes.
- · Aero and round seatpost compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- 1400 mAh battery capacity.

1-I FD-16P-V737



DAYTIME FLASH

USB-C







# NEW LITE DRIVE 1200+ / STRIP DRIVE PRO 400+ PAIR

Front: 174g - Rear: 71g

LITE DRIVE 1200+(FRONT)

- · Max 1,200 lumen output / 60-hour max runtime.
- · Waterproof USB-C 2A fast charging. (cable not included)
- · CNC-machined aluminum construction with cooling fins.
- · Fresh Optical Design.
- Optional GoPro mount available separately.
- · Infinite Light Power Pack+ Compatible.
- · Rigorously tested to IPX7 Waterproofing standards.
- 3800 mAh battery capacity.

STRIP PRO 400+ (REAR)

- · Max 400 lumens / 80-hour runtime in Femto mode.
- · Highly disruptive Daytime Flash mode.
- Wide Angle Optics: 270° of visibility.
- · USB-C waterproof charging. (cable not included)
- · Lightweight and durable co-molded design.
- · Seven combined solid and flash modes.
- · Aero and round seatpost compatible.
- · Rigorously tested to IPX7 Waterproofing standards.
- 1900 mAh battery capacity.

1-LED-16P-V83







#### MICRO DRIVE 800+ / KTV DRIVE PRO+ PAIR

Front: 135g - Rear: 45g

MICRO DRIVE 800+ (FRONT)

- Max 800 lumen output / 35-hour max runtime.
- · Waterproof USB-C charging. (cable not included)
- CNC-machined aluminum construction with cooling fins.
- · Fresh Optical Design.
- · Optional GoPro mount available separately.
- Infinite Light Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standard.
- 1900 mAh battery capacity.

#### KTV DRIVE PRO+ (REAR)

- Max 150 lumens / 20-hour runtime in Femto mode.
- · Highly disruptive Daytime Flash mode.
- Wide Angle Optics: 270° of visibility.
- Unique aero and round seatpost compatible design.
- Rigorously tested to IPX7 Waterproofing standards.
- Integrated USB-stick for cable-free recharging.
- · 400 mAh battery capacity.

1-LED-2P-V1537







#### MICRO DRIVE 800+ / KTV DRIVE+ PAIR

Front: 135g - Rear: 45g

MICRO DRIVE 800+ (FRONT)

- Max 800 lumen output / 35-hour max runtime.
- Waterproof USB-C charging. (cable not included)
- CNC-machined aluminum construction with cooling fins.
- · Fresh Optical Design.
- Optional GoPro mount available separately.
- Infinite Light Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standard.
- 1900 mAh battery capacity.

#### KTV DRIVE+ (REAR)

- Max 40 lumens / 45-hour runtime in Femto mode.
- · Highly disruptive Daytime Flash mode.
- Wide Angle Optics: 270° of visibility.
- Unique aero and round seatpost compatible design.
- Rigorously tested to IPX7 Waterproofing standards.
- · Integrated USB stick for cable-free recharging.
- 400 mAh battery capacity.

1-LED-2P-V1437

















# CLASSIC DRIVE XL 700+/ **ZECTO DRIVE 200+ PAIR**





Front: 124g - Rear: 50g

CLASSIC DRIVE XL 700+ (FRONT)

- Max 700 lumens / 45-hour runtime in Femto mode.
- · Classic Lezyne styling with modern technology.
- Machined aluminum construction.
- · Highly disruptive Daytime Flash mode.
- Waterproof USB-C 2A fast charging. (cable not included)
- Infinite Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- 3300 mAh battery capacity.

#### ZECTO DRIVE 200+ (REAR)

- Max 200 lumens / 35-hour runtime in Femto mode.
- Highly disruptive Daytime Flash mode.
- USB-C waterproof charging. (cable not included)
- Six combined solid and flash output mode.
- Patented 2-in-1 clip and strap mounting system.
- Rigorously tested to IPX7 Waterproofing standards.
- 650 mAh battery capacity.

1-LED-30P-V537





#### NEW

## CLASSIC DRIVE XL 700+/ STICK DRIVE PAIR







Front: 124g - Rear: 23g

CLASSIC DRIVE XL 700+ (FRONT)

- Max 700 lumens / 45-hour runtime in Femto mode.
- · Classic Lezyne styling with modern technology.
- · Machined aluminum construction.
- Highly disruptive Daytime Flash mode.
- Waterproof USB-C 2A fast charging. (cable not included)
- Infinite Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- 3300 mAh battery capacity.

#### STICK DRIVE (REAR)

- · Incredibly thin, innovative taillight.
- · Quickly unclips from magnetic base for easy recharging.
- Wide Angle Optics for up to 270° of visibility.
- · Simple and secure o-ring mounting system.
- · Lightweight design constructed from durable composite material.
- IPX7 waterproof rating.

1-LED-30P-V437






# NEW FUSION DRIVE PRO 600+ / STRIP DRIVE 300+ PAIR


Front: 98g - Rear: 71g

FUSION DRIVE PRO 600+ (FRONT)

- Max 600 lumen output / 36-hour max runtime.
- · Waterproof USB-C charging. (cable not included)
- · CNC-machined aluminum construction with cooling fins.
- Fresh Optical Design.
- Optional GoPro mount available separately.
- Infinite Light Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- 1900 mAh battery capacity.

1-LED-39P-V237







- Wide Angle Optics: 270° of visibility.
- · USB-C waterproof charging. (cable not included)
- · Lightweight and durable co-molded design.
- Seven combined solid and flash modes.
- · Aero and round seatpost compatible.
- Rigorously tested to IPX7 Waterproofing
- 1400 mAh battery capacity.
- · Aero and round seatpost compatible.
- · Micro USB rechargeable.







### NEW FUSION DRIVE PRO 600+ / KTV DRIVE PRO+ PAIR







Front: 98g - Rear: 45g

FUSION DRIVE PRO 600+ (FRONT)

- · Max 600 lumen output / 36-hour max runtime.
- · Waterproof USB-C charging. (cable not included)
- · CNC-machined aluminum construction with cooling fins.
- Fresh Optical Design.
- · Optional GoPro mount available separately.
- Infinite Light Power Pack+ Compatible.
- · Rigorously tested to IPX7 Waterproofing standards.
- 1900 mAh battery capacity.

1-LED-39P-V137

#### KTV DRIVE PRO+ (REAR)

- Max 150 lumens / 20-hour runtime in Femto mode.
- · Highly disruptive Daytime Flash mode.
- Wide Angle Optics: 270° of visibility.
- Unique aero and round seatpost compatible design.
- Rigorously tested to IPX7 Waterproofing standards.
- Integrated USB-stick for cable-free recharging.
- 400 mAh battery capacity.
- · Simple and secure o-ring mounting system.
- · Lightweight design constructed from durable composite material.
- IPX7 waterproof rating.









## NEW FUSION DRIVE 500+/ **ZECTO DRIVE 200+ PAIR**









## Front: 98g - Rear: 50g

#### FUSION DRIVE 500+ (FRONT)

- Max 500 lumen output / 35-hour max runtime.
- Waterproof USB-C charging. (cable not included)
- CNC-machined aluminum construction with cooling fins.
- · Fresh Optical Design.
- · Optional GoPro mount available separately.
- · Infinite Light Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- 1400 mAh battery capacity.

#### ZECTO DRIVE 200+ (REAR)

- Max 200 lumens / 35-hour runtime in Femto mode.
- · Highly disruptive Daytime Flash mode.
- USB-C waterproof charging. (cable not included)
- · Six combined solid and flash output mode.
- Patented 2-in-1 clip and strap mounting system.
- Rigorously tested to IPX7 Waterproofing standards.
- · 650 mAh battery capacity.

1-LED-2P-V1004









Front: 98g - Rear: 45g

#### FUSION DRIVE 500+ (FRONT)

- Max 500 lumen output / 35-hour max runtime.
- · Waterproof USB-C charging. (cable not included)
- · CNC-machined aluminum construction with cooling fins.
- · Fresh Optical Design.
- · Optional GoPro mount available separately.
- Infinite Light Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- 1400 mAh battery capacity.

#### KTV DRIVE PRO+ (REAR)

- Max 150 lumens / 20-hour runtime in Femto mode.
- · Highly disruptive Daytime Flash mode.
- · Wide Angle Optics: 270° of visibility.
- Unique aero and round seatpost compatible design.
- Rigorously tested to IPX7 Waterproofing standards.
- · Integrated USB-stick for cable-free recharging.
- · 400 mAh battery capacity.
- · Simple and secure o-ring mounting system.
- · Lightweight design constructed from durable composite material.
- IPX7 waterproof rating.

1-LED-2P-V904









23g

# NEW CLASSIC DRIVE 500+ / ZECTO DRIVE 200+ PAIR





Front: 95g - Rear: 50g

#### CLASSIC DRIVE 500+ FRONT (FRONT)

- Max 500 lumens / 80-hour runtime in Femto mode.
- · Classic Lezyne styling with modern technology.
- · Compact, machined aluminum construction.
- Highly disruptive Daytime Flash mode.
- Waterproof USB-C charging. (cable not included)
- Infinite Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- 1900 mAh battery capacity.

#### ZECTO DRIVE 200+ (REAR)

- Max 200 lumens / 35-hour runtime in Femto mode.
- Highly disruptive Daytime Flash mode.
- USB-C waterproof charging. (cable not included)
- Six combined solid and flash output mode.
- Patented 2-in-1 clip and strap mounting system.
- $\bullet \ \text{Rigorously tested to IPX7 Waterproofing standards}.$
- 650 mAh battery capacity.

1-LED-29P-V737

# NEW CLASSIC DRIVE 500+/ STICK DRIVE PAIR







Front: 95g - Rear: 23g

#### CLASSIC DRIVE 500+ FRONT (FRONT)

- Max 500 lumens / 80-hour runtime in Femto mode.
- · Classic Lezyne styling with modern technology.
- · Compact, machined aluminum construction.
- · Highly disruptive Daytime Flash mode.
- Waterproof USB-C charging. (cable not included)
- Infinite Power Pack+ Compatible.
- Rigorously tested to IPX7 Waterproofing standards.
- 1900 mAh battery capacity.

#### STICK DRIVE (REAR)

- · Incredibly thin, innovative taillight.
- · Quickly unclips from magnetic base for easy recharging.
- Wide Angle Optics for up to 270° of visibility.
- Simple and secure o-ring mounting system.
- Integrated USB-stick for cable-free recharging.
- Lightweight design constructed from durable composite materials.
- $\bullet \ \mbox{Rigorously tested to IPX7 Waterproofing standards}.$
- 300 mAh battery capacity.

1-LED-29P-V637

### HECTO DRIVE 500XL / STRIP DRIVE 300+ PAIR











Front: 84g - Rear: 71g HECTO DRIVE 500XL

- Max 500 lumens / 20-hour runtime in Femto mode.
- CNC-machined aluminum with cooling fins.
- Highly disruptive Daytime Flash mode.
- Integrated USB-stick for cable-free recharging.
- Optional GoPro mount available separately .
- Rigorously tested to IPX7 Waterproofing standards.
- 650 mAh battery capacity.
- Aero and round seatpost compatible.
- Micro USB rechargeable.

1-LED-9P-V1804

#### STRIP DRIVE 300+ (REAR)

- Max 300 lumens / 80-hour runtime in Femto mode.
- Highly disruptive Daytime Flash mode.
- Wide Angle Optics: 270° of visibility.
- USB-C waterproof charging (cable not included)
- Lightweight and durable co-molded design.
- Seven combined solid and flash modes.
- Aero and round seatpost compatible.
- Rigorously tested to IPX7 Waterproofing standards
- 1400 mAh battery capacity.
- Aero and round seatpost compatible.
- · Micro USB rechargeable.



#### HECTO DRIVE 500XL / STICK DRIVE PAIR

Front: 84g - Rear: 23g HECTO DRIVE 500XL

- Max 500 lumens / 20-hour runtime in Femto mode.
- CNC-machined aluminum with cooling fins.
- Highly disruptive Daytime Flash mode.
- Integrated USB-stick for cable-free recharging.
- Optional GoPro mount available separately.
- Rigorously tested to IPX7 Waterproofing standards.
- 650 mAh battery capacity.

1-LED-9P-V1104

#### STICK DRIVE (REAR)

- · Incredibly thin, innovative taillight.
- · Quickly unclips from magnetic base for easy recharging.
- · Wide Angle Optics for up to 270° of visibility.
- · Simple and secure o-ring mounting system.
- Integrated USB-stick for cable-free recharging.
- · Lightweight design constructed from durable composite materials.
- · Rigorously tested to IPX7 Waterproofing standards.
- 300 mAh battery capacity.







# HECTO DRIVE 500XL / KTV DRIVE PRO+ PAIR ANGLE ANGL





Front: 84g - Rear: 45g

#### HECTO DRIVE 500XL

- Max 500 lumens / 20-hour runtime in Femto mode.
- CNC-machined aluminum with cooling fins.
- · Highly disruptive Daytime Flash mode.
- · Integrated USB-stick for cable-free recharging.
- · Optional GoPro mount available separately
- Rigorously tested to IPX7 Waterproofing standards.
- 650 mAh battery capacity.

#### KTV DRIVE PRO+ (REAR)

- Max 150 lumens / 20-hour runtime in Femto mode.
- · Highly disruptive Daytime Flash mode.
- · Wide Angle Optics: 270° of visibility.
- Unique aero and round seatpost compatible design.
- Rigorously tested to IPX7 Waterproofing standards.
- · Integrated USB-stick for cable-free recharging.
- 400 mAh battery capacity.
- Simple and secure o-ring mounting system.
- · Lightweight design constructed from durable composite material
- IPX7 waterproof rating.

1-LED-9P-V1704

# HECTO DRIVE 500XL / 💥 KTV DRIVE+ PAIR







# **FEMTO USB PAIR**





Front: 84g - Rear: 45g

#### **HECTO DRIVE 500XL**

- Max 500 lumens / 20-hour runtime in Femto mode.
- CNC-machined aluminum with cooling fins.
- Highly disruptive Daytime Flash mode.
- Integrated USB-stick for cable-free recharging.
- Optional GoPro mount available separately .
- Rigorously tested to IPX7 Waterproofing standards.
- 650 mAh battery capacity.

#### KTV DRIVE+ (REAR)

- Max 40 lumens / 45-hour runtime in Femto mode.
- Highly disruptive Daytime Flash mode.
- Wide Angle Optics: 270° of visibility.
- Unique aero and round seatpost compatible design.
- · Rigorously tested to IPX7 Waterproofing standards.
- · Integrated USB stick for cable-free recharging.
- 400 mAh battery capacity.

1-I FD-9P-V1604

# HECTO DRIVE 500XL /

Front: 84g - Rear: 24g

#### HECTO DRIVE 500XL

- Max 500 lumens / 20-hour runtime in Femto mode.
- · CNC-machined aluminum with cooling fins.
- · Highly disruptive Daytime Flash mode.
- · Integrated USB-stick for cable-free recharging.
- Optional GoPro mount available separately .
- Rigorously tested to IPX7 Waterproofing standards.
- 650 mAh battery capacity.

#### FEMTO USB DRIVE (REAR)

- · Compact, super lightweight.
- 5 lumens of output.
- Durable co-molded construction.
- Wide Angle Optics: 270° of visibility.
- · Versatile mounting strap.
- · Micro-USB rechargeable
- · Rigorously tested to IPX7 Waterproofing standards.
- 210 mAh battery capacity.

1-LED-9P-V1104





#### MINI DRIVE 400XL / STICK DRIVE PAIR

Front: 64g - Rear: 23g

#### MINI DRIVE 400XL (FRONT)



- CNC-machined aluminum construction.
- Highly disruptive Daytime Flash mode.
- · Integrated USB-stick for cable-free recharging.
- Optional GoPro mount available separately .
- Rigorously tested to IPX7 Waterproofing standards.
- 650 mAh battery capacity.

#### STICK DRIVE (REAR)

- · Incredibly thin, innovative taillight.
- · Quickly unclips from magnetic base for easy recharging.
- · Wide Angle Optics for up to 270° of visibility.
- · Simple and secure o-ring mounting system.
- · Integrated USB-stick for cable-free recharging.
- Lightweight design constructed from durable composite materials.
- Rigorously tested to IPX7 Waterproofing standards.
- 300 mAh battery capacity.

1-LED-24P-V504



#### MINI DRIVE 400XL / FEMTO DRIVE PAIR

DAYTIME FLASH

Front: 64g - Rear: 26g

### MINI DRIVE 400XL (FRONT)

- Max 400 lumens / 20-hour runtime in Femto mode.
- CNC-machined aluminum construction.
- · Highly disruptive Daytime Flash mode.
- Integrated USB-stick for cable-free recharging.
- · Optional GoPro mount available separately .
- · Rigorously tested to IPX7 Waterproofing standards.
- · 650 mAh battery capacity.

#### FEMTO DRIVE (REAR)

- · CNC-machined aluminum body.
- Single LED produces up to 7 lumens.
- 180° of visibility.
- Patented 2-in-1 clip and strap mounting system.
- · Rigorously tested to IPX7 Waterproofing standards.
- · Available in 4 anodized colors.

1-LED-24P-V304






# NEW MINI DRIVE 400XL / KTV DRIVE PRO+ PAIR

Front: 64g - Rear: 45g

#### MINI DRIVE 400XL (FRONT)





- Highly disruptive Daytime Flash mode.
- · Integrated USB-stick for cable-free recharging.
- · Optional GoPro mount available separately .
- · Rigorously tested to IPX7 Waterproofing standards.
- 650 mAh battery capacity.

#### KTV DRIVE PRO+ (REAR)

- Max 150 lumens / 20-hour runtime in Femto mode.
- · Highly disruptive Daytime Flash mode.
- · Wide Angle Optics: 270° of visibility.
- · Unique aero and round seatpost compatible design.
- · Rigorously tested to IPX7 Waterproofing standards.
- · Integrated USB-stick for cable-free recharging.
- · 400 mAh battery capacity.
- · Simple and secure o-ring mounting system.
- · Lightweight design constructed from durable composite material.

1-LED-24P-V704





DAYTIME FLASH

### NEW MINI DRIVE 400XL / KTV DRIVE+ PAIR

Front: 64g - Rear: 45g



- Max 400 lumens / 20-hour runtime in Femto mode.
- CNC-machined aluminum construction.
- · Highly disruptive Daytime Flash mode.
- Integrated USB-stick for cable-free recharging.
- · Optional GoPro mount available separately
- Rigorously tested to IPX7 Waterproofing standards.
- 650 mAh battery capacity.

#### KTV DRIVE+ (REAR)

- Max 40 lumens / 45-hour runtime in Femto mode.
- · Highly disruptive Daytime Flash mode.
- · Wide Angle Optics: 270° of visibility.
- Unique aero and round seatpost compatible design.
- · Rigorously tested to IPX7 Waterproofing standards.
- · Integrated USB stick for cable-free recharging.
- · 400 mAh battery capacity.

1-LED-24P-V604





ANGLE DAYTIME FLASH

#### MINI DRIVE 400XL / FEMTO USB PAIR

Front: 64g - Rear: 24g

#### MINI DRIVE 400XL (FRONT)

- Max 400 lumens / 20-hour runtime in Femto mode.
- CNC-machined aluminum construction.
- Highly disruptive Daytime Flash mode.
- Integrated USB-stick for cable-free recharging.
- Optional GoPro mount available separately.
- Rigorously tested to IPX7 Waterproofing standards.
- 650 mAh battery capacity.

#### FEMTO USB DRIVE (REAR)

- · Compact, super lightweight.
- 5 lumens of output.
- Durable co-molded construction.
- Wide Angle Optics: 270° of visibility.
- · Versatile mounting strap.
- · Micro-USB rechargeable.
- Rigorously tested to IPX7 Waterproofing standards.
- 210 mAh battery capacity.

1-LED-24P-V304





DAYTIME FLASH

### NEW ZECTO DRIVE 250+ / ZECTO DRIVE 200+ PAIR

Front: 47g - Rear: 50g

#### ZECTO DRIVE 250+ (FRONT)

- Max 250 lumens / 40-hour runtime in Femto mode.
- Six combined solid and flash output modes.
- Highly disruptive Daytime Flash mode.
- Waterproof USB-C charging. (cable not included)
- Patented 2-in-1 clip-on or strap mount options.
- Rigorously tested to IPX7 Waterproofing standards.
- 650 mAh battery capacity.

#### ZECTO DRIVE 200+ (REAR)

- $\bullet\,\text{Max}\,200\,\text{lumens}\,/\,35\text{-hour}\,\text{runtime}\,\text{in}\,\text{Femto}\,\text{mode}.$
- Highly disruptive Daytime Flash mode.
- USB-C waterproof charging. (cable not included)
- $\bullet$  Six combined solid and flash output mode.
- Patented 2-in-1 clip and strap mounting system.
- Rigorously tested to IPX7 Waterproofing standards.
- 650 mAh battery capacity.

1-LED-8P-V404





#### NEW KTV DRIVE PRO 300+ / KTV DRIVE PRO+ PAIR

Front: 73g - Rear: 45g

KTV DRIVE PRO 300+ (FRONT)







- Max 400 lumens / 20-hour runtime in Femto mode.
- CNC-machined aluminum construction.
- Highly disruptive Daytime Flash mode.
- · Integrated USB-stick for cable-free recharging.
- Optional GoPro mount available separately .
- Rigorously tested to IPX7 Waterproofing standards.
- 650 mAh battery capacity.

#### KTV DRIVE PRO+ (REAR)

- Max 150 lumens / 20-hour runtime in Femto mode.
- Highly disruptive Daytime Flash mode.
- Wide Angle Optics: 270° of visibility.
- Unique aero and round seatpost compatible design.
- Rigorously tested to IPX7 Waterproofing standards.
- Integrated USB-stick for cable-free recharging.
- 400 mAh battery capacity.
- · Simple and secure o-ring mounting system.
- · Lightweight design constructed from durable composite material.

1-LED-24P-V304





#### NEW KTV DRIVE PRO 300+ / KTV DRIVE+ PAIR

Front: 73g - Rear: 45g

KTV DRIVE PRO 300+ (FRONT)







- Max 400 lumens / 20-hour runtime in Femto mode
- CNC-machined aluminum construction.
- Highly disruptive Daytime Flash mode.
- Integrated USB-stick for cable-free recharging.
- Optional GoPro mount available separately .
- Rigorously tested to IPX7 Waterproofing standards.
- 650 mAh battery capacity.

#### KTV DRIVE+ (REAR)

- Max 40 lumens / 45-hour runtime in Femto mode.
- Highly disruptive Daytime Flash mode.
- Wide Angle Optics: 270° of visibility.
- · Unique aero and round seatpost compatible design.
- $\bullet \ \mbox{Rigorously tested to IPX7 Waterproofing standards}.$
- Integrated USB stick for cable-free recharging.
- 400 mAh battery capacity.

1-I FD-24P-V304







### NEW KTV DRIVE / KTV DRIVE+ PAIR

Front: 47.4g - Rear: 45g

KTV DRIVE (FRONT)







- · Highly disruptive Daytime Flash mode.
- Integrated USB-stick for cable-free recharging.
- Durable co-molded rubber body.
- Patented 2-in-1 clip-on or strap mount options.
- Rigorously tested to IPX7 Waterproofing standards.
- 400 mAh battery capacity.

#### KTV DRIVE+ (REAR)

- Max 40 lumens / 45-hour runtime in Femto mode.
- Highly disruptive Daytime Flash mode.
- Wide Angle Optics: 270° of visibility.
- Unique aero and round seatpost compatible design.
- Rigorously tested to IPX7 Waterproofing standards.
- Integrated USB stick for cable-free recharging.
- 400 mAh battery capacity.

1-LED-12P-V704





### KTV DRIVE / FEMTO USB PAIR

Front: 47.4g - Rear: 24g

KTV DRIVE (FRONT)





- Max 200 lumens / 40-hour runtime in Flash mode.
- · Highly disruptive Daytime Flash mode.
- Integrated USB-stick for cable-free recharging.
- Durable co-molded rubber body.
- Patented 2-in-1 clip-on or strap mount options.
- Rigorously tested to IPX7 Waterproofing standards.
- 400 mAh battery capacity.

#### FEMTO USB DRIVE (REAR)

- · Compact, super lightweight.
- 5 lumens of output.
- Durable co-molded construction.
- Wide Angle Optics: 270° of visibility.
- · Versatile mounting strap.
- · Micro-USB rechargeable.
- Rigorously tested to IPX7 Waterproofing standards.
- 210 mAh battery capacity.

1-LED-12P-V504





FEMTO USB DRIVE PAIR - BLACK 1-LED-31P-V104





FEMTO USB DRIVE PAIR - WHITE 1-LED-31P-V107





FEMTO USB DRIVE PAIR - BLUE 1-LED-31P-V110





FEMTO USB DRIVE PAIR - RED 1-LED-31P-V111

# FEMTO USB DRIVE PAIRS



Front: 23g / Rear: 24g

- Compact, super lightweight.
- 15 lumens of output (front) / 5 lumens of output (rear).
- Durable co-molded construction.
- Wide Angle Optics: 270° of visibility.
- Versatile mounting strap.
- Micro USB rechargeable.





FEMTO DRIVE PAIR - BLACK/RED 1-LED-1P-V100





FEMTO DRIVE PAIR - BLACK 1-LED-1P-V104





FEMTO DRIVE PAIR - SILVER 1-LED-1P-V106


### **FEMTO DRIVE PAIRS**

Front: 30g / Rear:26g

- CNC-machined aluminum body.
- 15 lumens of output (front) / 7 lumens of output (rear).
- 180° of visibility.
- Patented 2-in-1 clip and strap mounting system.
- Powered by two CR2032 batteries.








# **E-BIKE LIGHTS**

Our collection of e-bike lights feature the quality, technology, and style one would expect of a Lezyne LED product. No matter the type of e-bike or style of rider, there is an option that's sure to enhance both the bike and rider's visibility.



# **E**·VISIBILITY





#### MEGA HB STVZO E2000

LB 600 Lumen | HB 2000 Lumen

- · StVZO-Optimized lens.
- Daytime running lights. (ECE R87)
- Die cast and CNC-machined aluminum body with optimized heat-dissipating design.
- Includes CNC Machined Aluminum E-bike Mega Mount.
- Thermal Protection Safety Feature: Auto-reduces light output for safety and efficiency.
- · Rigorously tested to IPX7 Waterproofing standards.
- Hi-Beam / Low-Beam switch with mode indicator.
- E-bike compatible 10.5 13.5V input, 8.5W LB / 16W HB.
- Versatile E-bike system compatibility.
- 130cm power cable with BES3 BOSCH connector included.

1-LED-EMGHB-V138G



#### SUPER STVZO HB E1000 99q

LB 600 lumens | HB 1000 lumens

- StVZO-Optimized lens.
- Integrated CNC-machined and polished aluminum body with cooling fins.
- · Includes bike center mount and aluminum CNC fork mount.
- Thermal Protection Safety Feature reduces light output for safety and efficiency.
- Rigorously tested to IPX7 Waterproofing standards.
- Hi-Beam / Low-Beam switch with mode indicator.
- E-bike compatible 11 15V input, 8.5W LB / 16W HB.
- 130cm power cable included.



1-LED-ESPHB-V104AE



# CLASSIC STVZO HB E800 91g

LB 500 lumens | HB 800 lumens

- StVZO-Optimized lens.
- Integrated CNC-machined and polished aluminum body.
- Includes bike center mount and aluminum CNC fork mount.
- Thermal Protection Safety Feature reduces light output for safety and efficiency.
- Rigorously tested to IPX7 Waterproofing standards.
- Hi-Beam / Low-Beam switch with mode indicator.
- E-bike compatible 11 15V input, 7.5W LB / 13W HB.
- 130cm power cable included.



1-LED-EFUSP-V117E



### MACRO DRIVE 1000 67g

#### 1,000 lumens

- CNC-machined aluminum body with cooling fins.
- Includes bike center mount and aluminum CNC fork mount.
- Enhanced Maximum Optical Reflection (MOR) lens.
- Thermal Protection Safety Feature reduces light output for safety and efficiency.
- Rigorously tested to IPX7 Waterproofing standards.
- E-bike compatible 6 12V input, 6W.
- 130cm power cable included.




1-LED-EMACR-V104S



## LITE PRO DRIVE 800 SWITCH (HIGH VOLT) 67g

#### 800 lumens

- · CNC-machined aluminum body with cooling fins.
- Includes bike center mount and aluminum CNC fork mount.
- Enhanced Maximum Optical Reflection (MOR) lens.
- · Integrated Remote Switch.
- Thermal Protection Safety Feature reduces light output for safety and efficiency.
- Rigorously tested to IPX7 Waterproofing standards.
- E-bike High Volt compatible: 12 48V input, 8W.
- 130cm power cable included.



1-LED-ELTRSHV-V104SA



### NEW

### **ORBIS STVZO E600**

#### LB 600 lumens

- StVZO-Optimized lens.
- Daytime running lights. (ECE R87)
- Die cast and CNC-machined aluminum body with optimized heat-dissipating design.
- Includes CNC Machined Aluminum E-bike Mega Mount.
- Thermal Protection Safety Feature: Auto-reduces light output for safety and efficiency.
- Rigorously tested to IPX7 Waterproofing standards.
- E-bike compatible 10.5 13.5V input, 8.5W LB / 13W DRL.
- · Versatile E-bike system compatibility.
- 130cm power cable with BES3 BOSCH connector included.

1-LED-EOBSST-V138G





### **FUSION PRO STVZO E600**

#### 600 lumens

- New 6-LED StVZO-optimized lens.
- New CNC-Machined and Bead-Blasted Aluminum body: Optimized heat-dissipating design.
- · Includes bike center mount.
- Advanced thermal management chip: Auto reduces light output for safety and efficiency.
- Rigorously tested to IPX7 Waterproofing standards.
- E-bike compatible 10.5 13.5V input, MAX 9W.
- 130cm power cable with BES3 BOSCH connector included.

1-LED-EFUSP-V117E





#### **FUSION STVZO E550**

#### 550 lumens

- New 4-LED StVZO-optimized lens.
- New CNC-Machined and Bead-Blasted Aluminum body: Optimized heat-dissipating design.
- Includes bike center mount.
- Advanced thermal management chip: Auto reduces light output for safety and efficiency.
- Rigorously tested to IPX7 Waterproofing standards.
- E-bike compatible 10.5 13.5V input, MAX 9W.
- $\bullet$  130cm power cable with BES3 BOSCH connector included.

1-LED-EFUS-V137E





#### NFW

### **FUSION SM STVZO E550**

#### 550 lumens

- New 4-LED StVZO-optimized lens.
- New CNC-Machined and Bead-Blasted Aluminum body: Optimized heat-dissipating design.
- Includes 31.8mm Side Mount.
- Advanced thermal management chip: Auto reduces light output for safety and efficiency.
- Rigorously tested to IPX7 Waterproofing standards.
- E-bike compatible 10.5 13.5V input, MAX 9W.
- 130cm power cable with BES3 BOSCH connector included.

1-LED-EFUSSM-V137



### CLASSIC STVZO E500 80g

#### 500 Lumen / 120 Lux

- StVZO-Optimized lens.
- Integrated CNC-machined and polished aluminum body.
- Includes E-bike stem mount and aluminum CNC fork mount.
- Thermal Protection Safety Feature reduces light output for safety and efficiency.
- Rigorously tested to IPX7 Waterproofing standards.
- E-bike compatible 11 15V input, 7.5W.
- 130cm power cable included.

1-LED-ECLST-V104AE



# MICRO DRIVE 500 (HIGH VOLT) 42g

#### 500 lumens

- · CNC-machined aluminum body.
- Includes bike center mount and aluminum CNC fork mount.
- Enhanced Maximum Optical Reflection (MOR) lens.
- Thermal Protection Safety Feature reduces light output for safety and efficiency.
- Rigorously tested to IPX7 Waterproofing standards.
- E-bike High Voltage compatible: 12 48V input, 7.5W.
- 130cm power cable included.

1-LED-EMICHV-V104SA



### MICRO DRIVE 500 42g

### 500 lumens

- CNC-machined aluminum body
- Includes bike center mount and aluminum CNC fork mount
- Enhanced Maximum Optical Reflection (MOR) lens
- Thermal Protection Safety Feature reduces light output for safety and efficiency
- Rigorously tested to IPX7 Waterproofing standards
- E-bike compatible 6 12V input, 6W
- 130cm power cable included

1-LED-EMICR-V104A



# POWER STVZO PRO E115 SWITCH 56.3g POWER STVZO PRO E115 56.3g

#### 310 lumens | 115 lux

- StVZO optimized lens.
- CNC machined aluminum body.
- Includes bike stem mount and aluminum CNC fork mount.
- Computer controlled thermal management.
- Integrated Remote Switch (Switch model only).
- E-bike compatible 6 12v input, 6w.
- 130cm power cable included.



Switch: 1-LED-EPWSSTP-V104SA Light Only: 1-LED-EPWRSTP-V204SA



### HECTO STVZO E65 84a

#### 210 lumens | 65 lux

- · StVZO-Optimized lens.
- CNC-machined aluminum body.
- Thermal Protection Safety Feature reduces light output for safety and efficiency.
- Rigorously tested to IPX7 Waterproofing standards.
- Includes aluminum CNC fork mount.
- E-bike compatible 6 12V input, 4W.
- 130cm power cable included.

1-LED-EHCTST-V204A





### MINI STVZO E65 80g

#### 210 lumens | 65 lux

- StVZO-Optimized lens.
- Composite Matrix body.
- Integrated machined aluminum top plate with cooling fins.
- Thermal Protection Safety Feature reduces light output for safety and efficiency.
- Rigorously tested to IPX7 Waterproofing standards.
- Composite Matrix fork mount with stealth wire integration.
- E-bike compatible 6 12V input, 4W.
- 130cm power cable included.

1-LED-EMNIST-V104C









### RACK PRO STVZO E40 REAR

### 40 lumens

- Rear Rack mounting for optimum visibility.
- $\hbox{\small \bullet StVZO-optimized lens with twelve high output LEDs.} \\$
- Vivid Optics floods bikes' surrounding area with light for improved 360° visibility.
- E-bike Compatible 10.5 13.5V input, 1.7W.
- Rigorously tested to IPX7 Waterproofing standards.
- 50 and 80mm rack mount spacing.
- Stainless Allen key hardware included.
- 135cm power cable included.

1-LED-ERRKPST-V1



#### Z-MARK SUPER BRIGHT 21q

- Two high output LEDs provide 12 lumens.
- German StVZO Z-Reflector optimized lens with wide light spread.
- E-bike compatible 6v input, 0.4w / 12v input, 0.8w.
- Composite Matrix rack mounting system.
- IPX7 waterproof.
- · Stainless Allen key hardware included.

1-LED-ESBST-V104



#### FENDER REAR STVZO 23q



- Two high output LEDs provide 11 lumens.
- StVZO-optimized lens with wide light spread.
- E-bike compatible 6v input, 0.6w / 12v input, 1.2w.
- Composite Matrix fender mounting system.
- IPX7 waterproof.
- · Stainless Allen key hardware included.
- 130cm power cable included.

1-LED-ERFNDST-V1



### SUPER BRIGHT STVZO ALERT





- Two high output LEDs provide 12 lumens.
- German StVZO Z-Reflector optimized lens with wide light spread.
- Automatic Deceleration Detection with 10 LED, 24 lumen Alert signaling mode.
- E-Bike Compatible 6 12v input, 1.2w / 2.4w Alert mode.
- Composite Matrix rack mounting system.
- IPX7 waterproof.

48g

- Stainless Allen key hardware included.
- 130cm power cable included.
- 50 and 80mm mount spacing.

1-LED-ERSBSTAL-V2



### FENDER REAR STVZO ALERT

24.2g



- $\bullet \ \mathsf{Two} \ \mathsf{high} \ \mathsf{output} \ \mathsf{LEDs} \ \mathsf{provide} \ \mathsf{11} \ \mathsf{lumens}.$
- StVZO-optimized lens with wide light spread.
- Automatic Deceleration Detection with 4 LED, 22 lumen Alert signaling mode.
- E-bike compatible 6 12v input, 1.2w / 2.4w Alert mode.
- Composite Matrix fender mounting system.
- IPX7 waterproof.
- Stainless Allen key hardware included.
- 130cm power cable included.

1-LED-ERFNDSTAL-V2





# FORWARD CENTER MOUNT 16g

- Ultra-tough Composite Matrix construction.
- Designed to fit either 35 or 31.8mm handlebar diameters.
- Clean installation out in front of the stem for optimal lighting placement.
- Includes rubber shims for ultimate bar grip.

1-LED-RP-EMTCNT-V104



# ALUMINUM FORK MOUNT 15g

- $\bullet$  Versatile LED and accessory forward mount.
- Bolts directly to fork.
- $\bullet \ \, \text{Included Aluminum Fork Mount, spacer, and screw set}.$
- Suitable for most Lezyne bike front light LEDs.

  ( Super, Classic, Macro, Power, Power Pro, Micro, Hecto)

1-LED-RP-EMTALM-V104



#### MINI MOUNT (W/ AL GOPRO ADAPTER)

W/AL GoPro Adapter 22g | Mini Mount Only 17g

- Versatile LED and accessory forward mount.
- · Bolts directly to fork.
- Included Composite Matrix construction mini mount,
   aluminum. GoPro mount adapter, O-ring, spacer, and screw set.
- Suitable for most Lezyne bike front light LEDs. (Macro, Power, Power Pro, Micro, Hecto)

1-LED-RP-EMTMNAL-V04 (w/AL GoPro Adapter) 1-LED-RP-EMTMNI-V104 (Mini Mount Only)

This product is not affiliated with, endorsed by or in any way associated with GoPro Inc. or its products and services. GoPro, HERO, Session, Karma and their respective logos are trademarks or registered trademarks of GoPro, Inc.



### WIRE MOUNT 15g

- Lightweight, stainless steel Lezyne LED mount.
- · Bolts directly to fork.
- · Includes mount, spacer, and screw set.
- Suitable for most Lezyne bike front lights LEDs.
  (Super, Classic, Macro, Power, Power Pro, Micro, Hecto)

1-LED-RP-EMTW-V106



### SUNTOUR NEX/NCX FORK CROWN MOUNT 12g

- Versatile LED and accessory forward mount.
- Bolts directly to stem faceplate.
- Included Composite Matrix Suntour Mobie Fork Mount, spacer, and screw set.
- Suitable for most Lezyne bike front light LEDs.

  ( Super, Classic, Macro, Power, Power Pro, Micro, Hecto)

1-LED-RP-EMTCMB-V104



#### SUNTOUR MOBIE FORK CROWN MOUNT 19g

- Versatile LED and accessory forward mount.
- · Bolts directly to stem faceplate.
- Included Composite Matrix Suntour Mobie Fork Mount, spacer, and screw set.
- Suitable for most Lezyne bike front light LEDs.

  ( Super, Classic, Macro, Power, Power Pro, Micro, Hecto)


1-LED-RP-EMTMOB-V104



### STVZO LIGHTS

StVZO LEDs are bike lights that comply with the safety standards developed by the German government. These lights feature a special lens that provides a floodlight that's leveled off so as not to intrude with oncoming traffic.







# OPTIMIZED BEAM PATTERN

Our innovative StVZO lenses are engineered to provide an optimal light beam for greater visibility and night riding performance while still complying with German regulations.







# NEW

# SUPER STVZO 600+

205g





- StVZO-Optimized lens
- CNC-machined aluminum body
- USB-C Rechargeable Li-ion battery with charge indicator (cable not included)
- Rigorously tested to IPX7 Waterproofing standards
- Optional GoPro mount available separately
- Infinite Light Power Pack+ Compatible
- 6600 mAh battery capacity

	FEMTO	ECONOMY	ENDURO	BLAST
31/5	40	Z250	420	₽600
	LUMENS	LUMENS	LUMENS	LUMENS
0	25:00	11:00	7:00	4:00
	h:min	h:min	h:min	h:min
Power Pack <sup>+</sup> Compatible	*	4	+	*

RACE MOI

Satin Black: 1-LED-6-STVZO-V137



### **POWER STVZO PRO 115**

220g

310 lumens | 115 lux

LOADED KIT Includes: Remote Switch

- StVZO-Optimized lens.
- CNC-machined aluminum body.
- Rechargeable double-cell Li-ion battery with charge indicator.
- Rigorously tested to IPX7 Waterproofing standards.
- Optional GoPro mount available separately.

	BLAST	ENDURO	ECONOMY
31/5	115	70	15
	LUX	LUX	LUX
0	4:30	7:00	27:00
	h:min	h:min	h:min

Black: 1-LED-5-STVZO-V204, Silver: 1-LED-5-STVZO-V206

Matte Black: 1-LED-5-STVZO-V217 Loaded Kit: 1-LED-5A-STVZO-V104







### MACRO STVZO 500+

153g



- StVZO-Optimized lens.
- CNC-machined aluminum body.
- USB-C Rechargeable Li-ion battery with charge indicator. (cable not included)
- Rigorously tested to IPX7 Waterproofing standards.
- Optional GoPro mount available separately.
- Infinite Light Power Pack+ Compatible.
- 3800 mAh battery capacity.

	FEMTO	ECONOMY	ENDURO	BLAST
31/5	40	₹250	350	₹500
	LUMENS	LUMENS	LUMENS	LUMENS
0	18:00	6:00	4:00	3:00
	h:min	h:min	h:min	h:min
Power Pack+ Compatible	4	4	*	*

RACE MODE

Satin Black: 1-LED-4-STVZO-V137



# MICRO STVZO 300+

113g



- CNC-machined aluminum body.
- USB-C Rechargeable Li-ion battery with charge indicator. (cable not included)
- Rigorously tested to IPX7 Waterproofing standards.
- Optional GoPro mount available separately.
- Infinite Light Power Pack+ Compatible.
- 1900 mAh battery capacity.



Satin Black: 1-LED-2-STVZO-V137





# (NEW)

### **HECTO PRO STVZO 400+ FRONT**

1470



- CNC-machined aluminum body.
- USB-C Rechargeable Li-ion battery with charge indicator. (cable not included)
- Rigorously tested to IPX7 Waterproofing standards.
- Optional GoPro mount available separately.
- Infinite Light Power Pack+ Compatible.
- 2800 mAh battery capacity.

	ECONOMY	BLAST
31,5	250 LUMENS	400 LUMENS
0	4:00 h:min	2:45 h:min
Power Pack+ Compatible	+	

Satin Black: 1-LED-9PR-STVZO-V137



### HECTO STVZO 40

Neo Metallic | Regular 104g

105 lumens | 40 lux

- · StVZO-Optimized lens.
- CNC-machined aluminum body.
- Li-poly battery with charge indicator.
- Rigorously tested to IPX7 Waterproofing standards.
- Optional GoPro mount available separately .
- 1300 mAh battery capacity.

	BLAST	ECONOMY
31/5	40 LUX	15 LUX
0	2:45 h:min	7:00 h:min

Neo Metallic: 1-LED-9-STVZO-V330

Black: 1-LED-9-STVZO-V304, Blue: 1-LED-9-STVZO-V310 Red: 1-LED-9-STVZO-V311, Silver: 1-LED-9-STVZO-V306

Matte Black: 1-LED-9-STVZO-V317



#### STICK STVZO SEAT CLAMP 50q

30 Lumens / 3 hours

- · StVZO-optimized lens with eight LEDs.
- Incredibly thin, innovative taillight.
- Quickly unclips from magnetic base for easy recharging.
- Wide Angle Optics for up to 270° of visibility.
- Replaces 035.4 seat clamp for integrated mounting.
- · Lightweight design constructed from durable composite material.
- Rigorously tested to IPX7 Waterproofing standards.
- 300 mAh battery capacity.

	BLAST	ENDURO
315	30 LUMENS	15 LUMENS
0	1:30 h:min	3:00 h:min

1-LED-33R-STSC-V104





### (NEW)

### STRIP+ STVZO 71g

40 Lumens / 12 hours





- StVZO-optimized lens with ten LEDs.
- Wide Angle Optics: 270° of visibility.
- USB-C Rechargeable li-ion battery. (cable not included)
- Two output modes: Max. 40 lumens.
- Rigorously tested to IPX7 Waterproofing standards.
- 1400 mAh battery capacity.

	ECONOMY	BLAST
31/5	20 LUMENS	40 LUMENS
0	12:00 h:min	7:00 h:min

1-LED-21R-STVZO-V304





#### STICK STVZO 23q



30 Lumens / 3 hours

- StVZO-Optimized lens with eight LEDs.
- Incredibly thin, innovative taillight.
- Quickly unclips from magnetic base for easy recharging.
- · Wide Angle Optics for up to 270° of visibility.
- Super secure, versatile rubber strap.
- · Lightweight design constructed from durable composite material.
- Rigorously tested to IPX7 Waterproofing standards.
- 300 mAh battery capacity.

_	BLAST	ENDURO
31/5	30 LUMENS	15 LUMENS
(Q)	1:30 h:min	3:00 h:min

1-LED-33R-STVZO-V104





# KTV STVZO 45q



11 Lumens / 12 hours

- StVZO-Optimized lens with two LEDs.
- Wide Angle Optics: 270° of visibility.
- Rigorously tested to IPX7 Waterproofing standards.
- Aero and round seatpost compatible.
- Integrated USB-stick for cable-free recharging.
- 400 mAh battery capacity.

	BLAST	ECONOMY
31/5	11 LUMENS	4 LUMENS
0	6:30 h:min	12:00 h:min

1-LED-12R-STVZO-V204





### ZECTO STVZO 51g

30 Lumens / 6.25 hours

- StVZO-Optimized lens with six LEDs.
- Wide Angle Optics: 270° of visibility.
- Two output modes: max. 30 lumens.
- USB-C rechargeable li-ion battery.
   (cable not included)
- Rigorously tested to IPX7 Waterproofing standards.
- 650 mAh battery capacity.

	ECONOMY	BLAST
15	20 LUMENS	30 LUMENS
0	6:25 h:min	3:00 h:min

1-LED-8R-STVZO-V104





### STRIP+ STVZO ALERT 71g

- StVZO-Optimized lens with 10 LEDs.
- Detects when you are braking to emit a bright light, alerting others that you're slowing.

**(( 및 )**)

USB-C

- 40 lumens Blast mode, 20 lumens Economy mode.
- $\bullet$  Wide angle optics with 270° built-in side visibility.
- USB-C waterproof charging. (cable not included)
- Aero and round seatpost compatible.
- $\bullet \ \mbox{Rigorously tested to IPX7 Waterproofing standards}.$
- 1900 mAh battery capacity.



1-LED-8R-STVZO-V104



### KTV PRO ALERT STVZO 50q

- · StVZO-Optimized lens
- Detects when you are breaking to emit a bright light, alerting others that you're stopping
- Wide angle optics with 270° visibility for maximum safety
- · Aero and round seatpost compatible
- · Lightweight and durable
- Rigorously tested to IPX7 Waterproofing standards
- 400 mAh battery capacity



1-LED-35R-STVZO-V104









# FEMTO USB STVZO DRIVE (REAR)

24g

- StVZO-Optimized lens.
- Durable, lightweight co-molded body.
- Single LED produces up to 8 lumens.
- Wide Angle Optics: 270° of visibility.
- Rigorously tested to IPX7 Waterproofing standards.
- Versatile strap mount.
- 210 mAh battery capacity.





Black: 1-LED-31R-STVZO-V104, White: 1-LED-31R-STVZO-V107 Blue: 1-LED-31R-STVZO-V110, Red: 1-LED-31R-STVZO-V111 Box Set (24pcs): 1-LED-31B-STVZO-V104









From bike shops to World Tour mechanics, our floor pumps have consistently been the number one choice of professionals worldwide. Our pump performance and durability are second to none because we're dedicated to extensively designing and manufacturing with the finest materials available. Every pump is 100% quality control tested before leaving the factory. We don't cut corners and keep our pumps rebuildable for long lasting use.





### NEW DIGITAL TRAVEL FLOOR DRIVE 792g

- 160 psi, 11 bar.
- Portable floor pump with integrated highly accurate digital gauge.
- CNC machined aluminum barrel and base, steel piston, composite matrix handle.
- Stainless steel footpegs fold out for added stability.
- ABS1 Pro with threaded Presta-only chuck.

Black: 1-FP-DTFDR-V104



#### CNC DIGITAL DRIVE 3.5 1498q

- CNC-machined aluminum construction.
- Precision 3.5-inch digital gauge. (220 psi / 15 bar)
- Extra long, nylon-reinforced braided hose with aluminum couplers.
- · ABS1-Pro chuck for Presta and Schrader.

Black: 1-FP-CNCDDR-V404, Silver: 1-FP-CNCDDR-V406



### ALLOY DIGITAL DRIVE 3.5 1612g

- CNC machined aluminum construction.
- Precision 3.5-inch digital gauge. (220 psi / 15 bar)
- Varnished wood handle with aluminum junction.
- Extra long, nylon-reinforced braided hose with aluminum couplers.
- · ABS1-Pro chuck for Presta and Schrader.

Black: 1-FP-ADDR-V404, Silver: 1-FP-ADDR-V406



#### STEEL DIGITAL DRIVE 3.5 1603q

- Steel barrel and piston with machined aluminum base.
- Precision 3.5-inch digital gauge. (220 psi / 15 bar)
- · Varnished wood handle.
- Extra long, nylon-reinforced braided hose with aluminum couplers.
- ABS1-Pro chuck for Presta and Schrader.

Matte Black: 1-FP-SDDR-V504, Metallic Silver: 1-FP-SDDR-V506



### GRAVEL DIGITAL DRIVE PRO 1573g

- CNC-machined aluminum construction.
- Precision 3.5-inch digital gauge. (100 psi / 6.89 bar)
- Extra long, nylon-reinforced braided hose with aluminum couplers.
- Varnished wood handle.
- ABS1 Pro with Presta / tubeless stem chuck.

Black: 1-FP-GRVLPRO-V104, Silver: 1-FP-GRVLPRO-V106



### SPORT GRAVEL DRIVE 1742g

- Mid-volume steel barrel and piston with composite matrix base.
- Precision 3.5-inch gauge. (100 psi / 6.89 bar)
- Extra long, high strength hose.
- Varnished wood handle.
- ABS1 Pro with Presta / tubeless stem chuck.

Red: 1-FP-SPGRVL-V115, Matte Black: 1-FP-SPGRVL-V117





# DIGITAL MACRO FLOOR DRIVE 1248.6g

- Steel barrel and piston.
- Precision digital gauge. (220 psi / 15 bar)
- $\bullet \ Composite \ matrix \ handle \ and \ base.$
- Extra long, high-strength hose.
- Available with ABS Flip-Thread or Dual Valve chuck.

ABS Flip-Thead Chuck: Matte Black: 1-FP-MAFLD-V104M Dual Valve Chuck: Matte Black: 1-FP-MAFLD-V204M



# SPORT DIGITAL DRIVE 1384g

- Steel barrel & piston w/ Composite Matrix base.
- Precision digital gauge. (220 psi / 15 bar)
- Varnished wood handle.
- Extra long, high-strength hose.
- ABS1-Pro chuck.

Matte Black: 1-FP-SPDDR-V404



### CNC FLOOR DRIVE 1693q

- CNC-machined aluminum construction.
- Oversized 3.5-inch gauge. (220 psi / 15 bar)
- Extra long, nylon-reinforced braided hose with aluminum couplers.
- · Anodized high-polish finish.
- ABS1-Pro chuck for Presta and Schrader.

Black: 1-FP-CNCDR-V504, Silver: 1-FP-CNCDR-V506



### ALLOY FLOOR DRIVE

1791g | Tall: (Silver only) / 1820g

- CNC-machined aluminum construction.
- Oversized 3.5-inch gauge. (220 psi / 15 bar)
- Varnished wood handle with aluminum junction.
- Extra long, high-strength hose.
- · Anodized high-polish finish.
- ABS1-Pro chuck for Presta and Schrader.

Silver: 1-FP-AFLDR-V506, Black: 1-FP-AFLDR-V504

Tall: Silver: 1-FP-AFLDR-V5T06



### **CLASSIC FLOOR DRIVE**

1885g

- $\bullet$  Steel barrel & piston w/ machined aluminum base.
- Oversized 3.5-inch gauge. (220 psi / 15 bar)
- · Varnished wood handle.
- Extra long, high-strength hose.
- · ABS1-Pro chuck for Presta and Schrader.

Metallic Black: 1-FP-CFLDR-V504, Pearl White: 1-FP-CFLDR-V507



### STEEL FLOOR DRIVE

1885g | Tall: (Black only) / 1938g

- Steel barrel and piston with machined aluminum base.
- Precision 3.5-inch digital gauge. (220 psi / 15 bar)
- · Varnished wood handle.
- Extra-long, high-strength hose with matrix couplers.
- ABS1-Pro chuck for Presta and Schrader.

3.5" Gauge: Black: 1-FP-SFLDR-V704, Silver: 1-FP-SFLDR-V706, Red: 1-FP-SFLDR-V715, Tall: Black: 1-FP-SFLDR-V7T04



### SPORT FLOOR DRIVE 1665g

- Steel barrel and piston with Composite Matrix base.
- Oversized 3.5-inch gauge. (220 psi / 15 bar)
- · Varnished wood handle.
- Extra long, high-strength hose.
- ABS1-Pro or Dual Valve chuck.

Standard: Black: 1-FP-SPFLDR-V504, Red: 1-FP-SPFLDR-V515
Dual Valve Chuck: Black: 1-FP-SPFLDR-V604



# MACRO FLOOR DRIVE

ABS 1245g / Dual Valve 1257g

- Steel barrel and piston.
- Composite Matrix handle and base.
- Extra long, high-strength hose.
- Available with ABS Flip-Thread or Dual Valve chuck.

ABS Flip-Thead Chuck, Black: 1-FP-MAFL-V104, Matte Black: 1-FP-MAFL-V104M, Red: 1-FP-MAFL-V115, Silver: 1-FP-MAFL-V106

Dual Valve Chuck, Black: 1-FP-MAFL-V204, Matte Black: 1-FP-MAFL-V204M, Red: 1-FP-MAFL-V215, Silver: 1-FP-MAFL-V206





### DIGITAL PRESSURE OVER DRIVE 2517g

- Integrated tank system to seat tubeless tires.
- Manually pressurized secondary chamber with a stainless steel foot lever release.
- Precision digital gauge. (220 psi / 15 bar)
- Durable steel and aluminum construction.
- $\bullet \ \, \text{Extra long, nylon-reinforced braided hose with aluminum couplers}.$
- ABS1-Pro chuck for Presta and Schrader.


1-FP-DPRODR-V204



### PRESSURE OVER DRIVE 2492g

- Integrated tank system to seat tubeless tires.
- Manually pressurized secondary chamber with a stainless steel foot lever release.
- 2.5-inch gauge. (220 psi / 15 bar)
- Durable steel and aluminum construction.
- $\bullet \ \, \text{Extra long, nylon-reinforced braided hose with aluminum couplers}.$
- ABS1-Pro chuck for Presta and Schrader.

1-FP-PRODR-V204





# ABS-1 PRO TUBELESS CHUCK HEAD

7.8g

- Presta and M6x0.8 compatibility.
- CNC machined aluminum.
- Threaded tip.
- Head ONLY.
- For CNC Tubeless Drive, Sport Gravel Drive, Gravel Digital Drive, and Gravel Digital Drive Pro.

1-RP-ABS1P-HEAD-V204



### ABS1 PRO HP CHUCK 47g

- CNC-machined aluminum and Composite Matrix construction.
- Thread-on design.
- Chuck "flips" for Presta and Schrader compatibility.
- Integrated Presta valve-core tool.
- Self-lubricating anodized aluminum swivel.

HP (Red): 1-ABS1P-CHUCK-V111

Replacement Chuck only: 1-RP-ABS1P-HEAD-V111



### ABS FLIP CHUCK 10.1g

- Flip thread, Presta, and Schrader compatibility
  Thread-on design
- CNC-machined aluminum construction
- Compatible with all models of swivel
- For all High-Pressure floor pumps and all Micro Floor Drive hand pumps

1-FLIP-STD-V312



### DUAL VALVE HEAD 51g

- Dual Valve chuck fits Presta,
   Schrader, and Dunlop valves.
- Composite Matrix construction.
- Aluminum locking lever.

1-DUAL-V104



### SLIP CHUCK 13.1g

- Slip-fit, Presta only for ABS Flip-Thread chucks.
- CNC-machined aluminum construction.
- Two-piece, tool-free seal replacement design.
- Includes six replacement seals.

1-PRESTA-V1AL06



### **HAND PUMPS**

Our line of precision-built, category, redefining hand pumps continue to lead the industry in quality, style, and efficiency. We offer a wide range of compact and innovative high-pressure or high-volume pumps. Additional options and features include highly accurate digital gauges as well as durable, quality chucks for both Presta and Schrader valves.





### POCKET DRIVE PRO HV

- 144mm, 104g / 90 psi, 6.2 bar.
- $\bullet\, {\hbox{\footnotesize CNC-machined aluminum construction with compact overlapping handle}.}$
- Presta and Schrader valve-compatible ABS Flex Hose with integrated valve core tool.
- Includes Composite Matrix frame mount.

Neo Metallic/Black: 1-MP-PKDRHVP-V104





- 300 mm (11.8"), 240g/160 psi, 11 bar.
- $\bullet \ {\bf Portable} \ pump \ with \ integrated \ highly \ accurate \ digital \ gauge.$
- CNC-machined aluminum barrel, piston, base, and T-handle.
- Stainless steel footpeg aids floor pump-like operation.
- Presta and Schrader valve-compatible ABS Flip Chuck.
- Includes Composite Matrix frame mount.

Black: 1-MP-MFDR-V204HPDG, Silver: 1-MP-MFDR-V206HPDG



### MICRO FLOOR DRIVE HP/HPG

- 300 mm (11.8"), 210g(HPG) 177.2g (HP) / 160 psi, 11 bar (HPG).
- Portable pump with integrated ABS Pen Gauge (HP version without gauge).
- CNC-machined aluminum barrel, piston, base, and T-handle.
- Stainless steel footpeg creates floor pump-like operation.
- ABS Flip-Thread Chuck.
- Includes Composite Matrix frame mount.

HP, Black: 1-MP-MFDR-V204HP, Silver: 1-MP-MFDR-V2HP HPG, Black: 1-MP-MFDR-V204HPG, Silver: 1-MP-MFDR-V2HPG



### **DIGITAL PRESSURE DRIVE**

- 170 mm (6.7"), 128g / 120 psi, 8.3 bar.
- Integrated highly accurate digital gauge.
- CNC-machined construction.
- Presta and Schrader valve-compatible ABS Flex Hose with integrated valve core tool.
- Includes Composite Matrix frame mount.

1-MP-DPRDR-V1S04



#### **POCKET DRIVE PRO**

- 141 mm (5.55"), 98g /160 psi, 11 bar.
- · CNC-machined aluminum construction with compact overlapping handle.
- Presta and Schrader valve-compatible ABS Flex Hose with integrated valve core tool.
- Includes aluminum frame mount.

Neo Metallic/Black: 1-MP-PKDRPRO-V104, Neo Metallic/Silver: 1-MP-PKDRPRO-V106 Matte Black: 1-MP-PKDRPRO-V117



### **POCKET DRIVE**

- 141 mm (5.55"), 75g / 160 psi, 11 bar.
- CNC-machined aluminum construction with compact overlapping handle.
- Presta and Schrader valve-compatible ABS Flex Hose.
- Includes Composite Matrix frame mount.

Black: 1-MP-PKDR-V104, Lite Grey: 1-MP-PKDR-V119

### POCKET DRIVE LOADED

- 141 mm (5.55"), 212g / 160 psi, 11 bar.
- CNC-machined aluminum construction with compact overlapping handle.
- Presta and Schrader valve-compatible ABS Flex Hose.
- Includes Lever Kit, Twin speed CO2 Head, and 1x20G CO2 cartridge, and velcro strap.

Black: 1-MP-PKDRL-V104



### **GRIP DRIVE HP**

- 185 mm (7.28"), 88g (S); 230 mm (9.05"), 101g (M) / 120 psi, 8.3 bar.
- Grip-textured CNC-machined aluminum construction with compact overlapping handle.
- Presta and Schrader valve-compatible ABS Flex Hose.
- Includes Composite Matrix frame mount.

Small/Black: 1-MP-GRIPHP-V1S04, Silver: 1-MP-GRIPHP-V1S06, Red: 1-MP-GRIPHP-V1S11
Medium/ Black: 1-MP-GRIPHP-V1M04, Silver: 1-MP-GRIPHP-V1M06, Red: 1-MP-GRIPHP-V1M11





### **CARBON DRIVE LITE**

- 170 mm (6.7"), 82g / 120 psi, 8.3 bar.
- · MCT composite barrel and handle.
- CNC-machined aluminum piston and hardware.
- Compact overlapping design.
- · Presta and Schrader valve compatible ABS Flex Hose.
- Includes Composite Matrix frame mount.

1-MP-CDLHP-V1S05

### **GAUGE DRIVE HP**

- 232 mm (9.1"), 115.2g / 120 psi, 8.3 bar.
- CNC-machined aluminum barrel, handle, and piston.
- Presta and Schrader valve compatible ABS Pen Gauge Flex Hose.
- Includes Composite Matrix frame mount.

Black: 1-MP-GDHP-V1M04, Silver: 1-MP-GDHP-V1M06



### **ROAD DRIVE**

- 180 mm (7"), 90g(S); 216 mm (8.5"), 92g (M); 283 mm (11.1"), 120g (L).
- 160 psi, 11 bar.
- CNC-machined aluminum construction with compact overlapping handle.
- Threaded or slip-fit Presta valve-compatible ABS Flex Hose with integrated valve core tool.
- Includes aluminum frame mount.

Small / Black: 1-MP-RDDR-V2S04, Silver: 1-MP-RDDR-V2S06 Medium / Black: 1-MP-RDDR-V2M04, Silver: 1-MP-RDDR-V2M06 Large / Black: 1-MP-RDDR-V2L04, Silver: 1-MP-RDDR-V2L06



### PRESSURE DRIVE

- 170 mm, 92g (S); 216 mm, 106g (M).
- 120 psi, 8.3 bar.
- CNC-machined aluminum construction with compact overlapping handle.
- Presta and Schrader valve-compatible ABS Flex Hose with integrated valve core tool.
- Includes Composite Matrix frame mount.

Small / Black: 1-MP-PRSDR-V2S04, Gold: 1-MP-PRSDR-V2S12, Red: 1-MP-PRSDR-V2S11, Blue: 1-MP-PRSDR-V2S10 Medium / Black: 1-MP-PRSDR-V2M04, Gold: 1-MP-PRSDR-V2M12, Red: 1-MP-PRSDR-V2M11, Blue: 1-MP-PRSDR-V2M10



#### LITE DRIVE

- 180 mm (7"), 74.8g (S); 219 mm (8.6"), 88g (M) /160 psi, 11 bar.
- CNC-machined aluminum construction with compact overlapping handle.
- Presta and Schrader valve-compatible ABS Flex Hose.
- Includes Composite Matrix frame mount.

 $Small\ /\ Black: 1-MP-LTDR-V1S04, Silver: 1-MP-LTDR-V1S06, Red: 1-MP-LTDR-V1S11,$ 

Blue: 1-MP-LTDR-V1S10

Medium / Black: 1-MP-LTDR-V1M04, Silver: 1-MP-LTDR-V1M06, Red: 1-MP-LTDR-V1M11,

Blue: 1-MP-LTDR-V1M10



### **TECH DRIVE HP**

- 170 mm (6.7"), 90g (S); 216 mm (8.5"), 102g (M) /120 psi, 8.3 bar.
- CNC-machined aluminum construction with compact highly efficient overlapping handle.
- Presta and Schrader valve-compatible ABS Flex Hose.
- Includes Composite Matrix frame mount.

Small / Black: 1-MP-TCHP-V1S04, Silver: 1-MP-TCHP-V1S06 Medium / Black: 1-MP-TCHP-V1M04, Silver: 1-MP-TCHP-V1M06



### **HP DRIVE**

- 170 mm (6.7"), 77g (S); 216 mm (8.5"), 90g (M) / 120 psi, 8.3 bar.
- · CNC-machined aluminum barrel (anodized) and piston.
- Overlapping Composite Matrix handle.
- Presta and Schrader valve-compatible ABS Flex Hose.
- Includes Composite Matrix frame mount.

Small / Black: 1-MP-HPDR-V2S04, NEW COLOR: Satin Black: 1-MP-HPDR-V2S37, Black: Silver: 1-MP-HPDR-V2S06, Red: 1-MP-HPDR-V2S11, Blue: 1-MP-HPDR-V2S10 Medium / Black: 1-MP-HPDR-V2M04, NEW COLOR: Satin Black: 1-MP-HPDR-V2M37 Silver: 1-MP-HPDR-V2M06, Red: 1-MP-HPDR-V2M11, Blue: 1-MP-HPDR-V2M10



### SPORT DRIVE HP

- 170 mm (6.7"), 76g (S); 216 mm (8.5"), 90g(M) / 120 psi, 8.3 bar.
- CNC-machined aluminum barrel and piston.
- Overlapping Composite Matrix handle.
- Presta and Schrader valve-compatible Flex Hose.
- Includes Composite Matrix frame mount.

Small / Black: 1-MP-SPDHP-V1S04, Light Grey: 1-MP-SPDHP-V1S19

NEW COLOR: Satin Black: 1-MP-SPDHP-V1S37 Medium / Black: 1-MP-SPDHP-V1M04 NEW COLOR: Satin Black: 1-MP-SPDHP-V1M37



### MICRO FLOOR DRIVE XL

- 302 mm (11.9"), 364g / 35 psi, 2.4 bar.
- CNC-machined aluminum construction.
- Extra large high-volume barrel optimized for plus-size, tires.
- Stainless steel footpeg creates floor-pump-like operation.
- Presta and Schrader valve-compatible ABS Flip Chuck.

1-MP-MFDR-XL-V104



### MICRO FLOOR DIGITAL DRIVE HVG

- 300 mm (11.8"), 240g / 90 psi, 6.2 bar.
- Portable pump with integrated highly accurate digital gauge.
- CNC-machined aluminum barrel, piston, base, and T-handle.
- Stainless steel footpeg creates floor pump-like operation.
- Presta and Schrader valve-compatible ABS Flip Chuck.
- Includes Composite Matrix frame mount.

Black: 1-MP-MFDR-V204HVDG, Silver: 1-MP-MFDR-V206HVDG



### MICRO FLOOR DRIVE HVG/HV

- $\cdot$  300 mm (11.8"), 210g (HVG); 200.7g (HV) / 90 psi, 6.2 bar.
- $\bullet \ {\hbox{Portable pump with integrated gauge}}.$
- CNC-machined aluminum barrel, piston, base, and T-handle.
- Stainless steel footpeg aids floor-pump-like operation.
- $\bullet \ \mathsf{Presta} \ \mathsf{and} \ \mathsf{Schrader} \ \mathsf{valve\text{-}compatible} \ \mathsf{ABS} \ \mathsf{Flip} \ \mathsf{Chuck}.$

HV, Black: 1-MP-MFDR-V204HV, Silver: 1-MP-MFDR-V2HV HVG, Black: 1-MP-MFDR-V204HVG, Silver: 1-MP-MFDR-V2HVG



### **POCKET DRIVE HV**

- 144 mm (5.67"), 93g / 90 psi, 6.2 bar.
- CNC-machined aluminum construction with compact overlapping handle.
- · Amazingly compact, lightweight, and highly efficient for its size.
- Presta and Schrader valve-compatible ABS Flex Hose.
- Includes Composite Matrix frame mount.

Black: 1-MP-PKDRHV-V104, Lite Grey: 1-MP-PKDRHV-V119

### POCKET DRIVE HV LOADED

- 144 mm, 227g / 90 psi, 6.2 bar.
- CNC-machined aluminum construction with compact overlapping handle.
- Presta and Schrader valve-compatible ABS Flex Hose.
- Includes Lever Kit, Twin speed CO2 Head, 1x20G CO2 cartridge, and velcro strap.

Black: 1-MP-PKDRHVL-V104



### **GAUGE DRIVE HV**

- 232 mm, 142g / 90 psi, 6.2 bar.
- CNC-machined aluminum barrel, handle, and piston.
- Presta and Schrader valve-compatible ABS Pen Gauge Flex Hose.
- Includes Composite Matrix frame mount.

Black: 1-MP-GDHV-V1M04, Silver: 1-MP-GDHV-V1M06

### **TECH DRIVE HV**

- 170 mm, 112g (S); 216 mm, 133g (M) / 90 psi, 6.2 bar.
- CNC-machined aluminum barrel, handle, and piston.
- · Compact overlapping handle.
- Presta and Schrader valve-compatible ABS Flex Hose.
- Includes Composite Matrix frame mount.

Small, Black: 1-MP-TCHV-V1S04, Silver: 1-MP-TCHV-V1S06 Medium, Black: 1-MP-TCHV-V1M04, Silver: 1-MP-TCHV-V1M06

### SPORT DRIVE HV

- 170 mm (6.7"), 96g / 90 psi, 6.2 bar.
- Machined aluminum barrel and piston.
- Presta and Schrader valve-compatible Flex Hose.
- Includes Composite Matrix frame mount.

Black: 1-MP-SPDHV-V1S04, Silver: 1-MP-SPDHV-V1S19

NEW COLOR: Satin Black: 1-MP-SPDHV-V1S37



### **ALLOY DRIVE**

- 170 mm (6.7"), 114g (S); 216 mm (8.5"), 131g (M) / 90 psi, 6.2 bar.
- CNC-machined construction with compact overlapping handle.
- Presta and Schrader valve-compatible ABS Flex Hose with integrated valve core tool.
- Includes Composite Matrix frame mount.

Small, Black: 1-MP-ALLDR-V2S04, Gold: 1-MP-ALLDR-V2S12, Red: 1-MP-ALLDR-V2S11, Medium, Black: 1-MP-ALLDR-V2M04, Gold: 1-MP-ALLDR-V2M12, Red: 1-MP-ALLDR-V2M11



### **GRIP DRIVE HV**

- $\bullet$  186 mm (7.32"), 109g (S); 231 mm (9.1"), 124g (M) / 90 psi, 6.2 bar.
- $\bullet \ \, \text{Grip textured CNC-machined aluminum construction with compact overlapping handle}.$
- Presta and Schrader valve-compatible ABS Flex Hose.
- Includes Composite Matrix frame mount.

Small, Black: 1-MP-GRIPHV-V1S04, Silver: 1-MP-GRIPHV-V1S06, Red: 1-MP-GRIPHV-V1S11 Medium, Black: 1-MP-GRIPHV-V1M04, Silver: 1-MP-GRIPHV-V1M06, Red: 1-MP-GRIPHV-V1M11



### **HV DRIVE**

- 170 mm (6.7"), 93g (S); 216 mm (8.5"), 106g (M) / 90 psi, 6.2 bar.
- CNC-machined aluminum barrel and piston.
- Overlapping Composite Matrix handle.
- Presta and Schrader valve-compatible ABS Flex Hose.

Small, Black: 1-MP-HVDR-V2S04, Silver: 1-MP-HVDR-V2S06, Red: 1-MP-HVDR-V2S11, Blue: 1-MP-HVDR-V2S10, Satin Black: 1-MP-HVDR-V2S37 Medium, Black: 1-MP-HVDR-V2M04, Silver: 1-MP-HVDR-V2M06

 $Red: 1-MP-HVDR-V2M11, Blue: 1-MP-HVDR-V2M10, Satin\ Black: 1-MP-HVDR-V2M37$ 



### DIGITAL SHOCK DRIVE

- 225 mm (8.9"), 108g / 350 psi, 24 bar.
- Integrated highly accurate digital gauge.
- Compact and lightweight aluminum construction.
- Designed for trailside or home use.
- · Hose threads into handle.
- Zero-loss chuck design unthreads after valve pin seals.

1-MP-DSHKDR-V104



### SHOCK DRIVE

- 260 mm (10.2"), 170g / 400 psi, 27.5 bar.
- CNC aluminum construction.
- Designed for trailside or home use.
- Diaphragm gauge.
- · Hose threads into handle.
- $\bullet \, {\sf Zero\text{-}loss\ chuck\ design\ unthreads\ after\ valve\ pin\ seals.}$

1-MP-SHKDR-V204



### DIGITAL CHECK DRIVE

- 150 mm (5.9"), 60.9g / 350 psi, 24 bar.
- Compact tire pressure gauge with highly accurate digital gauge.
- Composite Matrix design.
- Machined aluminum head.
- Presta or Schrader valve compatible Flip-Thread Chuck.


1-GAUGE-DIGI-V1350



### **ABS PEN GAUGE**


- 210mm, 30.5g /120 psi, 8.3 bar.
- ABS Flex Hose with integrated pressure gauge.
- Stores in handle of ABS Flex Hose equipped Lezyne hand pumps.(medium and large sizes only)
- $\bullet\, \text{Presta and Schrader valve-compatible ABS Flip Chuck}.$

1-RP-GAUGE-PENV2



### **CO2 INFLATORS**

Our advanced CO2 inflation systems are elegantly machined from aluminum. Thanks to advanced engineering, they function as beautifully as they look. From simple slip-fit designs to highly advanced controlled-release systems, our CO2 inflators offer superior performance for all cyclists looking for instant tire inflation solutions.





# PRESSURE DRIVE CFH

110g

- Versatile 2-in-1 hand pump or CO2 inflator system.
- Integrated steel-braided hose doubles as the CO2 dispenser.
- $\bullet$  Pump features a CNC-machined aluminum body, piston, and handle.
- Presta and Schrader valve-compatible Flip Chuck.
- $\bullet$  Includes 16g CO2 cartridge, frame mount, and Velcro strap.
- $\bullet$  Mounts to a frame or fits in a jersey pocket.
- Compatible with threaded CO2 only.

1-C2-PRCFH-V204

CO2 Flex Hose: 1-RP-CFH-HOSE

#### **CFH Mounting Options:**



Standard mounting option



Alternate mounting option (2nd CO2 sold separately)



### **CONTROL DRIVE CO2**

16g | 25g: | 125g

- CNC-machined aluminum dispenser.
- · Control knob twists for easy inflation.
- Twin Slip Fit head presses onto Presta and Schrader valves.
- Neoprene sleeve insulates hands from cold during discharge.
- Available with one 16g, or 25g CO2, or as a head only.
- Compatible with threaded CO2 cartridges only.

Head, Sleeve & 16g CO2 Cartridge Blue: 1-C2-CTRLDR-V110 Red: 1-C2-CTRLDR-V111 Silver: 1-C2-CTRLDR-V106

Head & Sleeve Only Blue: 1-C2-CTRLDR-V310 Red: 1-C2-CTRLDR-V311 Silver: 1-C2-CTRLDR-V306

Black: 1-C2-CTRLDR-V304

Black: 1-C2-CTRLDR-V104

Head, Sleeve & 25g CO2 Cartridge Blue: 1-C2-CTRLDR-V210 Red: 1-C2-CTRLDR-V211 Silver: 1-C2-CTRLDR-V206

Black: 1-C2-CTRLDR-V204



### TRIGGER SPEED DRIVE CO2

83g

- CNC-machined aluminum dispenser.
- Trigger Valve Operation for easy and controlled inflation.
- $\bullet$  Slip Fit head presses onto Presta valve only.
- Neoprene sleeve insulates hands from cold during discharge.
- Available with one 16g CO2 or as a head only.
- Compatible with threaded CO2 cartridges only.

Head, Sleeve & 16g CO2 Cartridge, Black: 1-C2-TRSDR-V104, Silver: 1-C2-TRSDR-V106 Head & Sleeve only, Black: 1-C2-TRSDR-V204, Silver: 1-C2-TRSDR-V206









### TRIGGER DRIVE CO2

82g

- CNC-machined aluminum dispenser.
- Trigger Valve Operation for easy and controlled inflation.
- Twin Chuck head threads onto Presta and Schrader valves.
- Neoprene sleeve insulates hands from cold during discharge.
- Available with one 16g CO2 or as a head only.
- · Compatible with threaded CO2 cartridges only.

 Head, Sleeve & 16g CO2 Cartridge
 Head & Sleeve Only

 Black: 1-C2-TRDR-V104
 Black: 1-C2-TRDR-V204

 Silver: 1-C2-TRDR-V106
 Silver: 1-C2-TRDR-V206

 Blue: 1-C2-TRDR-V110
 Blue: 1-C2-TRDR-V210

 Red: 1-C2-TRDR-V211
 Red: 1-C2-TRDR-V211



### TWIN SPEED DRIVE CO2

16g: 74g | 25g: 115g | Head Only: 14g

- CNC-machined aluminum dispenser.
- Slip-on valve operation for quick inflation.
- $\bullet \ \mathsf{Twin} \ \mathsf{Slip} \ \mathsf{Fit} \ \mathsf{head} \ \mathsf{presses} \ \mathsf{onto} \ \mathsf{Presta} \ \mathsf{and} \ \mathsf{Schrader} \ \mathsf{valves}.$
- Neoprene sleeve insulates hands from cold during discharge.
- Available with one 16g, or 25g CO2, or as a head only.
- Compatible with threaded CO2 cartridges only.

Head, Sleeve & 16g CO2 Cartridge, Black: 1-C2-TSPDR-V104, Silver: 1-C2-TSPDR-V106 Head, Sleeve & 25g CO2 Cartridge, Black: 1-C2-TSPDR-V204, Silver: 1-C2-TSPDR-V206 Head & Sleeve only, Black: 1-C2-TSPDR-V304, Silver: 1-C2-TSPDR-V306



25g

### TWIN KIT

16g: 154g | 25g: 270g

- Compact, all-in-one CO2 and tire repair kit.
- Twin Speed Drive CO2 head.
- Two threaded CO2 cartridges. (16g or 25g)
- · Lever Kit. (silver)
- Custom neoprene and Velcro strap secures items together.
- Can be attached to seat posts.
- Fits neatly in most packs or jersey pockets.

16g: 1-C2-TWDRKIT-V204, 25g: 1-C2-TWDRKIT-V304



### CADDY KIT 194.5q

- Complete CO2 and tire repair kit in a simple, durable pouch.
- Caddy Sack.
- Twin Speed Drive CO2 head.
- Two 16g CO2 cartridges.
- Smart Kit glueless patch kit.
- Power Levers.

1-C2-CADDYKIT-V1S04



### REPAIR KIT 165g

- Convenient CO2 and tire repair kit.
- Twin Speed Drive CO2 head.
- Two threaded 16g CO2 cartridges.
- Power Levers.
- Smart Kit glueless patch kit.

1-C2-REPAIRKIT-V104







### CO2 CARTRIDGES

- Threaded CO2 cartridges for use with all Lezyne or threaded CO2 inflators.
- 16g cartridges are compact and suitable for low volume/high pressure.
- 20g are suitable for medium volume/pressure.
- 25g are suitable for high volume or plus-sized tires.
- Available in 5-pack, 30-pack, or in bulk (contact Lezyne for bulk pricing).
- Weight: 16g: 60g(pcs) / 20g: 69.2g(pcs) / 25g: 100.5g(pcs)

5 PACK, 16g: 1-C2-CRTDG-V116P5 5 PACK, 20g: 1-C2-CRTDG-V120P5 5 PACK, 25g: 1-C2-CRTDG-V125P5

Box 30 pcs, 16g: 1-C2-CRTDG-V116 Box 30 pcs, 20g: 1-C2-CRTDG-V120 Box 30 pcs, 25g: 1-C2-CRTDG-V225

Bulk Box 250 pcs, 16g: 1-C2-CRTDG-BULK-V116 Bulk Box 220 pcs, 20g: 1-C2-CRTDG-BULK-V120 Bulk Box 180 pcs, 25g: 1-C2-CRTDG-BULK-V125



- Simple, versatile, threaded CO2 cartridges available in three volumes.
- Compatible with all Lezyne CO2 dispensers.
- Suggested use: 16g Road, 20g Gravel / Cross Country,
   25g High Volume MTB / Plus Sized.






### CO2 SLEEVES 1.5g

- Anti-freeze jacket to protect hands during inflation.
- $\bullet$  For use with all Lezyne 16g / 20g / 25g CO2 cartridges.
- CO2 cartridge not included.
- Size: 16g/20g, 25g.

16g/20g Sleeve: 1-RP-C02-SLV16-V1 25g Sleeve: 1-RP-C02-SLV25-V1









# **TOOLS**

Our tools represent the pinnacle of design and technology built for today's modern bicycles. Developed and manufactured in-house, we use the best materials and engineer them to simplify road or trailside repairs. Each tool is meticulously machined and crafted to be as compact and lightweight as possible. We utilize anti-corrosion materials and finishes for long lasting use and durability.







### 3-WAY SPOKE WRENCH 29q

- Shop-quality 3-way spoke wrench.
- Compact, ergonomic design.
- Durable cast steel body.
- CNC-machined slots.
- Fits 3.2mm, 3.3mm, and 3.45mm.

1-ST-YSW-V106





Ø39-16 SPLINE/100g

Ø44-16 SPLINE/113.5g





Ø41-16 SPLINE/96g

Ø46-12 SPLINE/111g

# CNC ALLOY BB TOOL 3916/4116/4416/4612

- Rugged, thoroughly engineered shop-quality BB tool for modern bikes.
- For use with our 32mm CNC Rod, an adjustable wrench, or 3/8 socket drive.

Items	Cup O.D.	Notch#	Compatible Bottom Brackets	
BB3916	39 mm	16	Shimano® 9000 Series, DURA-ACE, BB92, XTR BB93	
BB4116	41 mm	16	Shimano® 105, Ultegra BBR60 & 6800, XT MT-800	
BB4416	44 mm	16	Shimano* BB80, BB5700, BB70, BB51, Enduro* T47, Wheels* T47, Hollowtech* II, Campagnolo*, Chris King*, FSA* MegaExo, Hope*, SRAM*/Truvativ* GXP, Race Face* X-type, Surly*, and more	
Bonus Tool		8-Spline Shimano Crank Dust Cap Tool		

Items	CupO.D.	Notch#	Compatible Bottom Brackets	
BB4612	46 mm	12	SRAM® DUB, Race Face® Cinch, Zipp®, ROTOR®, BSA30, BB386, and more	
Bonus Tool		16 mm	6 mm Hex	

3916: 1-ST-EXBBT-SOC-3916 | 4116: 1-ST-EXBBT-SOC-4116 4416: 1-ST-EXBBT-SOC-4416 | 4612: 1-ST-EXBBT-SOC-4612



### EXBBT-CLT 210g

- Forged, professional grade hardened steel.
- Two-way integrated external bottom bracket, cassette, and disc brake lockring tool.
- For use with our 32 mm CNC Rod or 32 mm wrench. External BB: Campagnolo, Chris King, FSA, Phil Wood, Shimano, SRAM/Truvativ, Etc.

Cassette Lock Ring: Shimano, SRAM, SunRace, SunTour, Chris King, Etc.

1-ST-EXBBT-CLT-V108



### EXBBT-SOC 234g

- $\bullet \ \mathsf{Forged}, \mathsf{professional} \ \mathsf{grade} \ \mathsf{hardened} \ \mathsf{steel}.$
- $\bullet \ {\sf External} \ bottom \ bracket \ tool.$
- For use with our 32 mm CNC Rod, an adjustable wrench, or 3/8 socket drive.

External BB: Campagnolo, Chris King, FSA, Phil Wood, Shimano, SRAM, Truvativ, Etc.

1-ST-EXBBT-SOC-V108



### CLASSIC PEDAL ROD 362g

- Shop-quality pedal wrench.
- Varnished ergonomic wood handle with durable chromoly head.
- Two 15 mm offset wrench openings positioned for optimum leverage.
- Replaceable head and handle.
- Integrated bottle opener.

1-ST-CPW-V102



### CLASSIC CHAIN ROD 368g

- Shop-quality chain whip with integrated lockring tool.
- Varnished ergonomic wood handle with durable chromoly head.
- Custom Lezyne chain attached with stainless hardware for easy replacement.
- Replaceable head and handle.
- Compatible with 7/8/9/10/11/12 speed cassettes.

1-ST-CCW-V102



### CLASSIC CHAIN DRIVE 302.5q

- Ultimate shop-quality chain breaker.
- Extra strong steel body.
- Ergonomic driver.
- Hardened steel breaker pin with extra pin storedin handle.
- Adjustable design works with 7/8/9/10/11/12 speed chains.
- · Classic wood handle.

1-MT-CCT1-05T04



### HEX KIT 398g

- Nine piece shop-quality Hex Kit.
- Ideal for the home or shop mechanic.
- High strength chrome vanadium with a super durable chrome finish.
- Folding holder with built in hanger holes to store on a pegboard.
- Hexes: 1.5, 2, 2.5, 3, 4, 5, 6, 8 and 10 mm.
- L-shaped with spherical tip.

1-ST-HEXKIT-V206



#### SUPER SV 23



SUPER SV 22




#### SUPER SV - MULTI TOOLS

SUPER SV 23: 152g | SUPER SV 22: 140g

- Optimized for mountain biker and gravel riders.
- · Easy to grip-forged aluminum side plates.
- · Forged center-pivot stainless steel bits.
- · Durable stainless steel fastening hardware.
- · Integrated magnetic quick link holder on side plates.
- Cast steel chain breaker w/ integrated 8/10mm wrench & 4 spoke wrenches.
- · Super SV 23: Tubeless tire plug kit.
- Multi-function flat tool. (disc brake wedge, rotor truing tool, bottle opener)

SUPER SV 23: 1-MT-SPRSV-23V106, SUPER SV 22: 1-MT-SPRSV-22V106







SV PRO 10



SV PRO 11










### SV PRO - MULTI TOOLS

SV PRO 17: 119q | SV PRO 13: 116q SV PRO 11: 92g | SV PRO 10: 102g SV PRO 7: 63g | SV PRO 5: 53g

- · Lightweight and low profile.
- · Forged center-pivot stainless steel bits.
- · Durable stainless steel fastening hardware.
- SV PRO 10 & 13: Aluminum chain breaker.
- SV PRO 13: Integrated magnetic quick link holder on side plates.
- SV PRO 17: Cast steel chain breaker w/ integrated 8/10mm wrench & 4 spoke wrenches.
- SV PRO 17: Tubeless tire plug kit.

SV PRO 17: 1-MT-SVPRO-17T06, SV PRO 13: 1-MT-SVPRO-13T06 SV PRO 11: 1-MT-SVPRO-11T06, SV PRO 10: 1-MT-SVPRO-10T06 SV PRO 7: 1-MT-SVPRO-07T06, SV PRO 5: 1-MT-SVPRO-05T06



DESCRIPTION:









SUPER V 22




#### SUPER V - MULTI TOOLS

SUPER V 23: 155.4g | SUPER V 22: 143g

- Optimized for mountain biker and gravel riders.
- Easy to grip-forged aluminum side plates.
- Anti-corrosion black chrome-molybdenum steel fastening hardware.
- Cast steel chain breaker w/ integrated 8/10mm wrench & 4 spoke wrenches.
- · Integrated magnetic quick link holder on side plates.
- Super V 23: Tubeless tire plug kit.
- Multi-function flat tool. (disc brake wedge, rotor truing tool, bottle opener)

SUPER V 23: 1-MT-SPRV-23V104, SUPER V 22: 1-MT-SPRV-22V104







V PRO 10



V PRO 11



V PRO 7






### V PRO - MULTI TOOLS

V PRO 17: 122g | V PRO 13: 116g V PRO 11: 93g | V PRO 10: 102.6g V PRO 7: 63g | V PRO 5: 51.4g


- · Lightweight and low profile.
- · CNC-machined aluminum side plates.
- Anti-corrosion black chrome-molybdenum steel fastening hardware.
- V 10 & 13: Aluminum chain breaker.
- V 13: Integrated magnetic quick link holder on side plates.
- V 17: Cast steel chain breaker w/ integrated 8/10mm wrench & 4 spoke wrenches.
- ${ullet}$  V 17: Tubeless tire plug kit.

V PRO 17: 1-MT-VPRO-17T04, V PRO 13: 1-MT-VPRO-13T04 V PRO 11: 1-MT-VPRO-11T04, V PRO 10: 1-MT-VPRO-10T04 V PRO 7: 1-MT-VPRO-07T04, V PRO 5: 1-MT-VPRO-05T04



DESCRIPTION:

CHAIN BREAKER: STEEL / STAINLESS
SPOKE WRENCHES: SW-0 / SW-1 / SW-2 / SW-3
OPEN HEX WRENCHES (8/10)
VALVE CORE TOOL





**RAP II 25 CO2** 



**RAP II 19 CO2** 



### RAP II CO2 - MULTI TOOLS

RAP II 25 CO2: 196g | RAP II 19 CO2: 158g

- Ergonomic forged aluminum side plates.
- Anti-corrosion black chrome vanadium steel bits.
- · Chrome Vanadium steel fastening hardware.
- · Quick link storage.
- RAP II-19/25: Cast stainless steel chain breaker w/ integrated 8/10mm wrench & 4 spoke wrenches.
- RAP II-19/25: Lightweight aluminum Presta CO2 inflator.
- RAP II-25: Multi-function flat tool. (disc brake wedge, rotor truing tool, bottle opener)

RAP II 25 CO2: 1-MT-RAP-V325T04, RAP II 19 CO2: 1-MT-RAP-V319T04



**RAP II 20 TUBELESS** 



**RAP II 13 TUBELESS** 



### **RAP II TUBELESS - MULTI TOOLS**

RAP II 20 TUBELESS: 180g | RAP II 13 TUBELESS: 140g

- Ergonomic forged aluminum side plates.
- · Anti-corrosion black chrome vanadium steel bits.
- · Chrome Vanadium steel fastening hardware.
- RAP II-20/13: Tubeless tire plug kit.
- RAP II-20: Lightweight aluminum Presta CO2 inflator.

RAP II 20 TUBELESS: 1-MT-RAP-V320T04, RAP II 13 TUBELESS: 1-MT-RAP-V313T04



RAP II 24



RAP II 18



RAP II 12



RAPII8



RAP II 6



# RAP II - MULTI TOOLS


RAP II 24: 176g | RAP II 18: 148.5g


RAP II 12: 124.8g | RAP II 8: 89g | RAP II 6: 82.6g

- Ergonomic forged aluminum side plates.
- · Anti-corrosion black chrome vanadium steel bits.
- Chrome Vanadium steel fastening hardware.
- · Quick link storage.
- RAP II-18/24: Cast stainless steel chain breaker w/ integrated 8/10mm wrench & 4 spoke wrenches.
- RAP II-24: Multi-function flat tool. (disc brake wedge, rotor truing tool, bottle opener)

RAP II 24: 1-MT-RAP-V324T04, RAP II 18: 1-MT-RAP-V318T04

RAP II 12: 1-MT-RAP-V312T04, RAP II 8: 1-MT-RAP-V308T04, RAP II 6: 1-MT-RAP-V306T04





DESCRIPTION:

CHAIN BREAKERS: STEEL / STAINLESS

SPOKE WRENCHES: SW-0 / SW-2 / SW-2 / SW-3

OPEN HEX WRENCHES (8/10)

VALVE CORE TOOL

CLIP-ON CO2 INFLATOR

ROTOR TRUING FORK, DISC BRAKE WEDGE BOTTLE OPENER

TUBELESS NEEDLE & PLUG CARRIER
(WITH RUBBER CAP FOR PROTECTION)



### TORQUE DRIVE 178g

- Pre-calibrated, torsion beam-style torque wrench.
- No preset necessary—simply twist until marker lines up with desired torque setting.
- · Machined aluminum construction with removable handle.
- 2Nm 10Nm torque capacity.
- Super hard CRV (chrome vanadium) black bits.
- Integrated magnet holds tool bits in place.
- Hex bits: 2, 2.5, 3, 4, 5, 6 mm.
- Torx bits: T10, T25, T30.
- · Phillips bit + Flathead bit.
- Includes soft shell carrying case with storage cutouts.

1-MT-TTDR-V104T12



### POCKET TORQUE DRIVE 74g

- Pre-calibrated, torsion ratchet style torque wrench.
- Machined aluminum construction with removable handle.
- 2Nm 6Nm torque capacity.
- Integrated magnet holds tool bits in place.
- Includes molded EVA foam shell carrying case with storage cutout.
- Bits included: Hex 2.5, 3, 4, 5 mm, Star Bits T20, T25.

1-MT-PTDR-V104T12



### RATCHET KIT 137.3g

- Durable and compact chrome plated ratchet tool.
- Fine tooth ratchet with reversing lever.
- Fixed opening on opposite end.
- Tool selection optimized for road, gravel, and mountain bikes.
- Super hard CRV (chrome vanadium) black bits.
- Custom machined aluminum extension adapter with Integrated magnet holds tool bits in place.
- Includes soft shell carrying case with storage cutouts.
- Bits included: Hex 2, 2.5, 3, 4, 5, 6, 8 mm; Torx Bits T10, T25, T30; Phillips and Flathead bits.

1-MT-RTDR-V106



### T-DRIVE 136g

- Machined aluminum construction.
- Removable handle.
- Integrated magnet holds tool bits in place.
- Super hard CRV (chrome vanadium) black bits.
- Hex bits: 2, 2.5, 3, 4, 5, 6, 8 mm.
- Torx bits: T10, T25, T30.
- Phillips bit.
- Flathead bit.
- Includes soft shell carrying case with storage cutouts.

1-MT-TDR-V104T12



# STORAGE DRIVE 78g

- · Machined aluminum construction.
- Storage for bits in handle.
- Super hard CRV (chrome vanadium) black bits.
- Integrated magnet holds tool bits in place.
- Hex bits: 3, 4, 5 mm.
- Torx bits: T25, T30.
- Includes strap for on-the-bike mounting.

1-MT-STDR-V104T5




### **CHAIN GAUGE**

### EA:28g

- Multi-function chain wear checker and chain holder.
- Constructed from precision-machined stainless steel.
- Integrated valve core tool and bottle opener.
- Included steel ring for hanging storage.
- Works with 5-12-speed chains.
- Available individually or in a countertop box (30 pcs).

1-MT-CHANGUE-V106

Countertop Box (30pcs): 1-MT-CHANGUE-V1B06





### MULTI CHAIN PLIERS 58g

- Professional grade, versatile multi tool pliers.
- $\bullet \ Constructed \ from \ hardened \ aluminum.$
- Integrated quick link tool and chain breaker.
- Includes: valve core wrench, bottle opener, rotor
- $\bullet$  alignment tool, and storage for two quick links.

1-MT-CTPLIR-V104



### CHAIN DRIVE 92g

- · Shop quality chain breaker.
- Durable cast and CNC machined steel body.
- Ergonomically contoured shape.
- Replaceable hardened steel breaker pin.
- Four integrated spoke wrenches (also removes breaker pin).
- Adjustable design works with 7/8/9/10/11/12 speed chains.
- Spare breaker pin included.


1-MT-CT1-05T04



# TUBELESS INSERT KIT 30.9g

- Machined aluminum tubeless repair kit.
- Securely and discretely inserts like a bar plug.
- Includes five repair plugs, and repair tool.
- Fits most standard flat or riser bars.

1-MT-TBLSKIT-V1



### TOOL INSERT KIT L/M/S

L: 76.7g | M: 68g | S: 47g

Machined aluminum bar plug tool kit.

#### Includes:

- · Machined aluminum tool kit.
- Securely and discretely inserts like a bar plug.
- Includes: Swivel head Hex 10mm

Hex bits: 2,3,4,5,6,8mm (L)

Hex bits: 3,4,5,6 mm (M)

Hex bits: 4,5 mm (S)

- Phillips bit.
- T10,T25,T30 (L) / T10,T25 (M) / T25 (S).
- Fits most standard flat or riser bars.

L: 1-MT-INSTKIT-V1, M:1-MT-INSTKIT-V1M, S:1-MT-INSTKIT-V1S



### DUAL INSERT KIT L/M/S

L: 107.6g | M: 98.9g | S: 77.9g

- · Bar plug combo set.
- Fits most standard flat or riser bars.

Tubeless Insert Kit:

- Machined aluminum tubeless repair kit.
- Securely and discretely inserts like a bar plug.
- Includes five repair plug, and repair tool.

Tool Insert Kit:

- Machined aluminum tool kit.
- Securely and discretely inserts like a bar plug.
- Includes: Swivel head Hex 10mm

Hex bits: 2,3,4,5,6,8mm (L)

Hex bits: 3,4,5,6 mm (M)

Hex bits: 4,5 mm (S)

- Phillips bit.
- T10,T25,T30 (L) / T10,T25 (M) / T25 (S).

L: 1-MT-DAULKIT-V1, M: 1-MT-DAULKIT-V1M, S: 1-MT-DAULKIT-V1S



### TIRE AND TUBELESS ESSENTIALS

We've developed a collection of reliable tire essentials so you can ride with the assurance of not getting stranded. Our glueless patches use a very aggressive adhesive and our tire levers are made from the best and strongest materials. We sweat the little details, including tubeless-specific tire levers and masterfully engineered tubeless tire valves in the collection.





### CNC TLR VALVE CAP 4g(1PR)

 $\bullet$  Replacement CNC-machined aluminum valve cap  $\,$  with valve core wrench and T25 tip.

Black: 1-RP-TLRVLCAP-V104, Silver: 1-RP-TLRVLCAP-V106, Blue: 1-RP-TLRVLCAP-V110, Red: 1-RP-TLRVLCAP-V111, Gold: 1-RP-TLRVLCAP-V112

# CNC TLR VALVE 44MM / 60MM / 80MM

44mm: NEO METALLIC 1PR | Regular 1PR 60mm: NEO METALLIC 1PR | Regular 1PR 80mm: NEO METALLIC 1PR | Regular 1PR

- Innovative and stylish CNC-machined tubeless tire valve stem.
- Includes integrated valve core remover and T25.
- Fit for most tubeless rims and wheels.
- Lengths: 44mm / 60mm / 80mm.
- Weight: 6.3g / 7g / 16.4g.

44mm: Black: 1-PK-TLRVL44-V104, Silver: 1-PK-TLRVL44-V106,

Blue: 1-PK-TLRVL44-V110, Red: 1-PK-TLRVL44-V111,

Gold: 1-PK-TLRVL44-V112, Neo Metallic: 1-PK-TLRVL44-V130

60mm: Black: 1-PK-TLRVL60-V104, Silver: 1-PK-TLRVL60-V106,

Blue: 1-PK-TLRVL60-V110, Red: 1-PK-TLRVL60-V111,

Gold: 1-PK-TLRVL60-V112, Neo Metallic:1-PK-TLRVL60-V130

80mm: Black: 1-PK-TLRVL80-V104, Silver: 1-PK-TLRVL80-V106,

Blue: 1-PK-TLRVL80-V110, Red: 1-PK-TLRVL80-V111,

Gold: 1-PK-TLRVL80-V112, Neo Metallic: 1-PK-TLRVL80-V130





# NEW

# PRO TUBELESS KIT 50g

- Comprehensive tubeless repair kit.
- $\bullet$  Includes two sizes of plugs, plug retention tool, micro knife, & CO2 inflator.
- $\bullet \ \text{Improved tubeless plug reamer/inserter works on road and mountain bike tires}.$
- $\bullet \ Robust \ aluminum \ construction \ with \ precision \ ground \ stainless \ steel \ knife.$

1-PK-TBLSPO-V104



# NEW

### PRO TUBELESS KIT LOADED 135g

- Comprehensive tubeless repair kit.
- Includes two sizes of plugs, plug retention tool, micro knife, & CO2 inflator.
- $\bullet$  Improved tubeless plug reamer/inserter works on road and mountain bike tires.
- Robust aluminum construction with precision ground stainless steel knife.
- Includes 20g CO2 Cartridge, CM bracket, versatile Velcro mounting strap.

1-PK-TBLSPOL-V104



### **TUBELESS CO2 BLASTER**

without CO2:58g | with two CO2:206g

- Innovative 2-in-1 cycling CO2 dispenser and tubeless tire repair kit simultaneously inflates and seals tubeless tires.
- Hardened steel reamer scours hole, inserts plug, and inflates tire for an efficient and rapid repair.
- CNC-machined twist knob manually controls release of CO2 gas.
- Aluminum canister holds the five included tire plugs and safely stores the reamer when not in use.
- High quality tire plugs aggressively seal holes.
- $\bullet$  Two kit options: With or without two 20g CO2 cartridges
- Includes a simple, versatile Velcro mounting strap.

Without CO2: 1-PK-TBC2-V204, With CO2: 1-PK-TBC2-V104



Scan QR code for Tubeless CO2 Blaster



### **TUBELESS KIT**

### EA:33g

- · Compact tubeless tire repair kit.
- Machined aluminum storage tube doubles as a handle.
- Combined tire reamer and insertion tool.
- Includes five tire plugs.
- Available individually or in a countertop box (24 pcs).

1-PK-TBLS-V104, Countertop Box: 1-PK-TBLS-V1BOX




### **CLASSIC TUBELESS KIT**

### EA:47g

- Portable tubeless tire repair kit.
- Machined aluminum T-handle.
- Combined tire reamer and insertion tool.
- Includes five tire plugs.
- Available individually or in a countertop box (24 pcs).

1-PK-CTBLS-V106, Countertop Box: 1-PK-CTBLS-V1BOX





# NEW

### **TUBELESS PRO PLUGS**

- $\bullet$  Mushroom plugs that fill the hole and seal the puncture from the inside of the tire
- $\bullet$  Includes three different sizes of plugs as well as installation tools
- The closest you can get to a permanent tire repair
- $\bullet$  Includes two 3mm, two 3.5mm, two 4.5mm plugs, two abrasive pads, and two rubber cement tubes
- 4.5mm: Length 41.5mm, Weight 4g
- 3.5mm: Length 32.5mm, Weight 2g
- 3mm: Length 26mm, Weight 2g

1-PK-PTBLSP0-V104



### LEVER KIT EA:47g

- Integrated patch kit and tire lever combo.
- Aluminum case holds patches and tire levers serve as press-fit end caps.
- · Six highly adhesive glueless patches.
- Two durable Composite Matrix tire levers.
- Includes tire boot and stainless steel scuffer.
- Available individually or in a countertop box (24 pcs).

Grey: 1-PK-LEVER-V16P, Black: 1-PK-LEVER-V104 Blue: 1-PK-LEVER-V110, Red: 1-PK-LEVER-V111,

Gold: 1-PK-LEVER-V112

Box: 1-PK-LEVER-BOX24-V2 (U.S.A. only) (Blue color not available in U.S.A.)





### **SMART PATCH KIT**

#### EA:6g

- Ultra-compact polypropylene case.
- Six highly adhesive glueless patches.
- Includes tire boot and stainless steel scuffer.
- · Available individually or in a countertop box (34 pcs).

1-PK-SMART-V16P, Countertop Box: 1-PK-SMART-V1BOX





### METAL KIT EA:24g

- Waterproof case with rubber end caps.
- · Six highly adhesive glueless patches.
- Includes tire boot and stainless steel scuffer.
- Available individually or in a countertop box (24 pcs).

Grey: 1-PK-METAL-V16P, Black: 1-PK-METAL-V104 Blue: 1-PK-METAL-V110, Red: 1-PK-METAL-V111,

Gold: 1-PK-METAL-V112

Box: 1-PK-METAL-BOX24-V1, 1-PK-METAL-BOX24-V2 (U.S.A. only)

(Blue color not available in U.S.A.)





### **CLASSIC PATCH KIT**

#### EA:26g

- Traditionally styled patch kit.
- Rubber vulcanizing adhesive (7 cc).
- Includes six round and two oval patches.
- · Includes tire boot and stainless steel scuffer.
- Available individually or in a countertop box (24 pcs).

1-PK-CLKIT-V18P, Countertop Box: 1-PK-CLKIT-V1BOX



### SABRE LEVER 62g

- Constructed from forged, heat-treated, and CNC-machined steel.
- Heavy duty 150 mm high-leverage tire lever with aggressive hook design.
- 15 mm pedal wrench (combine two to remove 15 mm nuts).
- Bottle opener.
- Sold as a pair.

1-TL-SABER-V200



### ALLOY LEVER 24g

- Constructed from forged, aerospace-grade aluminum.
- Compact and aggressive dual hook design.
- Sold as a pair.

1-TL-ALLOY-V1HD06





# TUBELESS POWER LEVER XL 55g

- Strong, fiber-reinforced Composite Matrix levers.
- $\bullet \ \mbox{High leverage design engineered for tubeless setups}.$
- $\bullet \ Also \ compatible \ with \ regular \ tires.$
- Extra long 148 mm length for increased leverage.
- Comfortable, wide handle with interlocking spoke hook.
- Excellent for road, trailside, or everyday use.

Black: 1-TL-TBLS-V104, Yellow: 1-TL-TBLS-V116



## MATRIX LEVER EA:17g

- Strong, fiber-reinforced Composite Matrix.
- · Aggressive dual hook design.
- Available as pairs or in a countertop box (30 pairs).

Black: 1-TL-MTRX-V1NL04, White: 1-TL-MTRX-V1NL07 Countertop Box, Black: 1-TL-MTRX-V2BOX04



## POWER LEVER EA:26g

- Strong, fiber-reinforced Composite Matrix levers.
- Aggressive hook design.
- Comfortable, wide handle with integrated spoke hook that locks levers together.
- Available as pairs or in a countertop box (30 pairs).

Black: 1-TL-POWR-V1NL04, White: 1-TL-POWR-V1NL07 Countertop Box, Black: 1-TL-POWR-V1BOX04



## POWER LEVER XL EA:57g

- Strong, fiber-reinforced Composite Matrix levers.
- Aggressive hook design suitable for all tire types.
- Extra long 148 mm length for increased leverage.
- Comfortable, wide handle with interlocking spoke hook.
- Available as pairs or in a countertop box (30 pairs).

Black: 1-TL-POWRXL-V1NL04, Yellow: 1-TL-POWRXL-V1NL16
Countertop Box, Black: 1-TL-POWRXL-V1BOX04
Countertop Box, Yellow: 1-TL-POWRXL-V1BOX16









## NEW

## MATRIX AIR CAGE 44g

- Sleek bottle cage with an integrated, hidden mount for your Apple Airtag.
- Provides tracking to help reclaim a lost or stolen bike.
- Includes TR25 security bolts and tool.
- $\bullet \ {\bf Rigorously} \ {\bf tested} \ {\bf to} \ {\bf IPX7} \ {\bf Water proofing} \ {\bf standards}.$
- Apple AirTag<sup>™</sup> not included.

1-AT-MTAIR-V104

## **AIRTAG™ ACCESSORIES**

Amongest the cool new products we've developed are three innovative products to discreetly hide an Apple AirTags™ on a bicycle.



## NEW

## MATRIX BIKE TAGGER 28g

- Mounts and hides an Apple Airtag under a standard water bottle cage or on its' own.
- Provides tracking to help reclaim a lost or stolen bike.
- Includes TR25 security bolts and tool.
- $\bullet \ \mbox{Rigorously tested to IPX7 Waterproofing standards}.$
- Apple AirTag $^{\text{\tiny{M}}}$  not included.

1-AT-BKTAG-V104





## MATRIX SADDLE TAGGER 26g

- Sleek, hidden under-the-saddle mount for an Apple Airtag.
- Provides tracking to help reclaim a lost or stolen bike.
- Includes TR25 security bolts and tool.
- Rigorously tested to IPX7 Waterproofing standards.
- Apple AirTag $^{\text{\tiny{M}}}$  not included.

1-AT-SDTAG-V104



## NEW

## MATRIX TAGGER COUNTERTOP BOX

7.10kg

- Countertop box.
- Ten Matrix Bike Taggers.
- Ten Matrix Saddle Taggers.
- L-shaped with spherical tip.

1-AT-TAG-BOX-V1



## CLASSIC BRASS BELL - HM 33g

- Compact, classic bell shape construction for a high-quality sound.
- Bell and striker are made from black anodized brass.
- CNC-machined aluminum hard handlebar mount, designed for 22.2-25.4 mm tubes.
- Molded rubber shims add grip and fine-tune fitment.
- · Stainless steel hammer.
- Impressively loud ring.

ALL BLACK: 1-BL-CLBRSHM-V204M



#### **CLASSIC BRASS BELL**

22g (S)

27g (M)

- Compact, classic bell shape construction in two sizes for a high-quality sound.
- Bell and striker are made from anodized black brass.
- · Machined aluminum base.
- $\bullet$  Simple 0-ring attachment mounts cleanly to a variety of tube sizes and shapes.
- Impressively loud ring.
- Available individually or in a countertop box .

(S 20pcs / M 16pcs)

ALL BLACK, S: 1-BL-CLBRS-V204S, ALL BLACK, M: 1-BL-CLBRS-V204M BOX (20) ALL BLACK, S: 1-BL-CLBRS-BOX-B04S, BOX (16) ALL BLACK, M: 1-BL-CLBRS-BOX-B04M



#### **CLASSIC SHALLOW BRASS BELL**

26g

- Modern, unique low-profile design.
- $\bullet$  Bell and striker are made from black anodized brass.
- · Machined aluminum base.
- Simple 0-ring attachment mounts cleanly to a variety of tube sizes and shapes.
- Definitively loud ring.
- Available individually or in a countertop box.

BOX (11) BRASS/BLACK: 1-BL-CLSBRS-BOX-04





## SMART GRIP MOUNT 93g

- Strong rubber straps securely holds phone.
- CNC-machined aluminum mount.
- Replaceable rubber strap.
- Comes with 2 sizes of straps to fit most smartphones.


1-PH-GRIPMT-V104



## SMART VISE MOUNT 124g

- Secure vise grip to hold phones tight.
- Soft padding to protect phone and reduce vibration.
- Replaceable rubber strap.
- Fits most phones with or without a case.

1-PH-VISEMT-V104



## **BICYCLE STORAGE**

Much like with our jaw-dropping shop tools, we combined our engineering expertise with our distinct sense of style to create a line of professional-quality bicycle storage units that boast a modern touch of elegance. Built to last, these racks have been crafted to add a touch of style to any room or garage while saving space and keeping your bikes securely on display.



## CNC ALLOY WHEEL HOOK 374g

- Modern, industrial 3-piece bicycle wall mount.
- Stylish CNC-machined aluminum wheel hook and tire plates.
- Durable, anti-slip cover secures bike and safeguards rim.
- · Minimalist aluminum tire plates prevent wall scuffing.
- One-time installation for easy bike storage and space saving.
- Suitable for all styles of standard bicycles: from BMX to downhill bikes.\*
- Mounting hardware included.
- Approved up to 3.5" tire width.
- 13cm of rim + tire clearance.
- 70lb / 32kg weight capacity.
- \*Check space height and tire/rim diameter.

  May not work with some wheel spoke patterns


1-BS-CNCTH-V104



## STAINLESS PEDAL HOOK 486q

- Modern, industrial 3-piece pedal hook wall storage.
- Stylish and resilient polished stainless steel finish.
- Compact, sleek tire plates prevent wall scuffing .
- One-time installation for easy bike storage and space saving.
- Compatible with standard bicycles and pedals.\*
- Mounting hardware included.
- Approved up to 3" tire width.
- 70lb / 32kg weight capacity.
- \*Check sizing first.

1-BS-STPDH-V106





## **ORGANIZED FOR EVERYTHING**

Our soft goods and organizers have been an integral part of the Lezyne brand since our inception. We offer a large variety of styles and sizes, be it a small, aero saddle bag, a full collection of bike-packing essentials, or everything in between—from jersey wallets to handlebar-mounted phone holders. Our bags and organizers are known for their quality, durability, clean aesthetics, and excellent value. Cyclists of all types will find something to help keep them organized out on the road or trail.





## SMART ENERGY CADDY XL 98g

- 0.5 L Capacity.
- · Lightweight, semi-rigid, toptube-mounted large smartphone holder.
- Rivet system to bolt onto frames with removeable straps.
- · Molded EVA foam structure with woven nylon cover.
- · Compact design with extra wide clamshell opening.
- Mesh divider keeps additional items in place.
- · Clear, touchscreen-compatible cover.
- Three Velcro strap design attaches securely to the toptube.
- · Easy access nutrition bag.
- Size: W19cm x H10cm x D7cm.

1-EC-SMARTXL-V104



## SMART ENERGY CADDY 83g

- 0.4 L Capacity.
- Lightweight, semi-rigid toptube mounted phone holder.
- Molded EVA foam structure with woven nylon cover.
- · Compact design with extra wide clamshell opening.
- Mesh divider keeps additional items in place.
- · Clear, touchscreen-compatible cover.
- Three Velcro strap design attaches securely to the toptube.
- · Easy access nutrition bag.

1-EC-SMART-V104







#### AERO ENERGY CADDY 125g

- 0.7 L Capacity.
- · Large toptube organizer with aero design.
- Rivet system to bolt onto frames with removeable straps.
- For quick access to snacks and smaller items.
- Molded EVA foam structure with durable nylon cover.
- Durable, high quality materials.
- · Reflective features for added safety.
- Size: W26cm x H7.4cm x D15cm.

1-EC-ARCADDY-V104

#### **ENERGY CADDY XL** 92g

- 0.8L Capacity.
- Extra large, simple toptube organizer for quick access to snacks and smaller items.
- Water resistant, zippered main compartment with side sleeves.
- · Large enough for a phone.
- Durable, high quality materials.
- Reflective features for added safety.


1-EC-XLCADDY-V104

#### ENERGY CADDY 67g

- 0.5 L Capacity.
- Large, simple toptube organizer for quick access to snacks and smaller items.
- Molded EVA foam structure with durable nylon cover.
- Elastic midsection expands to accomodate larger contents.
- Velcro-mesh cover keeps items in place.

1-EC-ENERGY-V2L04











## MICRO CADDY S/M

S: 76.6g | M: 87g

- Small: 0.2 L Capacity / Medium: 0.3 L Capacity
- Compact, aero-shaped saddle bag.
- Elastic nylon strap secures caddy to the seat rails.
- Printed internal pockets to organize money, tools, and tire repair items.
- Reflective logos and loop increase visibility.
- Water resistant.

Black: S: 1-SB-CADDY-V1MCS04 M: 1-SB-CADDY-V1MCM04

## S CADDY 59.3g

- 0.3 L Capacity.
- Small, wedge-shaped saddle bag.
- Velcro straps attach to saddle rails and seatpost.
- Printed internal pockets to organize money, tools, and tire repair items.
- $\bullet$  Reflective logos and loop increase visibility.
- Water-resistant zipper with large pull loop.

Black: 1-SB-CADDY-V1S04

## M CADDY 75g

- 0.4 L Capacity.
- Medium, wedge shaped saddle bag.
- $\bullet$  Velcro straps attach to saddle rails and seatpost.
- Printed internal pockets to organize money, tools, and tire repair items.
- $\bullet \, \mathsf{LED} \, \mathsf{light} \, \mathsf{mount} \, \mathsf{loop}.$
- Reflective logos and loop increase visibility.
- · Water resistant.

Black: 1-SB-CADDY-V1M04







## POD CADDY QR M 160.6g

- 0.8 L Capacity.
- Molded EVA foam, semi-rigid construction with QR Mounting System.
- Durable woven nylon cover with extra wide clamshell opening.
- Internal mesh divider keeps contents in place.
- · Reflective piping increases visibility.
- · Water resistant.

1-SB-PCADDY-V1M04

## M CADDY QR 135g

- 0.4 L Capacity.
- Medium sized, wedge-shaped design with QR Mounting System.
- Durable woven nylon construction.
- Printed internal pockets to organize money, tools, and tire repair items.
- External multi-tool sleeve.
- · Reflective logos and loop increase visibility.
- · Water resistant.

1-SB-CADDY-V1MOR04

#### MICRO CADDY QR S/M

S: 139g | M: 143.3g

- Small: 0.2 L Capacity / Medium: 0.3 L Capacity.
- Compact, aero-shaped design with QR Mounting System.
- Printed internal pockets to organize money, tools, and tire repair items.
- External multi-tool sleeve.
- · Reflective piping increases visibility.
- · Water resistant.

Small: 1-SB-CA-V1MCSQR04 Medium: 1-SB-CA-V1MCMQR04



## L CADDY 115g

- 1.2 L Capacity.
- · Large capacity, wedge-shaped saddle bag.
- $\bullet$  Velcro straps attach to saddle rails and seatpost.
- $\bullet$  Printed internal pockets to organize money, tools, and tire repair items.
- $\bullet \ External \ sub \ compartment \ for \ multi \ tool.$
- $\bullet \, \mathsf{LED} \, \mathsf{light} \, \mathsf{mount} \, \mathsf{loop}.$
- Reflective logos and loop increase visibility.
- Water resistant.

1-SB-CADDY-V1L04



## EX CADDY 110g

- 0.8 L Capacity.
- Expandable wedge-shaped saddle bag.
- Buckle system attaches to saddle rails and seatpost.
- Durable woven nylon construction.
- Printed internal pockets to organize money, tools, and tire repair items.
- Reflective logos and loop increase visibility.
- Water resistant.

1-SB-CADDYEX-V1M04



## M-CADDY - TUBELESS KIT

404g

- M-Caddy saddle bag.
- Two 20g CO2 cartridges.
- RAP II-19 CO2 multi tool.
- · Classic Tubeless kit.
- Power Levers.

1-SB-CADLD-V4M04



## M-CADDY - CO2 KIT

245g

- M-Caddy saddle bag.
- Twin Speed Drive CO2 head.
- Two 16g CO2 cartridges.
- RAP II-6 multi tool.
- · Smart Kit glueless patch kit.
- · Matrix Levers.

1-SB-CADLD-V3M04



## M-CADDY - SPORT KIT

274g

- M-Caddy saddle bag.
- Sport Drive HP hand pump.
- RAP II-6 multi tool.
- Smart Kit glueless patch kit.
- Matrix Levers.

1-SB-CADLD-V2M04



## ROLL CADDY 87g

- 0.4 L Capacity.
- Expandable saddle bag with Velcro roll closure.
- Single removable Velcro strap attaches to saddle rails.
- Printed internal pockets to organize money, tools, and tire repair items.
- Reflective logos and loop increase visibility.
- Water resistant.

1-SB-RUCADDY-V104



## ROAD CADDY 71.5g

- 0.4 L Capacity.
- Medium capacity saddle bag.
- $\bullet \ \ \text{Single Velcro strap secures to saddle rails}.$
- $\bullet \ {\hbox{Durable woven nylon construction}}.$
- $\bullet \, Large\, main\, compartment\, with\, organizational\, pockets.$
- $\bullet$  Reflective logos and loop increase visibility.
- Water resistant.

1-SB-RDCADDY-V104



## HARD BAR CADDY 152g

- 2.2 L Capacity.
- · Large capacity handlebar bag.
- Highly water resistant zipper and material.
- Top opening for easy access.
- Adjustable straps and simple Velcro mounting system.
- Reflective features and light mounts for added safety.
- Size: W26cm x H13cm x D13cm.

1-SB-HDCADDY-V104



#### BAR CADDY 247g

- 7L Capacity.
- · Medium capacity handlebar bag.
- Easy access, double-sided roll-type enclosures.
- · Highly water resistant, compressible design.
- Adjustable straps and simple Velcro mounting system.
- Extra draw cords to hold additional gear.
- Reflective features and light mounts for added safety.

1-SB-BCADDY-V104



## XL CADDY 424g

- 7.5 L Capacity.
- Extra large, adventure-style seat bag.
- Two individual Velcro straps securely mount to seat rails
- Single strap mounts to seat post to keep bag stable.
- Roll-style enclosure provides easy access and compresses gear.
- · Highly water resistant.
- Removable internal sidewall supports.
- Reflective features and light mounts for additional safety.

1-SB-CADDY-V2XL04



## UNIVERSAL STRAP 21g

- Extremely versatile on-the-bike storage solution.
- Capable of carrying tubes, inflators, multi tools, and much more.
- Robust, hardwearing construction.
- Secure textured, non-slip finish.
- · Clean aesthetics matches all types of bikes.
- Tools not included except in Loaded kit.

1-SG-UNISTR-V104





## POCKET ORGANIZER LOADED - ROAD 243q

- Pocket Organizer bag.
- Smart Kit.
- 1x 20g CO2 cartridge.
- Twin CO2 head
- RAP II-6 multi-tool.
- Power Levers.

1-SB-PKBGL-V104

## POCKET ORGANIZER BAG 50g

- 0.12 L Capacity.
- $\bullet \ {\sf Fits} \ {\sf in} \ {\sf cycling} \ {\sf jersey} \ {\sf pocket} \ {\sf or} \ {\sf utility} \ {\sf pocket}.$
- Internal separator sleeve helps organization, includes credit cards pocket x1, zippered pocket x1, and two mesh pockets for tools.
- · Water resistant.
- External dimensions are 15 x 7.6 x 2 (cm).

1-SB-PKBG-V104



## POCKET ORGANIZER LOADED - MTB 246g

- Pocket Organizer bag.
- · Classic Tubeless Kit.
- 1x 20g CO2 cartridge.
- Twin CO2 head
- RAP II-6 multi tool.

1-SB-PKBGL-V204



## STUFF CADDY

91g

- 1.3 L Capacity.
- Simple, versatile caddy with multiple mount options to carry extra "stuff."
- Quickly and securely mounts to handlebars, frame, fork, or almost anywhere.

1-CS-STUFF-V104



## FLOW TOOL CADDY PRO

84g

- Sleek, water bottle-shaped organizer fits into standard bottle cages.
- Internal compartments, including one zippered, help organize small cycling essentials.
- It features a soft, semi-rigid, water resistant shell.
- A full zipper allows for 180° opening, providing easy access and better organization.
- $\bullet$  Inner lining prevents or limits noise from interior parts.

1-BC-FLWCA-V304



## CADDY KIT 194.5g

- · Caddy Sack.
- Twin Speed Drive CO2 head.
- Two 16g CO2 cartridges.
- · Smart Kit glueless patch kit.
- Power Levers.

1-C2-CADDYKIT-V1S04



## CADDY SACK S/M

S: 50g M: 38g

- Simple, reusable sack holds a variety of ride essentials.
- Durable materials, welded seams, and roll top closure provide weather protection.
- · Large opening offers quick, easy access.
- · Available in Small and Medium sizes.

S: 1-CS-CADDY-V2S04, M: 1-CS-CADDY-V2M04



## **CHAINSTAY PROTECTOR**

S: 95 x 250 mm / 15.4g M: 130 x 250 mm / 20g L: 180 x 250 mm / 29g

- Durable protector designed to reduce chain noise.
- Puncture resistant exterior neoprene protects frame finish.
- Rubberized interior prevents slippage.
- Available in three sizes.
- · Machine washable.

S: 1-PR-SMART-V1S, M: 1-PR-SMART-V1M, L: 1-PR-SMART-V1L





## FLOW CADDY 84.7g

Without sleeve insert 60g

- Lightweight, rigid container that fits in standard bottle cages.
- Universal storage for essential roadside repair items.
- · Water-resistant threaded lid.
- Available with organizer sleeve.

Caddy only: 1-BC-FLWCADDY-V104 Caddy with Organizer: 1-BC-FLWCADDY-V204





## SENDIT CADDY


50g | Loaded: 195g

- Lightweight, versatile cycling organizer strap quickly and securely mounts to frame or seat post.
- Three labeled compartments keep gear and tools organized and secure on the roughest trails.
- Durable, high-quality materials including polyester, neoprene, and rubberized elastics for added grip.
- Strap is capable of holding up to one 25g CO2 cartridge and a 29" mountain bike tube, plus a small multi tool and tire levers.
- $\bullet$  Inner tube, CO2 cartridge and tire lever not included.
- Loaded Kit Includes: RAP II-6, Twin Speed Drive, 1 pair Power Lever, 1x 20g CO2 cartridge.

Caddy: 1-SB-SDCADDY-V104 Caddy Loaded: 1-SB-SDCADDYL-V104









Bluetooth Smart is a registered trademark of Bluetooth SIG, Inc. Ant+ is a registered trademark of Dynastream.


TrainingPeaks is a trademark of TrainingPeaks, LLC. Today's Plan is trademark of Today's Plan Pty Ltd.

Strava and Strava Live Segments are trademarks of Strava, Inc. Ride with GPS is a trademark of Ride with GPS.

Di2 is a trademark of Shimano, Inc. SRAM Red is a trademark of SRAM, LLC.

#### CYCLING'S ULTIMATE GPS PLATFORM

Our platform provides an expansive array of features and services for every type of cyclist. From basic data recording to extensive workout plan integration, Lezyne's GPS units are simple and ready to use out of the box and also fully customizable to take training to the next level. For navigation, the lineup allows for straightforward, point-to-point navigation or comprehensive offline route building. We offer devices with best-in-class battery runtime (up to 48 hours) or lightweight units from a scant 60 grams. Other features include phone notifications, Lezyne Track (live tracking), and free firmware support and upgrades that constantly refine the technology and operation of our computers.



# **ELEVATED INTEGRATION Seamless compatibility with Komoot and Relive**.



## THE REDESIGNED GPS ALLY PHONE APP

Our link between rider and our GPS computers.

Quickly and easily program and customize a Lezyne
GPS computer. Wirelessly upload rides and/or
auto-sync activities to Strava, Komoot, Today's Plan,
TrainingPeaks and Relive. Get notifications on your
GPS from many popular social media and messaging
apps in addition to standard text, call, and email
notifications. Follow Strava Live Segments, load maps
from around the world, build custom routes, and
activate Lezyne Track (live tracking), all with a touch
of a button!



















Actual Size

## MEGA XL GPS 83g

**48-HOUR RUNTIME** 

With victories at the Giro d'Italia and UNBOUND Gravel, the Mega XL has been proven at the highest and most rugged levels of racing. But with its best-in-class battery runtime, ease of use, and large hi-res screen, any recreational road or off-road rider can escape for the weekend and enjoy this feature-packed GPS cycling computer.

1-GPS-MEGAXL-V104



Mega XL GPS Loaded Option 1:

- Mega XL GPS
- KTV Smart Rear LED
- Alloy CNC Forward Mount
- Micro USB Charging Cable

1-GPS-MEGAXL-V104-SL



Mega XL GPS Loaded Option 2:

- Heart Rate Flow Sensor
- Pro Speed Sensor
- · Pro Cadence Sensor
- · Alloy CNC Forward Mount
- Micro USB Charging Cable

1-GPS-MEGAXL-V204-HS

## MEGA XL GPS FEATURES:

- Add data fields to map and navigation screens
- Power metrics: TSS<sup>®</sup>, Work,
   Normalized Power<sup>®</sup>, Intensity Factor<sup>®</sup>.
- · Additional navigation queues
- Durable, composite construction
- Super accurate, advanced data recording system combines GPS plus GLONASS satellites
- Simultaneous ANT+<sup>™</sup> and BTLE connectivity
- Multiple real-time features when paired to the Lezyne Ally app
- Barometer and accelerometer
- Simple setup through Lezyne Ally phone app
- Indoor Trainer Mode
- Multiple bike profiles
- Full navigation
- · Lezyne Track (live tracking)
- · Intuitive four button operation
- Up to 48 hours of runtime
- Micro USB rechargeable
- Stores up to 800 hours of ride data
- Customizable fields and page count (up to 10 fields)
- Detailed map screen
- Custom alerts and auto presets
- Extremely weather resistant
- Includes X-Lock Standard Mount

#### CONNECTIVITY:

- Navigate with Komoot
- Sync activities to Relive
- FE-C Trainer compatibilitySmart Connect compatible
- Receive text, email, phone call, and message app notifications when paired to smartphone
- Sync rides via Bluetooth Low Energy to the Lezyne
   Ally phone ann
- Instant download of ride files (.fit) via plug-and-play flash drive technology (Windows/Mac) and upload directly to GPS Root website for ride analysis
- Auto-sync to Strava, TrainingPeaks, and Today's Plan
- Pairs with BTLE or ANT+ enabled heart rate monitors, cadence/speed sensors, and power meters
- Connects with compatible electronic drivetrains
- · Custom route building
- Turn-by-turn navigation
- Off-line maps and rerouting
- Import custom .TCX or .GPX routes
- Follow Strava Live Segments
- Follow structured workouts from Today's Plan and TrainingPeaks

#### **DIMENSIONS:**

- Computer: 57.5mm (W) x 78.3mm (L) x 26.6mm (H)
- Screen: 35.3mm (W) x 58.8mm (L)
- Weight: 83 grams





**Actual Size** 

## SUPER PRO GPS 60g

28-HOUR RUNTIME

The completely redesigned Super Pro GPS cycling computer is an excellent choice for all riders looking for a full-featured, mid-sized device. New styling gives the device an enhanced look and feel, and it can be rotated horizontally for those that prefer a landscape view. Its screen has improved resolution and contrast and now features a map page for an upgraded navigation experience.

1-GPS-SPR-V304



Super Pro GPS Loaded Kit Option 1:

- Super Pro GPS
- KTV Smart Rear LED
- Alloy CNC Forward Mount
- Micro USB Charging Cable

1-GPS-SPR-V104-SL,



Super Pro GPS Loaded Kit Option 2:

- Super Pro GPS
- Heart Rate Flow Sensor
- · Pro Speed Sensor
- Pro Cadence Sensor
- Alloy CNC Forward Mount
- Micro USB Charging Cable

1-GPS-SPR-V404-HS

#### SUPER PRO GPS FEATURES:

- · Durable, composite construction
- Super accurate, advanced data recording system combines GPS plus GLONASS satellites
- Simultaneous ANT+<sup>™</sup> and BTLE connectivity
- Multiple real-time features when paired to the Lezyne Ally app
- · Barometer and accelerometer
- Simple setup through Lezyne Ally phone app
- Indoor Trainer Mode
- · Multiple bike profiles
- Full navigation
- · Advanced navigation queues
- Add data fields to map and navigation screens
- Lezyne Track (live tracking)
- Intuitive four-button operation
- Up to 28 hours of runtime
- Micro USB rechargeable
- Stores up to 400 hours of ride data
- Customizable fields and page count (up to eight fields)
- Detailed map screen
- Custom alerts and auto presets
- Enhanced water resistant USB port
- Includes X-Lock Standard Mount

## CONNECTIVITY:

- Navigate with Komoot
- · Sync activities to Relive
- FE-C Trainer compatibility
- Smart Connect compatible
- Receive text, email, phone call, and message app notifications when paired to smartphone
- Sync rides via Bluetooth Low Energy to the Lezyne Ally phone app
- Instant download of ride files (.fit) via plug-and-play flash drive technology (Windows/Mac) and upload directly to GPS Root website for ride analysis
- Auto-sync to Strava, TrainingPeaks, and Today's Plan
- Pairs with BLTE or ANT+ enabled heart rate monitors, cadence/speed sensors, and power meters
- Connects with compatible electronic drivetrains
- FE-C Trainer compatibility
- Smart Connect compatible
- Custom route building
- Turn-by-turn navigation
- Off-line maps and rerouting
- Import custom .TCX or .GPX routes
- Follow Strava Live Segments
   Follow structured workouts from Today's Plan and

## DIMENSIONS:

TrainingPeaks

- Computer: 70.6mm (W) x 48.16mm (L) x 26mm (H)
- Screen: 32.6mm (W) x 39.8mm (L)
- Weight: 60 grams



Macro Plus GPS Loaded Kit Option 1:

- · Marco Plus GPS
- KTV Smart Rear LED
- · Alloy CNC Forward Mount
- Micro USB Charging Cable

1-GPS-MACRO-V104-SL,



Macro Plus GPS Loaded Kit Option 2:

- Macro Plus GPS
- · Heart Rate Flow Sensor
- Pro Speed Sensor
- Pro Cadence Sensor
- Alloy CNC Forward Mount
- Micro USB Charging Cable

1-GPS-MACRO-V304-HS,

#### MACRO PLUS GPS FEATURES:

- Durable, composite construction
- Advanced GPS data recording system
- BLTE connectivity
- Multiple real-time features when paired to the Lezyne Ally app
- Simple setup through Lezyne Ally phone app
- Indoor Trainer Mode
- Multiple bike profiles
- Navigation
- · Advanced navigation queues
- · Add data fields to navigation screens
- Lezyne Track (live tracking)
- Intuitive four button operation
- Up to 28 hours of runtime
- Micro USB rechargeable
- Stores up to 100 hours of ride data
- Customizable fields and page count (up to 8 fields)
- Custom alerts and auto presets
- · Enhanced water resistant USB port
- Includes X-Lock Standard Mount

#### CONNECTIVITY:

- Navigate with Komoot
- Sync activities to Relive
- · Smart Connect compatible
- Receive text, email, phone call, and message app notifications when paired to smartphone
- Sync rides via Bluetooth Low Energy to the Lezyne Ally phone app
- Instant download of ride files (.fit) via plug-and-play flash drive technology (Windows/Mac) and upload directly to GPS Root website for ride analysis
- Auto-sync to Strava, TrainingPeaks, and Today's Plan
- Pairs with BLTE-enabled heart rate monitors, cadence/speed sensors, and power meters
- · Smart Connect compatible
- Custom route building
- Turn-by-turn navigation
- · On and offline rerouting
- Import custom .TCX or .GPX routes
- Follow Strava Live Segments
- Follow structured workouts from Today's Plan and TrainingPeaks

## DIMENSIONS:

- Computer: 70.6mm (W) x 48.16mm (L) x 26mm (H)
- Screen: 32.6mm (W) x 39.8mm (L)
- Weight: 60 grams





**Actual Size** 

#### MACRO EASY GPS 62.5g

28-HOUR RUNTIME

Developed for easy use and setup, the Macro Easy GPS is perfect for any rider that just wants to record a ride and have the option to view their or her stats afterwards. No complicated setup, no messing with phone apps, and no excessive data fields that are only used by serious athletes. This is simply for the cyclist that wants to ride and see basic ride data. Its one-time, on-device setup procedure will have you on the road and enjoying your ride in no time.

1-GPS-MACROES-V104

#### MACRO EASY GPS FEATURES:

- Durable, composite construction
- Optimized GPS satellite recording
- BLTE connectivity
- · Simple setup first time setup
- Breadcrumb trail
- Intuitive four button operation
- Up to 28 hours of runtime
- Micro USB rechargeable
- Stores up to 100 hours of ride data
- Customizable fields and page count
- $\bullet \ \, \text{Extremely weather resistant}$
- Includes X-Lock Standard Mount

#### CONNECTIVITY:

- Instant download of ride files (.fit) via plug-and-play flash drive technology (Windows/Mac) and upload directly to GPS Root website for ride analysis via included micro-USB cable.
- Share to Strava, TrainingPeaks, and Today's Plan.
- Pairs with BLTE-enabled heart rate monitors and cadence/speed sensors.

#### DIMENSIONS:

- Computer 48.16mm (W) x 70.6mm (L) x 26.0mm (H)
- Screen: 32.6mm (W) x 39.8mm (L)
- Weight: 62.5 grams





## MEGA XL GPS

## SUPER PRO GPS

	257772 57 5	33. = 3. 3
Dimensions [W x L x D]	57.5mm x 78.3mm x 26.6mm	48.16mm x 70.6mm x 26mm
Display [W x L]	35.3mm x 58.8mm	32.6mm x 39.8mm
Weight	83g	60g
Battery	Rechargeable 1400mAh Lithium	Rechargeable 900mAh Lithium Polymer
USB Rechargeable	Polymer	•
Battery Runtime	•	Up to 28hrs
GPS Chipset	Up to 48hrs	GPS/GLONASS
Barometer	GPS/GLONASS	•
Accelerometer	•	•
Ride Data Storage	•	Up to 400hrs
Bluetooth 4.1 BLE	Up to 800hrs	•
ANT+	•	•
iOS (iPhone®) / Android™ Connectivity	•	•
Phone Notifications	•	•
FE-C Trainers	•	•
Lezyne Smart Connect	•	•
Custom Workouts Screen	•	•
Navigation	•	•
Map Screen	•	•
Multiple Bike Profiles	•	•
Alerts - Distance, Time, Calories	•	•
Heart Rate	•	•
Cadence/Speed	•	•
Power Meter	•	•
Electronic Drivetrain Connectivity	•	•
Elevation: Ascent/Descent	•	•
Grade	•	•
Temperature	•	•
Breadcrumb Map	•	•
Customize Setup Through Phone App	•	•
Live Tracking	•	•
Strava Live Segments	•	•
Auto Cuno Dido Doto		

Auto-Sync Ride Data





MACRO PLUS GPS	MACRO EASY GPS
48.16mm x 70.6mm x 26mm	47.7mm x 70.5mm x 27.3mm
32.6mm x 39.8mm	32.6mm x 39.8mm
60g	<b>62.</b> 5g
Rechargeable 900mAh Lithium Polymer	Rechargeable 900mAh Lithium Polymer
Up to 28hrs	Up to 28hrs
GPS	GPS
-	-
-	-
Up to 100hrs	Up to 100hrs
•	
-	-
	-
•	-
-	-
	-
	-
•	-
-	-
	-
	-
	-
	-
-	-
•	
	•
	-
	-
	-
	-



## PRO SPEED SENSOR

8g (w/ battery)

- · Accurate, compact magnetless speed sensor.
- Installs quickly and connects via BLTE.
- Connect up to two devices: e.g. smart trainer + head unit.
- · Mounts on most hubs / Replaceable CR2032 battery.

1-PS-PROS-V104, Pro Sensor Pair: 1-PS-PROCS-V104



Pro Sensor Pair: 1-PS-PROCS-V104



## PRO CADENCE SENSOR

8g (w/ battery)

- Accurate, compact magnetless cadence sensor.
- Installs quickly and connects via BLTE.
- Connect up to two devices: e.g. smart trainer + head unit.
- · Mounts to crank arm / Replaceable CR2032 battery.

1-PS-PROC-V104, Pro Sensor Pair: 1-PS-PROCS-V104



#### **HEART RATE FLOW SENSOR**

44a

- Durable, lightweight polycarbonate with translucent body.
- Conforms to BLTE standards for maximum compatibility.
- Flexible athletic strap.
- Replaceable CR2032 coin cell battery.

1-PS-HRFS-V104



## **GPS FORWARD BAR MOUNT CM**

22.6g

- Low-profile and streamlined.
- Utilizes Lezyne's unique press-and-twist X-Lock system.
- Durable Composite Matrix construction.
- Reliable single-pivot 31.8 bar clamp.

1-GPS-FBMCM-V104




#### **GPS O-RING MOUNT KIT**

9.2g (mount only)

- $\hbox{\bf \cdot} \ \mbox{\bf Utilizes Lezyne's unique press-and-twist X-Lock system}.$
- Constructed from Composite Matrix.
- $\bullet \ \text{Includes two pairs of differently sized mounting 0-rings}.$
- $\bullet$  Fits a wide range of bars and stems.
- Included with all Lezyne GPS units.
- · Mount in any direction.


GPS 0-ring Mount Kit: 1-GPS-0RMCMK-V104 / 4g 0-ring Replacement Set: 1-GPS-0RING-V104, €3.95





## **NEXT LEVEL HYDRATION**

Our bottle cages are engineered and tested to hold bottles tightly over any terrain while providing easy access thanks to creative designs including side-loading construction, top catches, and larger openings. All of our cages are made from premium carbon, aluminum, or Composite Matrix, ensuring the highest quality at all of our price points. Our range of classic water bottles includes models constructed from "zero taste" materials as well as insulated options.





#### **TUBELESS FLOW STORAGE CAGE**

Loaded: 382g | Loaded w/o CO2: 237.5g | Unloaded: 94g

- Durable fiber-reinforced Composite Matrix construction.
- Optimized side-load design for easy access in compact frames.
- Available in right-side configuration only.
- Integrated storage container.
- CO2 cartridge holder on both sides of the cage.
- · Loaded Kit option: integrated storage container includes CO2 head,
- V Pro 17 multi-tool with tubeless reamer and tire plug kits; CO2 cartridge holder has two 20g cartridges.
- Available individually or as a Loaded kit. (with or without CO2 cartridges)

Loaded: 1-BC-FLSTL-V304, Loaded w/o CO2: 1-BC-FLSTL-V404,

Unloaded: 1-BC-FLST-V104

\*Loaded kit not available with CO2 cartridges in all countries.





## FLOW TOOL CADDY PRO 84g

- Sleek water bottle-shaped organizer fits into standard bottle cages.
- Internal compartments organize cycling essentials.
- Soft, semi-rigid shell is durable and water resistant.
- Full zipper allows for 180° opening.
- Tools and bottle cage are not included.

1-BC-FLWCA-V304





## FLOW CADDY 85g

Without sleeve insert 52g

- Lightweight, rigid container that fits in standard bottle cages.
- Universal storage for essential roadside repair items.
- · Water-resistant screw-on lid.
- Available with or without organizer sleeve.

Caddy only: 1-BC-FLWCADDY-V104 Caddy with Organizer: 1-BC-FLWCADDY-V204



## MATRIX TEAM CAGE 34g

- · Ergonomic, easy-loading cage.
- Fiber-reinforced Composite Matrix construction.
- Stylish, modern look.

Green: 1-BC-MTTEAM-V103, Black: 1-BC-MTTEAM-V104
White: 1-BC-MTTEAM-V107, Blue: 1-BC-MTTEAM-V110
Red: 1-BC-MTTEAM-V111, Purple: 1-BC-MTTEAM-V121
Dark Grey: 1-BC-MTTEAM-V131
Matte Tan: 1-BC-MTTEAM-V132
Matte Army Green: 1-BC-MTTEAM-V133





## CARBON TEAM CAGE 24g

- Full carbon cage.
- Lightweight.
- Extra secure design.
- Innovative carbon layup.

Black Graphic: 1-BC-CBTEAM-V104



## FLOW CAGE SL 53g

- Durable, reinforced Composite Matrix construction.
- Optimized side-load design for easy access in compact frames.
- Available in left or right-side configurations.
- · Available in pairs or singles.
- · Enhanced graphics feature high quality painted finish

Black SL-L: 1-BC-FLSLL-V104, Black SL-R: 1-BC-FLSLR-V104 White SL-L: 1-BC-FLSLL-V107, White SL-R: 1-BC-FLSLR-V107

## FLOW CAGE SL ENHANCED 53q

- Durable, reinforced Composite Matrix construction.
- Optimized side-load design for easy access in compact frames.
- Available in left or right side configurations.
- · Enhanced graphics.
- Available in singles.

Black SL-L: 1-BC-FLSLL-V204, Black SL-R: 1-BC-FLSLR-V204
White SL-L: 1-BC-FLSLL-V207, White SL-R: 1-BC-FLSLR-V207
Purple SL-L: 1-BC-FLSLL-V221
Red SL-L: 1-BC-FLSLL-V211, Red SL-R: 1-BC-FLSLR-V211
Blue SL-I: 1-BC-FL SLL-V210, Blue SL-R: 1-BC-FL SLR-V210

Red SL-L: 1-BC-FLSLL-V211, Red SL-R: 1-BC-FLSLR-V211
Blue SL-L: 1-BC-FLSLL-V210, Blue SL-R: 1-BC-FLSLR-V210
Green SL-L: 1-BC-FLSLL-V203, Green SL-R: 1-BC-FLSLR-V203
Army Green SL-L: 1-BC-FLSLL-V233, Army Green SL-R: 1-BC-FLSLR-V233
Matte Tan SL-L: 1-BC-FLSLL-V232, Matte Tan SL-R: 1-BC-FLSLR-V232





## **CNC CAGE AL**

Neo Metallic | Regular 39g

- Constructed entirely from CNC-machined aluminum.
- Strong and lightweight heat-treated design.
- Sturdy ribs and top catch secures a wide variety of bottles.

Neo Metallic: 1-BC-CNCRC-V1AL30

Black/BEAD BLAST: 1-BC-CNCRC-V2AL04, Matte Black: 1-BC-CNCRC-V1AL17



## POWER CAGE 64g

- Simple, lightweight aluminum tube construction.
- Stamped aluminum base is formed and welded to the tubing.
- Classic, wrap-around design securely holds bottles over rough terrain.

Matte Black: 1-BC-POLE-V117, Red: 1-BC-POLE-V111 Blue: 1-BC-POLE-V110, Silver: 1-BC-POLE-V106





## FLOW CAGE 48g

- Durable, fiber-reinforced Composite Matrix construction.
- X-Grip cage design with dual upper catches holds bottle securely.

Black: 1-BC-FL-V104, White: 1-BC-FL-V107



## FLOW BOTTLE 600 / 750

- Weight: 750/64.5g, 600/60g
- Classic water bottle with Lezyne logo.
- Optimized for Lezyne bottle cages.
- Ample beverage flow.
- 600ml / 20oz.
- 750ml / 25oz

 $600\,\mathrm{Foggy}$  Clear: 1-WB-FLWB-V100S,  $600\,\mathrm{Smoke}$  Grey: 1-WB-FLWB-V119S  $750\,\mathrm{Foggy}$  Clear: 1-WB-FLWB-V100M



## FLOW THERMAL BOTTLE 88g

- Thermally insulated double wall bottle with Lezyne logo.
- $\bullet \ \, \text{Optimized for Lezyne bottle cages}.$
- Ample beverage flow.
- 550ml / 18.6oz.

White: 1-WB-TRWB-V107, Grey: 1-WB-TRWB-V119



#### **GENERAL INQUIRIES**

Email: info@lezyne.com USA HQ: +1.805.548.8780

#### INTERNATIONAL SALES

Email: sales@lezyne.com

#### **USA SALES**

Email: usa-sales@lezyne.com

#### WARRANTY

Email: warranty@lezyne.com

#### MARKETING

Email: marketing@lezyne.com

#### **CORPORATE HQ**

Lezyne USA, Inc. 5470 Kietzke Lane, Suite 300 Reno, NV 89511 Phone: +1.775.393.3022

#### **CALIFORNIA OFFICE**

645 Tank Farm Road, Suite F San Luis Obispo, CA 93401 Phone: +1.805.548.8780 Fax: +1.805.595.2284

#### TAIWAN BRANCH

No.162, Shigu Lane Guozhong Road, Dali District Taichung City 412, Taiwan, ROC Phone: +886.6.2496.0258

## Fax: +886.4.2406.2075

#### EUROPE, GmbH

Rolandstrasse 4 14129 Berlin, Germany

#### 2023-2024 © LEZYNE USA, INC

All rights reserved. Lezyne is a trademark of Lezyne USA, Inc. and is registered both in the United States and internationally. Lezyne holds the rights to all of the material within this catalog.

Any unauthorized use is expressly prohibited and will be prosecuted to the fullest extent of the law.



# LEZYNE

CELEBRATING THE ESSENCE OF ENGINEERED DESIGN