

LEKI

---

SUMMER 2025



ONLINE CATALOG  
SUMMER 2025

# CONTENT

<b>4</b>	<b>BRAND</b>	<b>52</b>	<b>NORDIC WALKING</b>
<b>10</b>	<b>RESPONSIBILITY</b>	<b>54</b>	SPEED TIP   TRAIL RUNNING TIP
<b>11</b>	FX FOLDABLE AND EXCHANGEABLE	<b>55</b>	SPEED TIP   FLEX TIP
<b>12</b>	<b>SPARTAN ULTRA</b>	<b>57</b>	SMART TIP
<b>14</b>	TRAIL SHARK	<b>58</b>	3-SECTION   2-SECTION
<b>16</b>	CROSS SHARK		
<b>18</b>	<b>VERTICON</b>	<b>60</b>	<b>SKI ROLLER</b>
<b>20</b>	AERGON AIR		
<b>22</b>	NORDIC SHARK	<b>62</b>	<b>GLOVES</b>
<b>24</b>	<b>TRAIL RUNNING</b>	<b>64</b>	SHARK SYSTEM
<b>30</b>	<b>CROSS TRAIL</b>	<b>67</b>	ALLROUND
		<b>68</b>	<b>ACCESSORIES</b>
<b>34</b>	<b>TREKKING</b>	<b>74</b>	<b>SPARE PARTS</b>
<b>36</b>	<b>SKYSOLO   SKYTERA</b>		
<b>38</b>	SHERPA	<b>78</b>	<b>POS TOOLS</b>
<b>40</b>	BLACK SERIES		
<b>42</b>	MAKALU	<b>80</b>	<b>TECHNOLOGY</b>
<b>44</b>	CRESSIDA		
<b>45</b>	LHASA   JANNU	<b>86</b>	<b>POLE OVERVIEW</b>
<b>46</b>	KHUMBU		
<b>48</b>	LEGACY	<b>91</b>	<b>IMPRINT</b>
<b>50</b>	SLS		
<b>51</b>	LEGEND SERIES		

## LEKI VISION



THE BEST POLE  
AND GLOVE IN  
THE WORLD  
FOR EVERYBODY.

WE ARE THE TAILWIND ON  
THE WAY TO YOUR PERSONAL  
TOP PERFORMANCE AND  
JOYFUL MOMENTS OUTDOORS.



# SINCE 1948

KIRCHHEIM UNTER TECK  
Germany



## 1948



Karl Lenhart

### LEKI IS BORN

Like millions of Sudeten Germans, Karl Lenhart and his family moved to Germany from Czech Bohemia after World War II. In 1948, Karl and Gertrud Lenhart founded the wood shop "Karl Lenhart, Plastik + Metall" in Kirchheim unter Teck. As a passionate skier, he was dissatisfied with the heavy bamboo poles of this time and thought about improvements. He used machinery and his knowledge of aircraft construction to produce the first grips, baskets and aluminum poles – light and durable. The LEKI Lenhart GmbH was born.

1948 gründeten Karl und Gertrud Lenhart in Kirchheim unter Teck die Holzdrchslerie „Karl Lenhart, Plastik + Metall“, nachdem sie nach dem zweiten Weltkrieg aus Böhmen nach Deutschland kamen. Als leidenschaftlicher Skifahrer war er unzufrieden mit den damals schweren Bambusstöcken und überlegte, wie man die Stöcke verbessern könnte. Er nutzte den Maschinenpark und sein Wissen aus dem Flugzeugbau, um die ersten Griffe, Teller und Aluminiumstöcke zu produzieren – leicht und haltbar. Der Grundstein der LEKI Lenhart GmbH war gelegt.

## 1963



Karl Lenhart

### THE LEKI FIX

In winter, Karl spent his time as a passionate skier on the slopes of the Swabian Alb. He always was frustrated when he lost the large leather baskets because the leather cords quickly wore out and fell off the shaft. With his machinery, he was able to construct the first basket system made of direct-injected plastic. The LEKI fix was born. The idea of screwing the basket onto a thread is in use until today.

Im Winter verbrachte Karl seine Zeit als leidenschaftlicher Skifahrer auf den Pisten der Schwäbischen Alb. Es frustrierte ihn jedoch, wenn er die großen Teller aus Leder verlor, weil die Lederschnüre schnell ausleierten und vom Schaft fielen. Mit seinem Maschinenpark war er in der Lage, das erste Spitzen- und Teller-system aus gespritztem Kunststoff zu konstruieren. Das LEKI Fix war geboren. Die Idee, den Teller auf ein Gewinde zu schrauben, ist bis heute in Gebrauch.

Nachdem Karl Lenhart den Wintersport revolutionierte, rückte das Wandern immer mehr in den Fokus. Mit der Entwicklung des Standard-Verstellsystems wurde der Grundstein der Makalu-Ära gelegt. Der weltweit erste verstellbare Trekkingstock war geboren. Vier Jahre später erklimmten Reinhold Messner und Peter Habeler am 8. Mai 1978 als erste Bergsteiger den Gipfel des Mount Everest ohne Sauerstoff. Mit dabei: ein Paar LEKI Stöcke am Camp 2.

## 1974



Reinhold Messner Peter Habeler

### LEKI POLES AT THE EVEREST

After Karl Lenhart revolutionised winter sports, hiking subsequently moved more into focus. With the development of the SLS adjustment system, the cornerstone of the Makalu era was laid. The world's first adjustable trekking pole was born. Four years later, on May 8, 1978, Reinhold Messner and Peter Habeler became the first climbers to scale the summit of Mount Everest without oxygen. Included: a pair of LEKI poles at camp 2.



## 1990




### FROM SKIBALLET TO LAWISOND

The 90s were the decade of crazy ideas. LEKI produced ski ballet poles for a sport that was even Olympic at the time. While ski ballet was slowly fading out, "extreme skiing" was born driven by trailblazers like Glen Plake. A new product from LEKI took the hardcore backcountry market by storm. The new Lawisond Extreme ski poles had a probe conversion function, so you always had a probe with you in case of emergency.

Die 90er waren das Jahrzehnt der verrückten Ideen. LEKI produzierte Skiballettstäcke für eine Sportart, die damals sogar olympisch war. Während das Skiballett langsam verschwand, wurde durch Vorreiter wie Glen Plake das "extreme Skifahren" geboren. Ein neues Produkt von LEKI eroberte den Hardcore-Backcountry-Markt im Sturm. Die neuen Lawisond Extreme Skistöcke hatten eine Sondenkonvertierungsfunktion, so hatte man im Notfall immer eine Sonde dabei.

**1998****2000**

Klaus Lenhart

**2006****2012**

Waltraud Lenhart

**2023**

Michael Brechtebauer, Friederike Lenhart, Matthias Hatt, Martin Rominger

## THE TRIGGER ERA BEGINS

By the mid-90s one farfetched idea was spitting around in the mind of Klaus Lenhart. He wanted to create a direct connection between hand and pole. Similar to a ski binding, there should be a release mechanism. This idea gave rise to the Trigger System, which is still 100 % synonymous with LEKI today. In 2020, the Trigger 3D, the latest trigger development, came onto the market.

Mitte der 90er Jahre geisterte eine neue Idee im Kopf von Klaus Lenhart herum. Er wollte eine direkte Verbindung zwischen Hand und Stock schaffen. Ähnlich wie bei einer Skibindung sollte es einen Auslösemechanismus geben. Aus dieser Idee entstand das Trigger System, das bis heute zu 100 % für LEKI steht. Im Jahr 2020 kam das Trigger 3D System, die neueste Trigger Entwicklung, auf den Markt.

## THE VISIONARY

Thanks to the visionary Klaus Lenhart, since 2000, all products have been manufactured in the company's own production facility in Tachov, Czech Republic, using the most modern and environmentally friendly processes – an important step.

Dank des visionären Denkens von Klaus Lenhart werden seit dem Jahr 2000 alle Produkte in der eigenen Produktionsstätte im tschechischen Tachov nach modernsten und umweltfreundlichen Verfahren gefertigt – ein wichtiger Schritt.

## BEGINNING OF THE SHARK

In 2006 the iconic shark system was born. Originating from the Trigger System, the Shark System gradually developed its success story. Today it is firmly anchored in various forms in the disciplines of trail running, speed hiking, Nordic walking and cross-country.

Im Jahr 2006 findet das Shark-System seinen Ursprung. Abstammend vom Trigger System bahnte sich das Shark System nach und nach seine Erfolgsgeschichte. Heute ist es in den unterschiedlichsten Formen fest verankert in den Disziplinen Trail Running, Speed Hiking, Nordic Walking und Langlauf.

## WALTRAUD LENHART TOOK RESPONSIBILITY

After the tragic accident of her husband Klaus Lenhart, Waltraud Lenhart took over responsibility for his life's work in 2012. Until her death in 2021, she developed LEKI into the future-oriented company LEKI is today and developed an independently functioning team.

Nach dem tragischen Flugzeugunglück ihres Mannes Klaus Lenhart übernahm Waltraud Lenhart 2012 Verantwortung für dessen Lebenswerk. Bis zu ihrem Tod im Jahr 2021 entwickelte sie LEKI zu dem zukunftsorientierten Unternehmen, das es heute ist und formte ein eigenständig und unabhängig funktionierendes Team.

## THIRD GENERATION

The best pole and glove in the world for everybody, that's our vision! With Friederike and Markus Lenhart, the company is now in the third generation of the owner family. The two CEOs Martin Rominger and Matthias Hatt lead the company together with their young and dynamic team into the future.

Der beste Stock und Handschuh der Welt für jedermann, das ist unsere Vision! Mit Friederike und Markus Lenhart geht das Unternehmen in die mittlerweile dritte Generation der Inhaberfamilie über. Die beiden Geschäftsführer Martin Rominger und Matthias Hatt führen das Unternehmen gemeinsam mit ihrem jungen und dynamischen Team in die Zukunft.



# RESPON-SIBILITY



## HIGH-END PRODUCTS

We work passionately to create long-lasting products with exceptional value. It's our premise to combine high-end performance with security and comfort. We consult experts and professional athletes during the development process to guarantee LEKI's unique level of quality. More than 250 patents are proof of LEKI's level of innovation and quality.

Wir arbeiten leidenschaftlich daran, langlebige Produkte mit außergewöhnlichem Wert zu schaffen. Es ist unsere Prämisse, High-End-Leistung mit Sicherheit und Komfort zu kombinieren. Wir konsultieren Experten und Profisportler während des Entwicklungsprozesses, um das einzigartige Qualitätsniveau von LEKI zu gewährleisten. Mehr als 250 Patente sind ein Beweis für das Innovations- und Qualitätsniveau von LEKI.

## MADE IN EUROPE

The majority of our products are produced in our own factory in the Czech Republic. The biggest advantage of the European location is the local supply chain and quick shipment. This eliminates long delivery routes. We can control the complete supply chain in every step and down to the finest detail.

Der Großteil unserer Produkte wird in unserer modernen Fertigungsstätte in Tschechien hergestellt. Die größten Vorteile des europäischen Standorts sind die lokalen Lieferketten und der schnelle Versand. Dadurch entfallen lange Lieferwege und wir können die gesamte Lieferkette bis ins kleinste Detail steuern.

## PRODUCTION STANDARDS

For many years, we have invested in the most modern production equipment with the best available technology and energy efficiency. We are proud to have the highest standards in terms of health and safety for our employees and environmental impact of production.

Seit vielen Jahren investieren wir in modernste Produktionsanlagen mit der besten verfügbaren Technologie und Energieeffizienz. Wir sind stolz darauf, die höchsten Standards in Bezug auf Gesundheit und Sicherheit für unsere Mitarbeiter und die Umweltauswirkungen der Produktion zu haben.

## SOCIAL RESPONSIBILITY

For years LEKI has been supporting regional social associations as well as international projects. We attach great importance to the High Five Foundation, which supports athletes with life-changing injuries as a result of mountain sports during rehabilitation. As a global brand it is important to us to take over responsibility on a local level. With the support of charity and events we contribute to the success of the region we are operating from.

LEKI unterstützt seit vielen Jahren sowohl regionale Verbände als auch internationale Projekte. Am Herzen liegt uns die High Five Foundation, eine Organisation, die Bergsportler nach lebensverändernden Verletzungen bei der Rehabilitation unterstützt. Als globale Marke ist es uns aber auch wichtig, auf lokaler Ebene Verantwortung zu übernehmen. Mit der Unterstützung von Wohltätigkeitsorganisationen und Veranstaltungen tragen wir zum Erfolg der Region bei, in der wir tätig sind.

## SERVICE & REPAIR

With a worldwide network of specialized service centers, our products can be repaired and reconditioned after intensive use. Reliable and durable products are part of LEKI's DNA. We stockpile replacement parts for up to 10 years.

Mit einem weltweiten Netz an spezialisierten Service-Centern können Produkte nach jahrelanger intensiver Nutzung repariert und wiederinstandgesetzt werden. Teil der LEKI-DNA sind verlässliche und langlebige Produkte. Bis zu zehn Jahre werden die Ersatzteile durch LEKI bevoorraet.



Sibylle has been working at LEKI for over 25 years and has a long history and expertise in repairing poles.

Seit über 25 Jahren arbeitet Sibylle bei LEKI und verfügt über eine lange Historie an Erfahrung und Expertise in Bezug auf die Reparatur von Stöcken.



## FX FOLDABLE AND EXCHANGEABLE

Reliable and durable products have always been a large part of the LEKI DNA. The FX technology is the next step in service and repair. LEKI has the patented technology to replace the lower segment and lowest middle segment within minutes – quick and easy, everybody can do that. This will be the natural extension of the life cycle of your LEKI product.

Zuverlässige und langlebige Produkte waren schon immer ein großer Teil der LEKI-DNA. Die FX-Technologie ist der nächste Schritt in Richtung Service und Reparatur. Mit der patentierten FX-Technologie lassen sich das Unterteil und das unterste Mittelteil innerhalb weniger Minuten austauschen – schnell und leicht für jedermann. So wird der Lebenszyklus deines LEKI Produkts auf einfache Weise verlängert.



**WATCH HOW IT WORKS!**



## SPARTAN ULTRA

# LESS MEANS FASTER.

100 % weight-optimized. Perfect for technical terrain, hot conditions and maximum freedom.

100 % gewichtsoptimiert. Perfekt für technisches Terrain, heiße Bedingungen und maximale Freiheit.

### D-LOOP MESH STRAP

Ultralight, fast drying and stable in shape. New strap material with maximum breathability and low liquid absorption.

Ultraleicht, schnell trocknend und formstabil. Neues Schlaufenmaterial mit höchster Atmungsaktivität und geringer Flüssigkeitsaufnahme.

### ADJUSTABILITY

Fast opening excenter cap for strap adjustment.

Schnellöffnende Exzenterkappe zum Einstellen der Schlaufe.

### TRAIL SPEED SHAPE

More control due to flat edges on the sides of the grip.

Mehr Kontrolle durch flache Kanten an den Seiten des Griffes.

### 1K FOAM

Extremely lightweight foam grip with the grip contour of the Trail Shark.

Extrem leichter Foamgriff mit der Griffkontur des Trail Sharks.





TRAIL SHARK

# LESS MEANS FASTER.

**SHARK ACCESS HOOK**  
Fast and easy click-in with the Shark Loop.

Schnelles und einfaches Einklicken mit dem Shark Loop.

**QUICK RELEASE BUTTON**  
Fast and easy click out.

Schnelles und einfaches Ausklicken.

**AIR CHANNELS**  
Lightweight construction reduced to the essential.

Leichte Konstruktion auf das Minimum reduziert.

**GUIDING NOSE**  
Support for the second grip option.

Unterstützung für die zweite Griffoption.



Pure trail running performance.  
30 % lighter than the Shark 2.0  
with a race optimized usability  
for challenging conditions.

Echte Trail Running Performance.  
30 % leichter als der Shark 2.0 mit einer rennoptimierten Nutzung für anspruchsvolle Bedingungen.



# ENERGIZE YOUR CLIMB.



## ERGONOMIC SHAPE

Ergonomic shape made for speed and comfort

Ergonomische Form für Geschwindigkeit und Komfort.

## SHARK ACCESS HOOK

Fast and easy click-in with the Shark Loop.

Schnelles und einfaches Einklicken mit dem Shark Loop.

## QUICK RELEASE BUTTON

Fast and easy clicking out.

Schnelles und einfaches Ausklicken.

The Cross Shark offers the speed of the Shark system and the support of a hiking grip. It is a dynamic and comfortable construction for fast hiking.

Der Cross Shark bietet die Geschwindigkeit des Shark Systems und die Unterstützung eines Hiking-Griffs. Er ist eine dynamische und komfortable Konstruktion für speedorientiertes Berggehen.

CROSS SHARK



VERTICON

# GUIDE YOUR WAY.

## 1K FOAM

Extremely lightweight foam grip with the grip contour of the Trail Shark.  
Extrem leichter Foamgriff mit der Griffkontur des Trail Shark.

## CORRECTION ANGLE

Ergonomic support for a relaxed wrist.  
Ergonomische Unterstützung für ein entspanntes Handgelenk.

## SPEED SHAPE

More control due to flat edges on the sides of the grip.  
Mehr Kontrolle durch flache Kanten an den Seiten des Griffes.

## GRIP EXTENSION

Grip extension with round grinding for an even better grip.  
Griffverlängerung mit Rundschliff für noch besseren Grip.

## ADJUSTABILITY

Fast opening excenter cap for strap adjustment.  
Schnellöffnende Exzenterkappe zum Einstellen der Schlaufe.

## D-LOOP MESH STRAP

Ultralight, fast drying, and stable in shape. New strap material with maximum breathability and low liquid absorption.  
Ultraleicht, schnell trocknend und formstabil. Neues Schlaufenmaterial mit höchster Atmungsaktivität und geringer Flüssigkeitsaufnahme.

As much as you need, as little as necessary – 30 % lighter compared to the RTC Lite System. The reduced Verticon grip combines the ergonomic Aergon with the lightness of the Spartan grip. Perfect for high alpine adventures!

So viel du brauchst, so wenig wie nötig – 30 % leichter verglichen mit dem RTC Lite System. Der reduzierte Verticon Griff vereint den ergonomischen Aergon mit der Leichtigkeit des Spartan Griffs. Perfekt für hochalpine Abenteuer!





AERGON AIR

# GUIDE YOUR WAY.

## HOLLOW CORE

Combination of lightweight construction with large, supportive surfaces that meet all the ergonomic requirements of your hand.

Kombination aus Leichtbauweise mit großen, unterstützenden Flächen, die allen ergonomischen Anforderungen deiner Hand entsprechen.

## GUIDING NOSE

Maximum grip and downhill comfort.

Maximaler Halt und Komfort beim Bergabgehen.

## DIAMOND SHAPED SURFACE

Maximum grip zone with a fully rubberized back.

Maximale Grifffläche mit gummiertem Rücken.

## CORRECTION ANGLE

Ergonomic support for a relaxed wrist.

Ergonomische Unterstützung für ein entspanntes Handgelenk.

The ultimate trekking grip with a maximum ergonomic support. Guidance, control and comfort like never before.

Der ultimative Trekking-Griff mit maximalem ergonomischem Support. Führung, Kontrolle und Komfort wie nie zuvor.





NORDIC SHARK

# CONNECT TO THE MOMENT.



## QUICK RELEASE BUTTON

Fast and easy click out.

Schnelles und einfaches Ausklicken.

## SHARK ACCESS HOOK

Fast and easy click-in with the Shark Loop.

Schnelles und einfaches Einklicken mit dem Shark Loop.

## SPEED SHAPE

Precise guidance of the poles through ergonomic design and support.

Präzise Führung der Stöcke durch ergonomische Unterstützung.

## DURA RAIL

Abrasion resistant and durable rail to extend the life of your grip.

Abriebfeste und haltbare Schiene zur Verlängerung der Lebensdauer des Griffes.



Perfect grip-strap technology for Nordic disciplines. More performance through precise guidance, control and power transmission.

Perfekte Griff-Schlaufen-Technologie für die nordischen Disziplinen. Geschwindigkeit durch exakte Führung, Kontrolle und Kraftübertragung.

# TRAIL RUNNING




HANNES NAMBERGER

ARE YOU MADE  
FOR MORE?

**ULTRATRAIL FX.ONE SUPERLITE**

652 2584 1 Reorder

**TRAIL SHARK**


## TRAIL RUNNING

**ULTRATRAIL FX.ONE**

652 2585 1 Reorder

**TRAIL SHARK**

Length	105 - 135 cm [in 5 cm steps]
Pack size	36 cm [120 cm]
Weight	182 g [120 cm]
Grip	Trail Shark
Strap	Shark Frame Strap Mesh
Material	Carbon (HRC)
Finish	Clear Finish
Segments	4-section(s)
Diameter	Ø 16 14 14 14 mm
Construction	Fixed length
Folding system	Push-Button
Locking system	
Antishock system	
Basket	Trail Running Basket
Exchange basket	
Tip	Trail Running Tip One size [Carbide]
Rubber pad	

**ULTRATRAIL FX.ONE**

652 2585 2

**TRAIL SHARK**

Length	105 - 135 cm [in 5 cm steps]
Pack size	36 cm [120 cm]
Weight	182 g [120 cm]
Grip	Trail Shark
Strap	Shark Frame Strap Mesh
Material	Carbon (HRC)
Finish	Clear Finish
Segments	4-section(s)
Diameter	Ø 16 14 14 14 mm
Construction	Fixed length
Folding system	Push-Button
Locking system	
Antishock system	
Basket	Trail Running Basket
Exchange basket	
Tip	Trail Running Tip One size [Carbide]

**NEOTRAIL FX.ONE SUPERLITE**

652 2586 1

Length	110 - 130 cm [in 5 cm steps]
Pack size	35 cm [120 cm]
Weight	131 g [120 cm]
Grip	RTC Lite
Strap	Lock Security Strap Skin 4.0
Material	Carbon (HRC max)
Finish	Matt Finish
Segments	4-section(s)
Diameter	Ø 14 12 12 12 mm
Construction	Fixed length
Folding system	Push-Button
Locking system	
Antishock system	
Basket	Trail Running Basket
Exchange basket	
Tip	Trail Running Tip One size [Carbide]
Rubber pad	

**VERTICAL K**


653 2592 1

**TRAIL SHARK**

Length	110 - 140 cm [in 5 cm steps]
Pack size	35 cm [120 cm]
Weight	131 g [120 cm]
Grip	RTC Lite
Strap	Lock Security Strap Skin 4.0
Material	Carbon (HRC max)
Finish	Matt Finish
Segments	1-section(s)
Diameter	Ø 14 mm
Construction	Fixed length
Folding system	
Locking system	
Antishock system	
Basket	Speed Basket
Exchange basket	
Tip	Speed Tip One size [Carbide]

**ADDITIONAL WINTER TRAIL RUNNING KIT**


811 0146 651 2585

**ULTRATRAIL FX.ONE****WINTER TRAIL RUNNING KIT****EVOTRAIL FX.ONE TA**

652 2575 1

**SHARK 2.0**

Length	110 - 130 cm [in 5 cm steps]
Pack size	38 cm [120 cm]
Weight	218 g [120 cm]
Grip	Shark 2.0
Strap	Shark Frame Strap Mesh
Material	Aluminium (HTS 6.5)
Finish	Clear Finish
Segments	4-section(s)
Diameter	Ø 16 14 14 14 mm
Construction	Fixed length
Folding system	Push-Button
Locking system	
Antishock system	
Basket	Nordic
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	

**ULTRATRAIL FX JUNIOR**

653 2583 1

**SHARK 2.0**

Length	95 - 110 cm
Pack size	40 cm
Weight	172 g
Grip	Shark 2.0 Compact
Strap	Shark Frame Strap Mesh
Material	Carbon (CC 450)
Finish	Clear Finish
Segments	4-section(s)
Diameter	Ø 16 14 14 12 mm
Construction	Vario [continuously adjustable]
Folding system	Push-Button
Locking system	Speed Lock plus
Antishock system	
Basket	Trail Running Basket
Exchange basket	
Tip	Trail Running Tip One size [Carbide]



## CROSS TRAIL



ENERGIZE YOUR CLIMB.

## CROSS TRAIL



### CROSS TRAIL FX SUPERLITE

654 2680 1

#### CROSS SHARK

Length	110 – 130 cm
Pack size	42 cm
Weight	203 g
Grip	Cross Shark
Strap	Shark Frame Strap Mesh
Material	Carbon (HRC)
Finish	Matt Finish
Segments	4-section(s)
Diameter	Ø 14 12 12 12 mm
Construction	Vario (continuously adjustable)
Folding system	CLD
Locking system	Speed Lock 2 plus
Antishock system	
Basket	Trail Running Basket
Exchange basket	
Tip	Trail Running Tip One size [Carbide]
Rubber pad	



### CROSS TRAIL FX SUPERLITE COMPACT

654 2685 1

#### CROSS SHARK

Length	100 – 120 cm
Pack size	42 cm
Weight	197 g
Grip	Cross Shark
Strap	Shark Frame Strap Mesh
Material	Carbon (HRC)
Finish	Matt Finish
Segments	4-section(s)
Diameter	Ø 14 12 12 12 mm
Construction	Vario (continuously adjustable)
Folding system	CLD
Locking system	Speed Lock 2 plus
Antishock system	
Basket	Trail Running Basket
Exchange basket	
Tip	Trail Running Tip One size [Carbide]
Rubber pad	

## CROSS TRAIL



### CROSS TRAIL CARBON

654 2642 1

#### CROSS SHARK

Length	100 – 135 cm
Pack size	65 cm
Weight	213 g
Grip	Cross Shark
Strap	Shark Frame Strap Mesh
Material	Carbon (PRC 1000)
Finish	Matt Finish
Segments	3-section(s)
Diameter	Ø 16 14 12 mm
Construction	Vario (continuously adjustable)
Folding system	
Locking system	Speed Lock 2 plus
Antishock system	
Basket	Nordic
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	

### CROSS TRAIL TA

654 2622 1

#### CROSS SHARK

Length	100 – 135 cm
Pack size	65 cm
Weight	244 g
Grip	Cross Shark
Strap	Shark Frame Strap Mesh
Material	Aluminium (HTS 6.5)
Finish	Matt Finish
Segments	3-section(s)
Diameter	Ø 16 14 12 mm
Construction	Vario (continuously adjustable)
Folding system	Speed Lock plus
Locking system	
Antishock system	
Basket	Nordic
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	




### CROSS HIKE CARBON

654 2647 1

#### CROSS SHARK

Length	100 – 135 cm
Pack size	65 cm
Weight	207 g
Grip	Cross Shark
Strap	Shark Power Strap
Material	Carbon (PRC 1000)
Finish	Matt Finish
Segments	3-section(s)
Diameter	Ø 16 14 12 mm
Construction	Vario (continuously adjustable)
Folding system	
Locking system	Super Lock (SLS)
Antishock system	
Basket	Nordic
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	

# TREKKING



GUIDE YOUR WAY.



# SKYSOLO



## SKYSOLO FX.ONE CARBON

655 2073 1

### VERTICON

Length	110 – 135 cm [in 5 cm steps]
Pack size	37 cm [120 cm]
Weight	181 g
Grip	Verticon
Strap	Lock Security Strap
Material	Carbon (PRC 1000)
Finish	Matt Finish
Segments	4-section(s)
Diameter	16 14 14 14 mm
Construction	Fixed length
Folding system	ELD
Locking system	
Antishock system	
Basket	Nordic
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	



## SKYTERA FX CARBON SL

655 2066 1

### VERTICON

Length	110 – 130 cm
Pack size	40 cm
Weight	178 g
Grip	Verticon
Strap	Lock Security Strap
Material	Carbon (HRC)
Finish	Matt Finish
Segments	4-section(s)
Diameter	14 12 12 12 mm
Construction	Vario [continuously adjustable]
Folding system	CLD
Locking system	
Antishock system	
Basket	Speed Lock plus
Exchange basket	
Tip	Nordic
Rubber pad	



## SKYTERA FX CARBON SL COMPACT

655 2068 1

### VERTICON

Length	100 – 120 cm
Pack size	39 cm
Weight	173 g
Grip	Verticon
Strap	Lock Security Strap
Material	Carbon (HRC)
Finish	Matt Finish
Segments	4-section(s)
Diameter	14 12 12 12 mm
Construction	Vario [continuously adjustable]
Folding system	CLD
Locking system	
Antishock system	
Basket	Speed Lock plus
Exchange basket	
Tip	Nordic
Rubber pad	

**SHERPA LITE**

652 2135 1

**AERGON AIR**

Length	100 - 135 cm
Pack size	68 cm
Weight	255 g
Grip	Aergon Air
Strap	Lock Security Strap Skin 4.0
Material	Aluminium (HTS 6.5)
Finish	Matt Finish
Segments	3-section(s)
Diameter	Ø 16 14 12 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock 2 plus
Locking system	Trekking
Antishock system	Big Mountain Binding
Basket	Flex Tip Long (Carbide)
Exchange basket	
Tip	
Rubber pad	

**SHERPA FX CARBON STRONG**

652 2980 1

**AERGON AIR**

Length	120 - 140 cm
Pack size	37 cm
Weight	317 g
Grip	Aergon Air
Strap	Lock Security Strap Nylon Neoprene
Material	Carbon (PRC 1000)   Aluminium (HTS 6.5)
Finish	Matt Finish, Clear Finish
Segments	5-section(s)
Diameter	Ø 20 18 16 16 mm
Construction	Vario [continuously adjustable]
Folding system	ELD
Locking system	Speed Lock 1 plus
Antishock system	Trekking
Basket	Big Mountain Binding
Exchange basket	Flex Tip Long (Carbide)
Tip	
Rubber pad	

**SHERPA**

652 2028 2

**AERGON AIR**

Length	110 - 145 cm
Pack size	70 cm
Weight	279 g
Grip	Aergon Air
Strap	Lock Security Strap Skin 4.0
Material	Aluminium (HTS 6.5)
Finish	Matt Finish
Segments	3-section(s)
Diameter	Ø 18 16 14 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock 2 plus
Locking system	Trekking
Antishock system	Big Mountain Binding
Basket	Flex Tip Long (Carbide)
Exchange basket	
Tip	
Rubber pad	

**SHERPA FX.ONE CARBON**

652 2080 1

Reorder

**AERGON AIR**

Length	120 - 140 cm [in 5 cm steps]
Pack size	38 cm [125 cm]
Weight	237 g [125 cm]
Grip	Aergon Air
Strap	Lock Security Strap Skin 4.0
Material	Carbon (PRC 1000)   Aluminium (HTS 6.5)
Finish	Clear Finish
Segments	4-section(s)
Diameter	Ø 18 16 16 mm
Construction	Fixed length
Folding system	Push-Button
Locking system	Trekking
Antishock system	Big Mountain Binding
Basket	Flex Tip Long (Carbide)
Exchange basket	
Tip	
Rubber pad	



**BLACK SERIES CARBON**

652 2160 1

**AERGON AIR**

Length	100 - 135 cm
Pack size	68 cm
Weight	235 g
Grip	Aergon Air   real cork
Strap	Lock Security Strap Skin 4.0
Material	Aluminium (HTS 6.5)   Carbon (PRC 1000)
Finish	Matt Finish, Clear Finish
Segments	3-section(s)
Diameter	Ø 16 14 12 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock 2 plus
Locking system	
Antishock system	
Basket	Trekking
Exchange basket	
Tip	Flex Tip Long (Carbide)
Rubber pad	

**BLACK SERIES FX  
CARBON**

652 2900 1

**AERGON AIR**

Length	110 - 130 cm
Pack size	40 cm
Weight	228 g
Grip	Aergon Air   real cork
Strap	Lock Security Strap Skin 4.0
Material	Carbon (PRC 1000)
Finish	Matt Finish, Clear Finish
Segments	4-section(s)
Diameter	Ø 16 14 14 mm
Construction	Vario [continuously adjustable]
Folding system	CLD
Locking system	Speed Lock 2 plus
Antishock system	
Basket	Trekking
Exchange basket	
Tip	Flex Tip Short (Carbide)
Rubber pad	

**MAKALU FX CARBON**

652 2062 1 Reorder

**AERGON AIR**

Length	110 - 130 cm
Pack size	40 cm
Weight	254 g
Grip	Aergon Air
Strap	Lock Security Strap Skin 4.0
Material	Carbon [PRC 1000]
Finish	Matt Finish, Clear Finish
Segments	5-section[s]
Diameter	Ø 18 16 14 14 14 mm
Construction	Vario [continuously adjustable]
Folding system	ELD
Locking system	Speed Lock 2 plus
Antishock system	
Basket	Trekking
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	

**MAKALU FX CARBON AS**

652 2063 1 Reorder

**AERGON AIR**

Length	110 - 130 cm
Pack size	40 cm
Weight	267 g
Grip	Aergon Air
Strap	Lock Security Strap Skin 4.0
Material	Carbon [PRC 1000]   Aluminium [HTS 6.5]
Finish	Matt Finish, Clear Finish
Segments	5-section[s]
Diameter	Ø 18 16 14 14 14 mm
Construction	Vario [continuously adjustable]
Folding system	ELD
Locking system	Speed Lock 2 plus
Antishock system	Dynamic Suspension System [DSS]
Basket	Trekking
Exchange basket	
Tip	DSS Tip 14 mm [Carbide]
Rubber pad	

**MAKALU LITE**

652 2108 2 Reorder

**AERGON AIR**

Length	100 - 135 cm
Pack size	67 cm
Weight	250 g
Grip	Aergon Air
Strap	Lock Security Strap Skin 4.0
Material	Aluminium [HTS 6.5]
Finish	Matt Finish
Segments	3-section[s]
Diameter	Ø 16 14 12 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock plus
Locking system	
Antishock system	
Basket	Trekking
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	

**MAKALU FX.ONE CARBON**

654 2070 1

**AERGON AIR**

Length	110 - 130 cm [in 5 cm steps]
Pack size	37 cm [120 cm]
Weight	214 g [120 cm]
Grip	Aergon Air
Strap	Lock Security Strap Skin 4.0
Material	Carbon [PRC 1000]
Finish	Matt Finish
Segments	4-section[s]
Diameter	Ø 16 14 14 14 mm
Construction	Fixed length
Folding system	ELD
Locking system	
Antishock system	
Basket	Trekking
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	

**MAKALU FX TA**

652 2075 1

**AERGON AIR**

Length	110 - 130 cm
Pack size	40 cm
Weight	298 g
Grip	Aergon Air
Strap	Lock Security Strap Skin 4.0
Material	Aluminium [HTS 6.5]
Finish	Clear Finish
Segments	5-section[s]
Diameter	Ø 18 16 14 14 14 mm
Construction	Vario [continuously adjustable]
Folding system	ELD
Locking system	Speed Lock plus
Antishock system	
Basket	Trekking
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	

**MAKALU LITE AS**

652 2180 1

**AERGON AIR**

Length	100 - 135 cm
Pack size	67 cm
Weight	258 g
Grip	Aergon Air
Strap	Lock Security Strap Skin 4.0
Material	Aluminium [HTS 6.5]
Finish	Matt Finish
Segments	3-section[s]
Diameter	Ø 16 14 12 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock plus
Locking system	Dynamic Suspension System [DSS]
Antishock system	
Basket	Trekking
Exchange basket	
Tip	DSS Tip 12 mm [Carbide]
Rubber pad	

**MAKALU**

652 2849 1

**AERGON AIR**

Length	110 - 145 cm
Pack size	71 cm
Weight	274 g
Grip	Aergon Air
Strap	Lock Security Strap Skin 4.0
Material	Aluminium [HTS 6.5]
Finish	Matt Finish
Segments	3-section[s]
Diameter	Ø 18 16 14 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock plus
Locking system	Dynamic Suspension System [DSS]
Antishock system	
Basket	Trekking
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	

**CRESSIDA FX CARBON AS**

652 2059 1

**AERGON AIR**

Length	100 - 120 cm
Pack size	40 cm
Weight	258 g
Grip	Aergon Air Compact
Strap	Lock Security Strap Skin 4.0
Material	Carbon [PRC 1000]   Aluminium [HTS 6.5]
Finish	Matt Finish
Segments	5-section[s]
Diameter	Ø 18 16 14 14 14 mm
Construction	Vario [continuously adjustable]
Folding system	ELD
Locking system	Speed Lock 2 plus
Antishock system	Dynamic Suspension System [DSS]
Basket	Trekking
Exchange basket	
Tip	DSS Tip 14 mm [Carbide]
Rubber pad	

**CRESSIDA FX CARBON**

652 2067 1

**AERGON AIR**

Length	100 - 120 cm
Pack size	40 cm
Weight	245 g
Grip	Aergon Air Compact
Strap	Lock Security Strap Skin 4.0
Material	Carbon [PRC 1000]
Finish	Matt Finish
Segments	5-section[s]
Diameter	Ø 18 16 14 14 14 mm
Construction	Vario [continuously adjustable]
Folding system	ELD
Locking system	Speed Lock 2 plus
Antishock system	
Basket	Trekking
Exchange basket	
Tip	
Rubber pad	

**CRESSIDA AS**

652 2115 1

**AERGON AIR**

Length	90 - 125 cm
Pack size	64 cm
Weight	245 g
Grip	Aergon Air Compact
Strap	Lock Security Strap Skin 4.0
Material	Aluminium [HTS 6.5]
Finish	Matt Finish, Clear Finish
Segments	3-section[s]
Diameter	Ø 16 14 12 mm
Construction	Vario [continuously adjustable]
Folding system	
Locking system	Speed Lock 2 plus
Antishock system	Dynamic Suspension System [DSS]
Basket	Trekking
Exchange basket	
Tip	DSS Tip 12 mm [Carbide]
Rubber pad	

**CRESSIDA FX TA**

655 2069 1

**AERGON AIR**

Length	100 - 120 cm
Pack size	41 cm
Weight	250 g
Grip	Aergon Air Compact
Strap	Lock Security Strap Skin 4.0
Material	Aluminium [HTS 6.5]
Finish	Matt Finish
Segments	4-section[s]
Diameter	Ø 18 16 14 14 mm
Construction	Vario [continuously adjustable]
Folding system	Push-Button
Locking system	Speed Lock plus
Antishock system	
Basket	Trekking 2.0
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	

**CRESSIDA**

652 2119 1

**AERGON AIR**

Reorder

Length	90 - 125 cm
Pack size	64 cm
Weight	237 g
Grip	Aergon Air Compact
Strap	Lock Security Strap Skin 4.0
Material	Aluminium [HTS 6.5]
Finish	Matt Finish, Clear Finish
Segments	3-section[s]
Diameter	Ø 16 14 12 mm
Construction	Vario [continuously adjustable]
Folding system	
Locking system	Speed Lock 2 plus
Antishock system	
Basket	Trekking
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	

**LHASA**

652 2221 1

Length	90 - 125 cm
Pack size	64 cm
Weight	247 g
Grip	EVOCON
Strap	Lock Security Strap Soft 2.0
Material	Aluminium [HTS 6.0]
Finish	Matt Finish
Segments	3-section[s]
Diameter	Ø 16 14 12 mm
Construction	Vario [continuously adjustable]
Folding system	
Locking system	Speed Lock plus
Antishock system	
Basket	Trekking
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	

**JANNU**

652 2236 1

**AERGON**

POLE OVERVIEW

TRAIL RUNNING

CROSS TRAIL

TREKKING

GLOVES

POSS TOOLS

TECHNOLOGY

POLE OVERVIEW

**KHUMBU LITE PRO**

654 2158 1

**AERGON**

Length	100 - 135 cm
Pack size	67 cm
Weight	235 g
Grip	Aergon
Strap	Lock Security Strap Soft 2.0
Material	Aluminium (HTS 6.5)
Finish	Matt Finish
Segments	3-section(s)
Diameter	Ø 16 14 12 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock plus
Locking system	Antishock system
Basket	Trekking
Exchange basket	
Tip	Flex Tip Short (Carbide)
Rubber pad	

**KHUMBU LITE AS**

652 2156 1

**AERGON**

Length	100 - 135 cm
Pack size	68 cm
Weight	252 g
Grip	Aergon
Strap	Lock Security Strap Soft 2.0
Material	Aluminium (HTS 6.5)
Finish	Matt Finish
Segments	3-section(s)
Diameter	Ø 16 14 12 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock plus
Locking system	Dynamic Suspension System (DSS)
Basket	Trekking
Exchange basket	
Tip	DSS Tip 12 mm (Carbide)
Rubber pad	

**KHUMBU LITE**

652 2153 1

**AERGON**

Reorder

Length	100 - 135 cm
Pack size	67 cm
Weight	246 g
Grip	Aergon
Strap	Lock Security Strap Soft 2.0
Material	Aluminium (HTS 6.5)
Finish	Matt Finish
Segments	3-section(s)
Diameter	Ø 16 14 12 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock plus
Locking system	
Basket	Trekking
Exchange basket	
Tip	Flex Tip Short (Carbide)

**KHUMBU PRO**

654 2048 1

**AERGON**

Length	110 - 145 cm
Pack size	71 cm
Weight	256 g
Grip	Aergon
Strap	Lock Security Strap Soft 2.0
Material	Aluminium (HTS 6.5)
Finish	Matt Finish
Segments	3-section(s)
Diameter	Ø 18 16 14 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock plus
Locking system	
Basket	Trekking
Exchange basket	
Tip	Flex Tip Short (Carbide)
Rubber pad	

**KHUMBU PRO FX.ONE TA**

654 2071 1

**AERGON**

Length	110 - 130 cm [in 5 cm steps]
	36 cm
	225 g (120 cm)
Grip	Aergon
Strap	Lock Security Strap Skin 4.0
Material	Aluminium (HTS 6.5)
Finish	Matt Finish
Segments	4-section(s)
Diameter	Ø 16 14 14 14 mm
Construction	Fixed length
Folding system	
Locking system	Push-Button
Basket	Trekking
Exchange basket	
Tip	Flex Tip Short (Carbide)

**KHUMBU AS**

652 2026 1

**AERGON**

Reorder

Length	110 - 145 cm
Pack size	71 cm
Weight	284 g
Grip	Aergon
Strap	Lock Security Strap Soft 2.0
Material	Aluminium (HTS 6.5)
Finish	Matt Finish
Segments	3-section(s)
Diameter	Ø 18 16 14 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock plus
Locking system	Dynamic Suspension System (DSS)
Basket	Trekking
Exchange basket	
Tip	DSS Tip 14 mm (Carbide)
Rubber pad	

**KHUMBU**

652 2043 1

**AERGON**

Reorder

Length	110 - 145 cm
Pack size	71 cm
Weight	277 g
Grip	Aergon
Strap	Lock Security Strap Soft 2.0
Material	Aluminium (HTS 6.5)
Finish	Matt Finish
Segments	3-section(s)
Diameter	Ø 18 16 14 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock plus
Locking system	
Basket	Trekking
Exchange basket	
Tip	Flex Tip Short (Carbide)



**LEGACY LITE AS**

652 2183 1

Length	100 - 135 cm
Pack size	68 cm
Weight	261 g
Grip	EVOCON
Strap	Lock Security Strap Soft 2.0
Material	Aluminium [HTS 6.0]
Finish	Matt Finish
Segments	3-section(s)
Diameter	Ø 16 14 12 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock plus
Locking system	Dynamic Suspension System [DSS]
Antishock system	Trekking
Basket	
Exchange basket	
Tip	DSS Tip 12 mm [Carbide]
Rubber pad	

**LEGACY LITE**

652 2184 1

Reorder

Length	100 - 135 cm
Pack size	66 cm
Weight	255 g
Grip	EVOCON
Strap	Lock Security Strap Soft 2.0
Material	Aluminium [HTS 6.0]
Finish	Matt Finish
Segments	3-section(s)
Diameter	Ø 16 14 12 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock plus
Locking system	
Antishock system	
Basket	
Exchange basket	
Tip	Trekking
Rubber pad	

**LEGACY FX TA**

652 2245 1

Length	110 - 130 cm
Pack size	38 cm
Weight	291 g
Grip	EVOCON
Strap	Lock Security Strap Nylon
Material	Aluminium [HTS 6.0]
Finish	Clear Finish
Segments	5-section(s)
Diameter	Ø 18 16 14 14 14 mm
Construction	Vario [continuously adjustable]
Folding system	Push-Button
Locking system	Speed Lock plus
Antishock system	
Basket	
Exchange basket	
Tip	Trekking
Rubber pad	

**LEGACY**

652 2019 1

Reorder

Length	110 - 145 cm
Pack size	70 cm
Weight	278 g
Grip	EVOCON
Strap	Lock Security Strap Soft 2.0
Material	Aluminium [HTS 6.0]
Finish	Matt Finish
Segments	3-section(s)
Diameter	Ø 18 16 14 14 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock plus
Locking system	
Antishock system	
Basket	
Exchange basket	
Tip	Trekking
Rubber pad	

**LEGACY JUNIOR**

653 2054 1

Length	80 - 110 cm
Pack size	67 cm
Weight	212 g
Grip	PAS V1
Strap	Lock Security Strap Nylon
Material	Aluminium [HTS 5.5]
Finish	Ultrasonic
Segments	2-section(s)
Diameter	Ø 14 12 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock plus
Locking system	
Antishock system	
Basket	Nordic
Exchange basket	
Tip	Flex Tip One size [Steel]
Rubber pad	





**VOYAGER**  
653 2017 1

Length	110 – 145 cm
Pack size	65 cm
Weight	270 g
Grip	PAS V1
Strap	Lock Security Strap Soft 2.0
Material	Aluminium [HTS 6.0]
Finish	Ultrasonic
Segments	3-section(s)
Diameter	Ø 18 16 14 mm
Construction	Vario [continuously adjustable]
Folding system	Super Lock [SLS]
Locking system	Antishock system
Basket	Trekking
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	



**EAGLE**  
653 2011 1

Length	110 – 145 cm
Pack size	65 cm
Weight	270 g
Grip	PAS V1
Strap	Lock Security Strap Nylon
Material	Aluminium [HTS 6.0]
Finish	Ultrasonic
Segments	3-section(s)
Diameter	Ø 18 16 14 mm
Construction	Vario [continuously adjustable]
Folding system	Super Lock [SLS]
Locking system	Antishock system
Basket	Trekking
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	



**LEGEND SERIES MICRO**  
653 2087 1

Length	85 – 100 cm
Pack size	38 cm
Weight	232 g
Grip	Aergomed
Strap	Aergomed Strap
Material	Carbon [PRC 1000]
Finish	Clear Finish
Segments	4-section(s)
Diameter	Ø 18 16 14 mm
Construction	Vario [continuously adjustable]
Folding system	ELD
Locking system	Speed Lock 2 plus
Basket	Nordic
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	Rubber Pad Trekking



**LEGEND SERIES**  
653 2086 1

Length	90 – 120 cm
Pack size	63 cm
Weight	234 g
Grip	Aergomed
Strap	Aergomed Strap
Material	Carbon [PRC 1000]
Finish	Clear Finish
Segments	3-section(s)
Diameter	Ø 18 16 14 mm
Construction	Vario [continuously adjustable]
Folding system	ELD
Locking system	Speed Lock 2 plus
Basket	Nordic
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	Rubber Pad Trekking



**TRAIL**  
654 2021 1

Length	110 – 145 cm
Pack size	65 cm
Weight	263 g
Grip	EVOCON
Strap	Lock Security Strap Soft 2.0
Material	Aluminium [HTS 6.0]
Finish	Ultrasonic
Segments	3-section(s)
Diameter	Ø 18 16 14 mm
Construction	Vario [continuously adjustable]
Folding system	Super Lock [SLS]
Locking system	Antishock system
Basket	Trekking
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	



**TRAIL LITE**  
654 2126 1

Length	100 – 135 cm
Pack size	68 cm
Weight	222 g
Grip	EVOCON
Strap	Lock Security Strap Soft 2.0
Material	Aluminium [HTS 6.0]
Finish	Ultrasonic
Segments	3-section(s)
Diameter	Ø 16 14 12 mm
Construction	Vario [continuously adjustable]
Folding system	Super Lock [SLS]
Locking system	Antishock system
Basket	Trekking
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	



**WANDERFREUND  
MAKALU**  
653 2081 1

Length	90 – 120 cm
Pack size	63 cm
Weight	268 g
Grip	Aergomed
Strap	Aergomed Strap
Material	Aluminium [HTS 6.5]
Finish	Clear Finish
Segments	3-section(s)
Diameter	Ø 18 16 14 mm
Construction	Vario [continuously adjustable]
Folding system	ELD
Locking system	Speed Lock 2 plus
Basket	Nordic
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	Rubber Pad Trekking




**SUPER MICRO**  
653 2080 1

Length	66 – 90 cm
Pack size	46 cm
Weight	215 g
Grip	Aergomed
Strap	Aergomed Strap
Material	Aluminium [HTS 6.5]
Finish	Ultrasonic
Segments	3-section(s)
Diameter	Ø 18 16 14 mm
Construction	Vario [continuously adjustable]
Folding system	Super Lock [SLS]
Locking system	Antishock system
Basket	Nordic
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	Rubber Pad Trekking



## NORDIC WALKING



CONNECT TO  
THE MOMENT.

**SPEED PACER LITE**

653 2550 1

**NORDIC SHARK**


Length	100 - 130 cm [in 5 cm steps]
Pack size	
Weight	153 g (115 cm)
Grip	Nordic Shark
Strap	Shark Frame Strap Mesh
Material	Carbon (PRC 850)
Finish	Matt Finish, Clear Finish
Segments	1-section(s)
Diameter	Ø 14 mm
Construction	Fixed length
Folding system	
Locking system	
Antishock system	
Basket	Speed Basket
Exchange basket	
Tip	Speed Tip One size (Carbide)
Rubber pad	Powergrip Pad

**SPEED PACER VARIO**

653 2638 1

**NORDIC SHARK**

Length	100 - 110 cm   105 - 115 cm   110 - 120 cm   115 - 120 cm   120 - 130 cm
Pack size	
Weight	170 g (110 - 120 cm)
Grip	Nordic Shark
Strap	Shark Frame Strap Mesh
Material	Carbon (PRC 1000)
Finish	Clear Finish
Segments	2-section(s)
Diameter	Ø 14 16 mm
Construction	Vario [continuously adjustable]
Folding system	
Locking system	Super Lock (SLS)
Antishock system	
Basket	Speed Basket
Exchange basket	
Tip	Speed Tip One size (Carbide)
Rubber pad	Powergrip Pad

**TRAVELLER FX.ONE****CARBON**

653 2582 1

**NORDIC SHARK**

Length	105 - 130 cm [in 5 cm steps]
Pack size	35 cm (115 cm)
Weight	181 g (115 cm)
Grip	Nordic Shark
Strap	Shark Frame Strap Mesh
Material	Carbon (PRC 1000)
Finish	Matt Finish
Segments	4-section(s)
Diameter	Ø 16 14 14 14 mm
Construction	Fixed length
Folding system	
Locking system	
Antishock system	
Basket	Push-Button
Exchange basket	
Tip	Trail Running Basket
Rubber pad	Trail Running Tip One size (Carbide)

**FLASH CARBON**

653 2560 2

Reorder

**NORDIC SHARK**

Length	100 - 130 cm [in 5 cm steps]
Pack size	
Weight	154 g (115 cm)
Grip	Nordic Shark
Strap	Shark Frame Strap Mesh
Material	Carbon (PRC 700)
Finish	Matt Finish
Segments	1-section(s)
Diameter	Ø 16 mm
Construction	Fixed length
Folding system	
Locking system	
Antishock system	
Basket	Speed Basket
Exchange basket	
Tip	Speed Tip One size (Carbide)
Rubber pad	Powergrip Pad

**PASSION**

653 2525 1

Length	100 - 120 cm [in 5 cm steps]
Pack size	
Weight	162 g (115 cm)
Grip	FRT
Strap	Trigger 1 Nordic Strap
Material	Carbon (CC 600)
Finish	Matt Finish
Segments	1-section(s)
Diameter	Ø 16 mm
Construction	Fixed length
Folding system	
Locking system	
Antishock system	
Basket	Speed Basket
Exchange basket	
Tip	Speed Tip One size (Carbide)
Rubber pad	Powergrip Pad

**RESPONSE**

653 2520 2

Reorder

Length	100 - 130 cm [in 5 cm steps]
Pack size	
Weight	188 g (115 cm)
Grip	FRT
Strap	Trigger 1 Nordic Strap
Material	Aluminium (HTS 6.0)
Finish	Matt Finish
Segments	1-section(s)
Diameter	Ø 16 mm
Construction	Fixed length
Folding system	
Locking system	
Antishock system	
Basket	Nordic
Exchange basket	
Tip	Flex Tip Short (Carbide)
Rubber pad	Powergrip Pad

**SMART PACER LITE**

653 2535 1

**NORDIC SHARK**

Length	100 - 130 cm [in 5 cm steps]
Pack size	174 g [115 cm]
Weight	Nordic Shark
Grip	Shark Frame Strap Mesh
Strap	Carbon (PRC 850)
Material	Matt Finish
Finish	1-section(s)
Segments	Ø 14 mm
Diameter	Fixed length
Construction	
Folding system	
Locking system	
Antishock system	
Basket	
Exchange basket	
Tip	Smart Tip 2.0 One size [Carbide]
Rubber pad	

**SMART FLASH**

653 2540 1

**NORDIC SHARK**

Length	100 - 130 cm [in 5 cm steps]
Pack size	175 g [115 cm]
Weight	Nordic Shark
Grip	Shark Frame Strap Mesh
Strap	Carbon (PRC 700)
Material	Matt Finish
Finish	1-section(s)
Segments	Ø 16 mm
Diameter	Fixed length
Construction	
Folding system	
Locking system	
Antishock system	
Basket	
Exchange basket	
Tip	Smart Tip 2.0 One size [Carbide]
Rubber pad	

**SMART SUPREME**

653 2542 1

**SHARK 2.0**

Length	100 - 130 cm
Pack size	96 cm
Weight	224 g
Grip	Shark 2.0
Strap	Shark Power Trigger Strap
Material	Aluminium (HTS 6.0)
Finish	Matt Finish
Segments	2-section(s)
Diameter	Ø 16 14 mm
Construction	Vario [continuously adjustable]
Folding system	
Locking system	
Antishock system	
Basket	
Exchange basket	
Tip	Speed Lock plus
Rubber pad	Smart Tip 2.0 One size [Carbide]

**SMART RESPONSE**

653 2528 1

Reorder

Length	100 - 130 cm [in 5 cm steps]
Pack size	216 g [115 cm]
Weight	FRT
Grip	Trigger 1 Nordic Strap
Strap	Aluminium (HTS 6.0)
Material	Matt Finish
Finish	1-section(s)
Segments	Ø 16 mm
Diameter	Fixed length
Construction	
Folding system	
Locking system	
Antishock system	
Basket	
Exchange basket	
Tip	Smart Tip 2.0 One size [Carbide]
Rubber pad	



**TRAVELLER CARBON**

653 2603 1

**NORDIC SHARK**


Length	90 - 130 cm
Pack size	66 cm
Weight	191 g
Grip	Nordic Shark
Strap	Shark Frame Strap Mesh
Material	Carbon [PRC 1000]
Finish	Matt Finish, Clear Finish
Segments	3-section(s)
Diameter	Ø 16 14 12 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock 2 plus
Antishock system	
Basket	Nordic
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	Powergrip Pad

**TRAVELLER ALU**

653 2601 1

**NORDIC SHARK**


Length	90 - 130 cm
Pack size	66 cm
Weight	230 g
Grip	Nordic Shark
Strap	Shark Frame Strap Mesh
Material	Aluminium [HTS 6.5]
Finish	Matt Finish, Clear Finish
Segments	3-section(s)
Diameter	Ø 16 14 12 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock plus
Antishock system	
Basket	Nordic
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	Powergrip Pad

**SPIN SHARK SL**

65326141

**SHARK 2.0**

Length	100 - 130 cm
Pack size	96 cm
Weight	208 g
Grip	Shark 2.0
Strap	Shark Power Trigger Strap
Material	Aluminium [HTS 5.5]
Finish	Matt Finish, Clear Finish
Segments	2-section(s)
Diameter	Ø 16 14 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock plus
Antishock system	
Basket	Nordic
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	Powergrip Pad

**SPIN SHARK SL**

653 2614 2

**SHARK 2.0**


Length	100 - 130 cm
Pack size	96 cm
Weight	208 g
Grip	Shark 2.0
Strap	Shark Power Strap
Material	Aluminium [HTS 5.5]
Finish	Matt Finish, Clear Finish
Segments	2-section(s)
Diameter	Ø 16 14 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock plus
Antishock system	
Basket	Nordic
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	Powergrip Pad

**INSTRUCTOR LITE**

653 2634 1

**NORDIC SHARK**

Length	100 - 125 cm
Pack size	91 cm
Weight	194 g
Grip	Nordic Shark
Strap	Shark Frame Strap Mesh
Material	Aluminium [HTS 6.5]   Carbon Composite [CC 600]
Finish	Matt Finish, Clear Finish
Segments	2-section(s)
Diameter	Ø 14 12 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock 2 plus
Antishock system	
Basket	Nordic
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	Powergrip Pad

**SPIN**

653 2616 1

Length	100 - 130 cm
Pack size	97 cm
Weight	210 g
Grip	FRT
Strap	Trigger 1 Nordic Strap
Material	Aluminium [HTS 5.5]
Finish	Ultrasonic
Segments	2-section(s)
Diameter	Ø 16 14 mm
Construction	Vario [continuously adjustable]
Folding system	Super Lock (SLS)
Antishock system	
Basket	Nordic
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	Powergrip Pad

**WALKER XS**

653 2653 1

**SHARK 2.0**

Length	80 - 110 cm
Pack size	71 cm
Weight	184 g
Grip	Shark 2.0 Compact
Strap	Shark Power Strap
Material	Aluminium [HTS 6.0]
Finish	Matt Finish
Segments	2-section(s)
Diameter	Ø 14 12 mm
Construction	Vario [continuously adjustable]
Folding system	Speed Lock plus
Antishock system	
Basket	Nordic
Exchange basket	
Tip	Flex Tip Short [Carbide]
Rubber pad	Rubber Pad Trekking

## SKI ROLLER



## SKI ROLLER



### HRC MARATHON

652 4030 91

**NORDIC SHARK**

Length	140 – 180 cm [in 10 cm steps]
Pack size	
Weight	183 g
Grip	Nordic Shark
Strap	Shark Frame Strap
Material	Carbon [HRC 1000]
Finish	Clear Finish
Segments	1-section(s)
Diameter	Ø 16 mm
Construction	Fixed length
Folding system	
Locking system	
Antishock system	
Basket	Fin Vario Basket
Exchange basket	Fin Vario [Ski Roller] One size [Carbide]
Tip	
Rubber pad	

### PRC 650

652 4087 91

**SHARK 2.0**

Length	140 – 180 cm [in 5 cm steps]
Pack size	
Weight	184 g
Grip	Shark 2.0
Strap	Shark Power Strap
Material	Carbon [PRC 650]
Finish	Clear Finish
Segments	1-section(s)
Diameter	Ø 16 mm
Construction	Fixed length
Folding system	
Locking system	
Antishock system	
Basket	Speed Basket
Exchange basket	Speed Tip One size [Carbide]
Tip	
Rubber pad	

### XTA 6.5 VARIO

652 2485 91

**SHARK 2.0**

Length	145 – 165 cm   155 – 175 cm
Pack size	
Weight	304 g
Grip	Shark 2.0
Strap	Shark Power Strap
Material	Aluminium [HTS 6.5]
Finish	Ultrasonic
Segments	2-section(s)
Diameter	Ø 16 18 mm
Construction	Vario [continuously adjustable]
Folding system	
Locking system	
Antishock system	
Basket	Speed Lock plus
Exchange basket	Fin Vario Basket
Tip	
Rubber pad	Fin Vario [Ski Roller] One size [Carbide]

### PRC JUNIOR

652 4052 91

**SHARK 2.0**

Length	110 – 140 cm [in 5 cm steps]
Pack size	
Weight	174 g
Grip	Shark 2.0 Compact
Strap	Shark Power Strap
Material	Carbon [CC 300]
Finish	Clear Finish
Segments	1-section(s)
Diameter	Ø 16 mm
Construction	Fixed length
Folding system	
Locking system	
Antishock system	
Basket	Speed Basket
Exchange basket	Speed Tip One size [Carbide]
Tip	
Rubber pad	

### XTA 6.5 VARIO JR.

652 2484 91

**SHARK 2.0**

Length	125 – 145 cm
Pack size	
Weight	244 g
Grip	Shark 2.0 Compact
Strap	Shark Power Strap
Material	Aluminium [HTS 6.5]
Finish	Ultrasonic
Segments	2-section(s)
Diameter	Ø 14 16 mm
Construction	Vario [continuously adjustable]
Folding system	
Locking system	
Antishock system	
Basket	Speed Lock plus
Exchange basket	Fin Vario Basket
Tip	
Rubber pad	Fin Vario [Ski Roller] One size [Carbide]

## GLOVES



62



63

TRAIL RUNNING

CROSS TRAIL

TREKKING

SKI ROLLER

GLOVES

ACCESSORIES

POLE TOOLS

TECHNOLOGY

POLE OVERVIEW

**ULTRA TRAIL STORM SHARK**

653 7023 01 black-red-yellow

**SHARK SYSTEM**

Sizerun	6.0 – 11.0 [full size]
Construction	Slim Fit
Features	SHARK SYSTEM, Storable Ovrglove, Silicone Palm Grip, mf touch, Flex Cuff
Main material	Softspan [80%Polyester; 20% Elastane]
Palm material	AX Suede [80% Polyester, 20% Polyurethane]
Insert	
Insulation	
Lining	
Waterproof level	1* Hydrophobic Fibers
Warmth level	1 * Active Skin

**ULTRA TRAIL STORM**

653 7063 01 black-red-yellow

Sizerun	6.0 – 11.0 [full size]
Construction	Slim Fit
Features	mf touch, Flex Cuff
Main material	Storable Ovrglove, Silicon Palm Grip, Softspan [80%Polyester; 20% Elastane]
Palm material	AX Suede [80% Polyester, 20% Polyurethane]
Insert	
Insulation	
Lining	
Waterproof level	1* Hydrophobic Fibers
Warmth level	1 * Active Skin

**ULTRA TRAIL BREEZE SHARK**

653 7053 01 black-red-yellow

**SHARK SYSTEM**

Sizerun	6.0 – 11.0 [full size]
Construction	Slim Fit
Features	SHARK SYSTEM, Silicone Palm Grip, Palm Ventilation, mf touch, Flex Cuff
Main material	Softspan [80%Polyester; 20% Elastane]
Palm material	Nash SLT [55% Nylon, 45% Polyurethane]
Insert	
Insulation	
Lining	
Waterproof level	1 * Hydrophobic Fibers
Warmth level	1 * Active Skin

**ULTRA TRAIL BREEZE**

653 7083 01 black-red-yellow

Sizerun	6.0 – 11.0 [full size]
Construction	Slim Fit
Features	Silicone Palm Grip, Palm Ventilation, mf touch, Flex Cuff
Main material	Softspan [80%Polyester; 20% Elastane]
Palm material	Nash SLT [55% Nylon, 45% Polyurethane]
Insert	
Insulation	
Lining	
Waterproof level	1 * Hydrophobic Fibers
Warmth level	1 * Active Skin

**ULTRATRAIL OVRGLOVE**

655 7953 01 black

Sizerun	6.0 – 7.0 / 8.0 – 9.0 / 10.0 – 11.0
Construction	Comfort Fit
Features	Silicone Palm Grip, Shark System Opening, Adjustable Cuff, Integrated Stowing Pocket
Main material	Rip Line light [100% Polyester]
Palm material	
Cuff material	
Insert	
Insulation	
Lining	
Waterproof level	**** Waterproof cover
Warmth level	* Active Skin



**BOA®**

Sizerun	6.0 - 11.0 [half size]
Construction	Nordic Comfort Fit
Features	Dynamic Grip, Flex Cuff, mf touch
Main material	Softspan [80% Nylon, 20% Elastane]
Palm material	AX Suede [80% Polyester, 20% Polyurethane]
Cuff material	Neoprene [60% Nylon, 35% Rubber, 5% Spandex]
Insert	
Insulation	
Lining	Microfleece [100% Polyester]
Waterproof level	* Hydrophobic fibers
Warmth level	** Basic

**PRC BOA® SHARK**

652 9063 01 black-neonyellow

**SHARK SYSTEM**

Sizerun	6.0 - 11.0 [half size]
Construction	Nordic Comfort Fit
Features	Dynamic Grip, Flex Cuff, mf touch
Main material	Softspan [80% Nylon, 20% Elastane]
Palm material	AX Suede [80% Polyester, 20% Polyurethane]
Cuff material	Neoprene [60% Nylon, 35% Rubber, 5% Spandex]
Insert	
Insulation	
Lining	Microfleece [100% Polyester]
Waterproof level	* Hydrophobic fibers
Warmth level	** Basic

**PRC PREMIUM SHARK**

652 9033 01 black-sand

**SHARK SYSTEM**

Sizerun	6.0 - 11.0 [half size]
Construction	Nordic Comfort Fit
Features	Genuine Grip, Flex Cuff
Main material	Softspan [80% Nylon, 20% Elastane]
Palm material	Goatskin [100% Leather]
Cuff material	Neoprene [60% Nylon, 35% Rubber, 5% Elastane]
Insert	
Insulation	
Lining	Microfleece [100% Polyester], Micro Bemberg [100% Polyester]
Waterproof level	* Hydrophobic fibers
Warmth level	** Basic

**PRC PREMIUM**

652 9103 01 black-sand

Sizerun	6.0 - 11.0 [half size]
Construction	Nordic Comfort Fit
Features	Genuine Grip, Flex Cuff
Main material	Softspan [80% Nylon, 20% Elastane]
Palm material	Goatskin [100% Leather]
Cuff material	Neoprene [60% Nylon, 35% Rubber, 5% Elastane]
Insert	
Insulation	
Lining	Microfleece [100% Polyester], Micro Bemberg [100% Polyester]
Waterproof level	* Hydrophobic fibers
Warmth level	** Basic

**NORDIC ACTIVE SHARK**

655 7103 01 black-grey  
 655 7103 02 grey  
 655 7103 03 midnight blue-black

**SHARK SYSTEM**

Sizerun	6.0 - 11.0 [full size]
Construction	Nordic Comfort Fit
Features	Nose Wiper, Pull-out loops, Cuff Pull
Main material	N-Mesh [86% Polyester, 14% Elastane]
Palm material	Nash SLT [60% Polyamide, 40% Polyurethane]
Cuff material	Neoprene [60% Nylon, 35% Rubber, 5% Elastane]
Insert	
Insulation	
Lining	* Hydrophobic fibers
Waterproof level	* Summer
Warmth level	

**NORDIC ACTIVE**

655 7113 01 black - grey  
 655 7113 02 smokegreen-white

Sizerun	6.0 - 11.0 [full size]
Construction	Nordic Comfort Fit
Features	Palm Ventilation, Pull-out loops, Flex Cuff, Cuff Pull
Main material	N-Mesh [86% Polyester, 14% Elastane]
Palm material	Nash SLT [60% Polyamide, 40% Polyurethane]
Cuff material	Neoprene [60% Nylon, 35% Rubber, 5% Elastane]
Insert	
Insulation	
Lining	* Hydrophobic fibers
Waterproof level	* Summer
Warmth level	



**WINDBLOCKER JACKET**

357 2200 01	xs	light grey-blue
357 2200 02	s	light grey-blue
357 2200 03	m	light grey-blue
357 2200 04	l	light grey-blue
357 2200 05	xl	light grey-blue
357 2200 06	xxl	light grey-blue

Material 100% Polyester

**LOGO HOODIE LEKI**

344 2200 10	xxs	black-black
344 2200 11	xs	black-black
344 2200 12	s	black-black
344 2200 13	m	black-black
344 2200 14	l	black-black
344 2200 15	xl	black-black
344 2200 16	xxl	black-black

Material 100% Cotton

**LOGO T-SHIRT LEKI**

340 2230 01	xs	blue-white
340 2230 02	s	blue-white
340 2230 03	m	blue-white
340 2230 04	l	blue-white
340 2230 05	xl	blue-white
340 2230 06	xxl	blue-white

Material 100% Cotton

**LOGO T-SHIRT LEKI**

340 2220 01	xs	white-black
340 2220 02	s	white-black
340 2220 03	m	white-black
340 2220 04	l	white-black
340 2220 05	xl	white-black
340 2220 06	xxl	white-black

Material 100% Cotton

**LOGO T-SHIRT LEKI**

340 2230 21	xs	smokegreen-creme
340 2230 22	s	smokegreen-creme
340 2230 23	m	smokegreen-creme
340 2230 24	l	smokegreen-creme
340 2230 25	xl	smokegreen-creme
340 2230 26	xxl	smokegreen-creme

Material 100% Cotton

**LOGO T-SHIRT LEKI**

340 2230 11	xs	blue-mint
340 2230 12	s	blue-mint
340 2230 13	m	blue-mint
340 2230 14	l	blue-mint
340 2230 15	xl	blue-mint
340 2230 16	xxl	blue-mint

Material 100% Cotton

**LOGO T-SHIRT LEKI WOMEN**

340 2210 01	xs	blue-white
340 2210 02	s	blue-white
340 2210 03	m	blue-white
340 2210 04	l	blue-white
340 2210 05	xl	blue-white
340 2210 06	xxl	blue-white

Material 100% Cotton

**LOGO T-SHIRT LEKI WOMEN**

340 2210 21	xs	smokegreen-creme
340 2210 22	s	smokegreen-creme
340 2210 23	m	smokegreen-creme
340 2210 24	l	smokegreen-creme
340 2210 25	xl	smokegreen-creme
340 2210 26	xxl	smokegreen-creme

Material 100% Cotton

**LOGO T-SHIRT LEKI WOMEN**

340 2200 01	xs	white-black
340 2200 02	s	white-black
340 2200 03	m	white-black
340 2200 04	l	white-black
340 2200 05	xl	white-black
340 2200 06	xxl	white-black

Material 100% Cotton

**LOGO T-SHIRT LEKI**

340 2230 11	xs	dark denim-white
340 2230 12	s	dark denim-white
340 2230 13	m	dark denim-white
340 2230 14	l	dark denim-white
340 2230 15	xl	dark denim-white
340 2230 16	xxl	dark denim-white
340 2230 17	xxxl	dark denim-white

Material 100% Cotton

**LOGO T-SHIRT LEKI**

340 2230 11	xs	blue-mint
340 2230 12	s	blue-mint
340 2230 13	m	blue-mint
340 2230 14	l	blue-mint
340 2230 15	xl	blue-mint
340 2230 16	xxl	blue-mint

Material 100% Cotton

**LONGSLEEVE LEKI**

343 1231 11	xs	dark denim-papaya punch
343 1231 12	s	dark denim-papaya punch
343 1231 13	m	dark denim-papaya punch
343 1231 14	l	dark denim-papaya punch
343 1231 15	xl	dark denim-papaya punch
343 1231 16	xxl	dark denim-papaya punch
343 1231 17	xxxl	dark denim-papaya punch

Material 100% Cotton

**LONGSLEEVE LEKI WOMEN**

343 2231 11	xs	dark denim-papaya punch
343 2231 12	s	dark denim-papaya punch
343 2231 13	m	dark denim-papaya punch
343 2231 14	l	dark denim-papaya punch
343 2231 15	xl	dark denim-papaya punch
343 2231 16	xxl	dark denim-papaya punch

Material 100% Cotton&lt;/

**4-SEASON HEADBAND**

352 2552 01	<b>One size</b> blue-white
352 2552 02	<b>One size</b> green-coral
352 2552 03	<b>One size</b> green-coral
Material	85% Polyester, 15% Elastane

**XC HEADBAND**

352 2551 02	<b>One size</b> blue-white
352 2551 03	<b>One size</b> blue-mint
352 2551 04	<b>One size</b> blue-white-gray
352 2551 06	<b>One size</b> neonpink-white
Material	100% Polyester

**4-SEASON HEADBAND SET**

352 2552 02-10	<b>One size</b> dawn blue-black
352 2552 01-10	<b>One size</b> true navy blue-white
352 2552 03-10	<b>One size</b> crème de menthe-papaya punch
Material	85% Polyester, 15% Elastane
Art.-Nr. -10	Packaging unit: 10 pieces including retail packaging

**XC HEADBAND SET**

352 2551 02-10	<b>One size</b> dark denim-white-poppy red
352 2551 03-10	<b>One size</b> dark denim-mint
352 2551 04-10	<b>One size</b> dark denim-white-grey
352 2551 06-10	<b>One size</b> neonpink-white

Material 100% Polyester  
Thermo headband with two double sided designs  
Packaging unit: 10 pieces including retail packaging

**MULTISCARF**

352 0302 21	<b>One size</b> blue-white
352 0302 22	<b>One size</b> light grey-black

**LOGO CAP LEKI**

352 1220 01	<b>One size</b> black-sharkskin-peacock blue
Material	100% Polyester

**LOGO CAP MESH LEKI**

352 1221 01	<b>One size</b> true navy blue-white
Material	100% Polyester

**CASUAL CAP LEKI**

352 1231 01	<b>One size</b> sage-indian tan-oliven
Material	65% Polyester, 35% Cotton

**OUTDOOR CAP LEKI**

352 1230 01	<b>One size</b> ensign blue-white-arctic ice
Material	100% Polyester

**VISION PRO**

369 4524 02	<b>Standard</b> white-transparent-multi
369 4524 01	<b>Standard</b> true navy blue-transparent-, multi

Material TR 90  
Details Interchangeable lenses: 1x blue full revo mirror, 1x yellow, 1x photochromic- UV 400 Coating.

**FALCON PRO**

369 4500 241	<b>Standard</b> black-rainbow red
--------------	-----------------------------------

Material TR 90  
Details Durable polycarbonate lenses with impact and scratch resistance - UV 400 Coating.  
Interchangeable lenses:  
1x Blue Mirror, 1x Yellow, 1x Clear  
Includes 2 interchangeable lenses:  
1x yellow, 1x photochromic

**SPECTRA**

369 4522 02	<b>Standard</b> white-black-brightblue
-------------	--

Material TR 90  
Details Durable polycarbonate lenses with impact and scratch resistance - UV 400 Coating.

**FORCE**

369 4503 224	<b>Standard</b> mint-smoke
--------------	----------------------------

Material TR 90  
Details Durable polycarbonate lenses with impact and scratch resistance - UV 400 Coating.

**STORM MAGNETIC**

369 4513 221	<b>Standard</b> black-rainbow-sulfur yellow
--------------	---

Material TR 90  
Details Magnetic interchangeable lenses - UV 400 Coating.

**STORM MAGNETIC SPARE LENS**

369 6013 221	<b>One size</b> polarized
369 6013 222	<b>One size</b> photocromic
369 6013 223	<b>One size</b> sulfur yellow
369 6013 224	<b>One size</b> rainbow
369 6013 225	<b>One size</b> lightblue

Details Magnetic interchangeable lenses



**DAYPACK CASUAL**

358 3323 05      One size      dark denim-grey-pearl brown  
 Material      100% Polyester

**DRINKBELT**

363 4422 05      One size      dark denim-poppy red-dawn blue  
 Material      100% Polyester

**POLE BAG**

360 5310 06      140 cm      bright red-black-neonyellow  
 Volume      For 15 pairs of poles  
 Material      100% Polyester

**TREKKING POLE BAG**

364 3200 05      80 cm      black-white  
 Material      100% Polyester

**NORDIC WALKING POLE BAG**

364 3200 01      140 cm      black-white  
 Material      100% Polyester

**FOLDING POLE BAG**

364 0600 01      45 cm      black-white  
 Material      100% Polyester

**FOLDING POLE BAG BIG**

364 0600 02      45 cm      black-white  
 Material      100% Polyester

**TRAIL RUNNING QUIVER**

358 0124 1      One size      black-white-bright red  
 Volume      For 1 pairs of folding poles  
 Material      85% Nylon, 15% Elastane

**TRAIL RUNNING POLE BELT**

368 3220 01      S-M      black-white  
 368 3220 02      M-L      black-white  
 Material      78% Polyester, 12% Elastane

**TRAIL RUNNING QUIVER VEST**

357 2124 1S-M      S-M      black-white  
 357 2124 1L-XL      L-XL      black-white  
 Volume      6 L  
 Material      100% Polyester  
 Details      Vest + Quiver




**AERON AIR FOAM |  
SKIN STRAP 4.0**

**AERON**  
820 3161 601971 16 mm black-orange  
820 3181 802670 18 mm black-dark anthracite

**AERON FOAM |  
SKIN STRAP 3.0**

**AERON**  
830 0161 610265 16 mm white-anthracite  
830 0181 810265 18 mm white-anthracite


**AERON CORTEC |  
SOFT STRAP**

**AERON**  
830 4161 610975 16 mm compact black-brown  
830 2181 800975 18 mm black-brown

**AEROMED**

835 0181 808229 18 mm granite-black


**TRAIL SHARK**

**TRAIL SHARK**  
844 0141 401200 14 mm neonyellow  
844 0161 601200 16 mm neonyellow

**SHARK 2.0 CORK**

836 1161 600200 16 mm black-white  
836 1161 601200 16 mm black-neonyellow  
836 1141 400200 14 mm black-white  
836 1141 401200-1 14 mm black-neonyellow

**NORDIC SHARK CORK**

836 2161 601200 16 mm neonyellow-black  
836 2161 600200 16 mm white-black


**NORDIC FRT (TRIGGER 1)  
+ FRAME STRAP MLXL**

839 2161 601700 16 mm palegreen-corkoptic

**NORDIC FRT (TRIGGER 1)**

839 2161 602600 16 mm anthracite grey-corkoptic

**SHARK FRAME STRAP**

886 6001 06 XS bright red-neonyellow  
886 6101 06 S - M - L bright red-neonyellow  
886 6201 06 M - L - XL bright red-neonyellow  
886 6101 03 S - M - L black-lightgrey  
886 6201 03 M - L - XL black-lightgrey  
886 6101 11 S - M - L neonpink-neonyellow


**SHARK POWER STRAP**

**SHARK SYSTEM**  
886 3301 25 S - M - L black-anthracite grey  
886 3311 25 M - L - XL black-anthracite grey


**SHARK FRAME STRAP MESH**

**SHARK SYSTEM**  
808 6710 025 S - M - L gray-dark anthracite  
808 6710 012 S - M - L black-neonyellow  
808 6720 025 M - L - XL gray-dark anthracite  
808 6720 012 M - L - XL black-neonyellow

**TRIGGER 1 V2 STRAP**

886 2101 25 S - M - L black-anthracite grey  
886 2111 25 M - L - XL black-anthracite grey

Details

Alu lower part 14mm with Flextip  
long and Big Mountain Basket.  
For lower segments with gray  
endcap only

**WINTER TRAIL RUNNING KIT**

811 0146 651 2585 -5 110 + 115 cm multi  
811 0146 651 2585 -6 120 + 125 cm multi  
811 0146 651 2585 -7 130 + 135 cm multi

**POLE CLIP**

879 3114 03 14 mm black  
879 3116 03 16 mm black  
879 3118 03 18 mm black

**SLS-SLEEVE**

880 9101 03 14|12 mm black  
880 9201 03 16|14 mm black  
880 9301 03 18|16 mm black

**SPLIT DOWEL SLS**

880 7141 08 14 mm green  
880 7161 05 16 mm science blue  
880 7181 03 18 mm black

**SPEED LOCK 1 LEVER**

880 6201 02 14|12 mm white  
880 6201 00 14|12 mm black  
880 6101 02 16|14 mm white  
880 6101 00 16|14 mm black  
880 6001 02 18|16 mm white  
880 6001 00 18|16 mm black  
880 6011 03 20|18 mm black

Details inkl. knurled wheel


**LEVER FOR  
SPEED LOCK 1+**

880 6021 03 20|18 mm black

**SPEED LOCK 2 LEVER**

880 6801 02 14|12 mm white  
880 6801 03 14|12 mm black  
880 6701 02 16|14 mm white  
880 6701 03 16|14 mm black  
880 6601 02 18|16 mm white  
880 6601 03 18|16 mm black

Details inkl. knurled wheel


**LEVER FOR  
SPEED LOCK + | 2+**

880 6511 02 14|12 mm white  
880 6511 03 14|12 mm black  
880 6411 02 16|14 mm white  
880 6411 03 16|14 mm black  
880 6311 02 18|16 mm white  
880 6311 03 18|16 mm black



**TREKKING BASKET 2.0**

851 0001 03    45 mm black

**TREKKING BASKET**

856 5001 03    50 mm black

**TOUR BASKET**



857 5001 03    95 mm black

**BIG MOUNTAIN BASKET**853 1001 02    95 mm white-black  
853 1001 12    95 mm neonyellow-black  
853 1001 98    95 mm smoke-black**BIG MOUNTAIN  
BINDING BASKET**853 5001 98    95 mm smoke-black  
853 5001 12    95 mm neonyellow-black**NORDIC WALKING  
BASKET**

856 4001 03    40 mm black

**FLEX TIP**878 6101 03    Short black  
878 5201 03    Long black**DSS TIP**876 6101 03    12 mm black-pebble gray  
876 6001 03    14 mm black-pebble gray**NORDIC WALKING  
SPEED TIP**

858 9801 03    One size black

**ROLLER SPEED TIP**858 9802 12    Ø 9 mm neonyellow  
858 9801 12    Ø 8 mm neonyellow**TRAIL RUNNING TIP XT**871 8001 12    One size neonyellow  
871 8001 02    One size white**TIP SAVER**

881 4001 01    One size transparent

**FIN VARIO TIPS**850 0401 12    One size yellow  
850 0101 12    S - M yellow  
850 0201 12    M - L yellow  
850 0301 12    L - XL yellow**FIN VARIO SET**850 002 212    One size yellow  
  
Details  
1 pair S - M; 1 pair M - L;  
1 pair rollertip; 1 pair 8mm sleeve;  
1 pair 9mm sleeve; hot glue881 8001 03    1 pair black  
881 8100 03    50 pairs black**RUBBER PAD WALKING****POWER GRIP PAD  
WALKING**882 4201 03    1 pair black  
882 4202 03    50 pairs black**POWER GRIP PAD WALKING  
MULTI SYSTEM**

882 4101 03    1 pair black

**SILENT SPIKE PAD  
WALKING**882 3201 03    1 pair black  
882 3203 03    25 pairs black**SILENT SPIKE PAD WALKING  
MULTI SYSTEM**

882 3101 03    1 pair black

**SMART TIP PAD**

882 6101 03    1 pair black

**SMART TIP 2.0 PAD**

882 8101 03    1 pair black

**RUBBER PAD  
TREKKING**882 1101 04    1 pair black  
882 1102 03    25 pairs black**SILENT SPIKE PAD  
TREKKING**882 5001 03    1 pair black  
882 5002 03    25 pairs black

## 4 SEASONS DISPLAY 2.0

311 1122 42 100 x 152 x 58 cm [wxhxd]

Capacity: 46 folding poles  
12 hooks for Slatwall  
10 hooks for perforated steel plate [one hook is 30 cm long]



## 4 SEASONS DISPLAY 2.0 SMALL

311 1122 43

55 x 152 x 50 cm [wxhxd]

Details

Capacity: 23 folding poles  
6 hooks for slatwall  
5 hooks for perforated steel plate [one hook is 30 cm long]



## MICRO EDGE 2.0

311 1122 21 40 x 150 x 40 cm [wxhxd]

Trekking Aergon Air

311 1122 25 40 x 150 x 40 cm [wxhxd]

Trekking Verticon

311 1122 22 40 x 150 x 40 cm [wxhxd]

Cross Trail

311 1122 23 40 x 150 x 40 cm [wxhxd]

Trail Running Trail Shark

311 1122 24 40 x 150 x 40 cm [wxhxd]

Trail Running Spartan Ultra

Details  
Small freestanding display for the presentation of one product category, stocking place for 12-21 folding poles



## WOODEN SMALL 2.0

310 1622 31 23,5 x 42 x 11,5 cm [wxhxd]

Aergon Air DE

310 1622 26 23,5 x 42 x 11,5 cm [wxhxd]

Verticon DE

310 1622 32 23,5 x 42 x 11,5 cm [wxhxd]

Cross Shark DE

310 1622 33 23,5 x 42 x 11,5 cm [wxhxd]

Trail Shark DE

310 1622 24 23,5 x 42 x 11,5 cm [wxhxd]

Spartan Ultra DE

310 1622 41 23,5 x 42 x 11,5 cm [wxhxd]

Aergon Air EN

310 1622 27 23,5 x 42 x 11,5 cm [wxhxd]

Verticon EN

310 1622 42 23,5 x 42 x 11,5 cm [wxhxd]

Cross Shark EN

310 1622 43 23,5 x 42 x 11,5 cm [wxhxd]

Trail Shark EN

310 1622 25 23,5 x 42 x 11,5 cm [wxhxd]

Spartan Ultra EN

Details  
Presentation Display for one folding pole, includes information about the grip technology



## POLE PRESENTATION TOOL

312 2402 04 40 x 18,5 cm

Details  
Two boards for a slatwall to present 4 poles [only the two white boards, slatwall not included]



## WOODEN BLOCK

305 7053 40 x 9 x 12 cm [wxhxd] 3

305 7052 40 x 9 x 27,5 cm [wxhxd] 12

305 7051 40 x 9 x 43,5 cm [wxhxd] 18

305 7050 80 x 9 x 43,5 cm [wxhxd] 36



## ROLLUP

313 1022 01 85 x 200 cm [wxh]

Brand

331 0022 01 85 x 200 cm [wxh]

Trekking action

331 0022 03 85 x 200 cm [wxh]

Cross Trail action

331 0022 04 85 x 200 cm [wxh]

Trail Running action

331 0022 05 85 x 200 cm [wxh]

Nordic Walking action



## LOGO STICKER PLOTTED

317 6221 01 S/10 x 3 cm black

Details



317 6221 02 M/20 x 6 cm black

Details

317 6221 03 L/48 x 14,2 cm black

Details

317 6222 01 S/10 x 3 cm white

Details

317 6222 02 M/20 x 6 cm white

Details

317 6222 03 L/48 x 14,2 cm white

Details

## LOGO STICKER

317 6223 01 XS/5 x 2 cm black / white



317 6223 02 S/10 x 4,1 cm black / white



317 6223 03 M/20 x 8,2 cm black / white

## GLASSES DISPLAY

301 6009 23 x 47 x 18 cm [wxhxd]



## GLOVE POSITIONER

307 7004 10 x 19 x 10 cm [wxhxd]



## DISPLAY HOOK FOR SLATWALL

304 9024 length: 30 cm



## DISPLAY HOOK FOR PERFORATED PLATE

304 9025 length: 30 cm



## POLE LENGTH CONFIGURATOR

309 7750 10 x 28 cm



## DECO BANNER

## LOGO BANNER

331 0000 18 200 x 100 cm [wxh]



## DECOFLAG

313 1322 01 height 215 cm



## BEACHFLAG

313 1220 01 height 410 cm

# GRIPS

## TRAIL SHARK

Pure trail running performance. Lightweight Air Channel construction and simplified operation for quick and easy click in and out during competition.

Echte Trail Running Performance. Leichtigkeit durch Air Channel Konstruktion und vereinfachte Bedienung für schnelles und einfaches Ein- und Ausklicken während des Wettkampfes

Pure performance de Trail Running. Construction légère en Air Channel et fonctionnement simplifié pour une mise en place et un retrait rapides et faciles pendant la compétition.

Pura performance di Trail Running. La struttura Air Channel garantisce leggerezza e maggiore facilità e rapidità di utilizzo in gara: assemblaggio e smontaggio in un solo click.



## CROSS SHARK

The perfect combination of speed and comfort for fast mountain hiking. The strap system provides maximum energy transfer.

Die perfekte Verbindung aus Geschwindigkeit und Komfort für schnelles Berggehen. Die Systemschlaufe bietet maximale Kraftübertragung.

La combinaison parfaite de vitesse et de confort pour une marche rapide en montagne. La boucle du système offre une transmission de puissance maximale.

La perfetta combinazione di velocità e comfort per l'escursionismo in montagna. La struttura del laccio massimizza il trasferimento di forza.



## NORDIC SHARK

100 % grip-strap technology developed for Nordic sports. Perfect training through precise guidance, control and power transmission.

100 % Nordische Sportarten entwickelte Griff-Schlaufen-Technologie. Perfektes Training durch exakte Führung, Kontrolle und Kraftübertragung.

Technologie de poignée-boucle développée à 100 % pour les sports nordiques. Plus de guidage, de contrôle et de transmission de puissance ainsi qu'une meilleure opérabilité.

Tecnologia 100 % grip-strap sviluppata per gli sport nordici. Più guida, controllo e trasmissione di potenza, e un funzionamento migliore.



## SHARK 2.0

Versatile multisport grip for perfect energy transfer and easy handling.

Vielseitiger Multisport-Griff für perfekte Kraftübertragung und einfache Handhabung.

Poignée multisport polyvalente pour une transmission parfaite de la puissance et une manipulation aisée.

Impugnatura versatile multisport per un perfetto trasferimento di forza senza rinunciare alla comodità.




## MESH STRAP

Mesh straps for all Shark grips.

*Mesh-Schlaufen für alle Shark Griffe.*

Boucles en maille pour toutes les poignées Shark.

Laccioli in materiale mesh compatibili con tutte le impugnature Shark.



## SPARTAN

100 % optimized for lightness. Perfect for technical terrain, hot conditions and maximum freedom.

100 % optimiert für Leichtigkeit. Perfekt für technisches Terrain, extreme Bedingungen und maximale Freiheit.

100 % optimisée pour la légèreté. Parfaite pour les terrains techniques, les conditions extrêmes et une liberté maximale.

100 % ottimizzata per la leggerezza. Perfetta per terreni tecnici, condizioni estreme e massima libertà.




## VERTICON

The reduced Verticon grip combines the ergonomic Aergon with the lightness of the Spartan.

Der reduzierte Verticon Griff vereint den ergonomischen Aergon mit der Leichtigkeit des Spartan.

La poignée réduite Verticon combine l'ergonomie de l'Aergon et la légèreté du Spartan.

L'impugnatura ridotta Verticon combina l'ergonomia dell'Aergon con la leggerezza dello Spartan.




## AERGON AIR

For the maximum comfort and highest ergonomic support while trekking. Ergonomics, guidance and control like no other grip.

Für den maximalen Komfort und höchste ergonomische Unterstützung beim Trekking. Ergonomie, Führung und Kontrolle wie bei keinem anderen Griff.

Pour un confort maximal et un soutien ergonomique optimal lors des randonnées. Ergonomie, guidage et contrôle comme aucune autre poignée.

Per il massimo comfort e supporto ergonomico durante il trekking. Ergonomia, conduzione e controllo come nessun'altra impugnatura.




## AERGON

Rounded trekking grip with proven comfort and ergonomic grip zones and adjustment function.

Kantenloser Trekking-Griff mit bewährtem Komfort und ergonomischen Griffzonen sowie Verstellfunktion.

Poignée de trekking sans bord avec des zones de confort et de prise ergonomique éprouvées ainsi qu'une boucle de réglage de sécurité intégrée.

Impugnatura da trekking senza bordi con zone di presa ergonomiche e di comfort collaudato e funzione di regolazione.




## EVOCON

Trekking grip with rounded support surface and adjustment function.

Trekking-Griff mit abgerundeter Stützfläche und Verstellfunktion.

Poignée de trekking avec zone d'appui arrondie et fonction de réglage.

Impugnatura da trekking con superficie d'appoggio arrotondata e funzione di regolazione.




## AERGOMED

Ergonomic shape provides comfortable support for walking and everyday life.

Bietet Unterstützung beim Spaziergang und im Alltag auf komfortable Weise dank ergonomischer Form.

Fournit un soutien pour la marche et la vie quotidienne de manière confortable grâce à sa forme ergonomique.

Fornisce un comodo supporto durante la camminata e nella vita di tutti grazie al design ergonomico.



# FOLDING POLES


## CLD - CORE LOCKING DEVICE

Slim, internal design for simple assembly and disassembly of folding poles.

Schlank, innenliegende Konstruktion für simples Auf- und Abbauen von Faltstöcken.

Construction interne mince pour un montage et un démontage simples des perches pliantes.

Struttura interna sottile per assemblare e smontare rapidamente i bastoni.



## ELD - EXTERNAL LOCKING DEVICE

Special design for easy and comfortable release and attachment of folding poles.

Spezielle Konstruktion zum einfachen und komfortablen Lösen und Fixieren von Faltstöcken.

Construction spéciale pour un desserrage et une fixation faciles et confortables des perches pliantes.

Design ideato per un facile e rapido assemblaggio e smontaggio dei bastoni pieghevoli.




## PB - PUSH-BUTTON

Push-button release mechanism for quick assembly and disassembly of folding poles.

Push-Button Release Mechanismus zum schnellen Auf- und Abbau von Faltstöcken.

Mécanisme de libération à bouton-poussoir pour un montage et un démontage rapides des perches pliantes.

Meccanismo di sblocco Push Button per un rapido assemblaggio e smontaggio dei bastoni.




## VARIO FOLDING POLES

Adjustable, folding poles adapt to different terrain and can be stowed in a backpack.

Verstellbare Faltstücke zum Anpassen in unterschiedlichem Terrain und Verstauen im Rucksack.

Bâtons pliables et réglables pour s'adapter aux différents terrains et se ranger dans votre sac à dos.

Bastoni pieghevoli regolabili adatti a vari tipi di terreno e al trasporto nello zaino.




## FX FOLDING POLES

Segment change technology for long-lasting use of folding poles. Easy replacement of the segments possible.

Segmentwechsel-Technologie zur nachhaltigen Nutzung von Faltstöcken. Einfacher Austausch der Segmente möglich.

Technologie de changement de segment pour une utilisation durable des perches pliantes. Possibilité d'échanger facilement les segments.

Tecnologia a segmenti intercambiabili per una lunga durata dei bastoni. I vari segmenti dell'asta possono essere sostituiti facilmente.



# LOCKING DEVICES MATERIAL


## SPEED LOCK

TÜV Süd-certified external clamping for easiest adjustment and maximum holding force.

*TÜV Süd-zertifizierte Außenklemmung für einfaches Verstellen und maximale Haltekraft.*

Serrage externe certifiée TÜV Süd pour un réglage plus facile et une force de maintien maximale.

*Bloccaggio esterno certificato TÜV Süd per garantire facilità di regolazione e massima tenuta.*



## CARBON

**HRC** stands for Highest Racing Carbon as the basis for the top models.

**PRC** stands for Performance Racing Carbon, subdivided into the various versions.

**CC** stands for Carbon Composite for the Beginner Models in the carbon range.

**HRC** steht für Highest Racing Carbon als Basis für die Topmodelle.

**PRC** steht für Performance Racing Carbon, unterteilt in unterschiedliche Ausprägungen.

**CC** steht für Carbon Composite bei den Einsteigermodellen im Carbonbereich.

**HRC** est l'abréviation de Highest Racing Carbon, qui constitue la base des modèles haut de gamme.

**PRC** est l'abréviation de Performance Racing Carbon, subdivisé en plusieurs grades.

**CC** signifie Carbon Composite pour les modèles d'entrée de gamme de la gamme carbone.

**HRC** sta per Highest Racing Carbon come base per i modelli di punta.

**PRC** sta per Performance Racing Carbon, suddiviso nelle diverse versioni.

**CC** sta per Carbon Composite per i modelli base della gamma in carbonio.


## SUPER LOCK

TÜV Süd-certified slim internal adjustment system with maximum holding force and reverse rotation prevention.

*TÜV Süd-zertifiziertes schlankes Innenverstellsystem mit höchster Haltekraft und Rückdrehssicherheit.*

Système de réglage interne fin certifié par le TÜV-Süd avec une force de maintien maximale et une sécurité anti-rotation.

*Sistema di regolazione interna fine certificato dal TÜV-Süd con massima forza di ritenzione e sicurezza antirotazione.*




# ANTISHOCK

## DSS

Shock absorbing system for relief of muscles, joints and ligaments.

Only use in combination with mounted basket.

*Dämpfungssystem zur Entlastung von Muskulatur, Gelenken und Bändern.  
Nur in Kombination mit montiertem Teller einsetzen.*



Système de rembourrage pour soulager les muscles, les articulations et les ligaments. A utiliser uniquement en combinaison avec une rondelle montée.

*Sistema di ammortizzazione per alleviare lo sforzo di muscoli, articolazioni e legamenti. Utilizzare solo in combinazione con una rondella montata.*

## ALUMINIUM

**HTS** [Heat Treated Shaft] is the highest quality in the LEKI aluminum line. 3 levels: HTS 6.5, HTS 6.0 and HTS 5.5.

**TS** is LEKI's basic quality for Aluminum poles in 3 levels: TS 5.0, TS 4.5 and 4.0.

All details are internal LEKI categories

**HTS** [Heat Treated Shaft] ist die höchste Qualität bei den LEKI Aluminium Modellen mit 3 Levels: HTS 6.5, HTS 6.0 und HTS 5.5.

**TS** ist die Basis-Qualität bei den LEKI Aluminium Modellen mit 3 Levels: TS 5.0, TS 4.5 und TS 4.0.

Alle Angaben sind LEKI interne Kategorien.

**HTS** [Heat Treated Shaft] est la qualité la plus élevée pour les modèles en aluminium LEKI avec 3 niveaux : HTS 6.5, HTS 6.0 et HTS 5.5.

**TS** est la qualité de base pour les modèles en aluminium LEKI avec 1 niveau : TS 5.0, TS 4.5 et TS 4.0.

Toutes les spécifications sont des catégories internes LEKI.

**HTS** [Heat Treated Shaft] è il più alto standard di qualità per i modelli LEKI in alluminio con 3 livelli: HTS 6.5, HTS 6.0 e HTS 5.5.

**TS** è lo standard di base per i modelli LEKI in alluminio con un solo livello: TS 5.0, TS 4.5 e TS 4.0.

Tutte le denominazioni sono categorie create internamente da LEKI.

# TIPS/BASKETS


## TREKKING BASKET

Interchangeable plate compatible with any Flextip.

Wechselbarer Teller kompatibel mit jeder Flexspitze.

Plaque interchangeable compatible avec tout Flextip.

Piatto intercambiabile compatibile con ogni puntale Flextip.




## TRAIL RUNNING TIP

Lightweight plate-tip combination for optimized swinging action and maximum grip on any surface.

*Leichte Teller-Spitzen-Kombination für optimiertes Schwungverhalten und maximalen Halt auf jedem Untergrund.*

Combinaison légère disque/poïnte pour des caractéristiques de swing optimisées et une adhérence maximale sur toute surface.

Combinazione piatto-puntale ultraleggera per garantire il massimo comfort in fase di oscillazione e tenuta sicura su ogni terreno.




## SILENT SPIKE PAD

Durable rubber pad with integrated carbide pins for perfect grip and quiet pole use.

*Langlebiger Gummipuffer mit integrierten Hartmetallstiften für perfekten Halt und geräuscharmen Stockeinsatz.*

Butoir en caoutchouc durable avec picots en carbure intégrés pour une prise en main parfaite et une utilisation silencieuse de la canne.

Resistente piedino in gomma con perni in metallo integrati per una tenuta perfetta e un appoggio senza rumore.




## TREKKING FOLDING POLES

Minimum pack size – minimum weight – fast and easy handling. Multi functional. Perfect for trekking, reaching a Via Ferrata, Trail Running and travel. Surefootedness required.

*Kleinste Packmaß – Geringes Gewicht – Schnelle, einfache Handhabung. Vielfältiger Einsatz. Speziell zum Trekking, Klettersteig-Zustieg, Trailrunning und auf Reisen. Trittsicherheit erforderlich.*

Encombrement minimal – poids minimal – Maniement facile et rapide. Multi-fonctionnel. Parfait pour le trekking, atteindre une Via Ferrata, le Trail Running et les voyages. Agilité requise.

*Minimo ingombro – peso ridotto – veloce e semplice maneggevolezza. Uso versatile. Ideale soprattutto per trekking, avvicinamento, via ferrate, trailrunning e viaggi. È necessario un passo sicuro.*




## TREKKING SUPERSTRONG

Sturdy poles with highly functional stability reserves. Target group: People of a height of +/- 180 cm or more and / or a weight of +/- 75 kg or more.

*Robuste Kategorie mit hoher, funktioneller Stabilitätsreserve. Zielgruppe: Ab ca. 180 cm Körpergröße und / oder ab ca. 75 kg Gewicht.*

Bâtons robustes offrant une réserve de stabilité très fonctionnelle. Groupe cible: les randonneurs de plus de +/- 180 cm et / ou de plus de +/- 75 kg.

*Bastoni robusti con riserve di stabilità altamente funzionali. Gruppo di utilizzo: per stature di +/- 180 cm di altezza e oltre e / o un peso corporeo di +/- 75 kg e oltre.*




## SMART TIP 2.0

Extendable carbide tip for perfect grip in almost any terrain. Pads can be changed without tools.

*Ausfahrbare Hartmetallspitze für perfekten Halt in nahezu jedem Gelände. Werkzeugloser Pad-Wechsel.*

Pointe en carbure extensible pour une prise en main parfaite sur presque tous les terrains. Changement de tampon sans outil.

*Puntale estensibile in metallo temperato per una tenuta perfetta su quasi ogni tipo di terreno. Sostituzione piatto senza attrezzi.*



## TREKKING ULTRALITE

Less weight – reduced packaging size – perfect comfort. Target group: People of a height of +/- 180 cm or less and / or a weight of +/- 75 kg or less.

*Weniger Gewicht – kürzeres Packmaß – perfekter Komfort. Zielgruppe: Bis ca. 180 cm Körpergröße und / oder bis ca. 75 kg Gewicht.*

Un poids moindre, une compacité accrue, pour un confort parfait. Groupe Cible: les randonneurs jusqu'à +/- 180 cm et / ou +/- 75 kg.

*Meno peso – misure di ingombro ridotte – comfort perfetto. Gruppo di utilizzo: per stature fino a +/- 180 cm e / o +/- 75 kg di peso corporeo.*

# GLOVES

## SYSTEM TECHNOLOGIES

### SHARK SYSTEM

Perfect fit, optimum guidance and excellent power transmission, especially for Nordic sports.

*Perfekter Sitz, optimale Führung und hervorragende Kraftübertragung speziell für den nordischen Einsatz.*

Ajustement parfait, guidage optimal et excellent transfert de puissance, spécialement pour l'utilisation en ski nordique.

*Impugnatura perfetta, ottima guida ed eccellente trasmissione della forza soprattutto per l'uso nello sci nordico.*

### SHARK SYSTEM BOA


Perfect fit, most direct connection and therefore best power transmission through the integration of Trigger Shark and The Boa® Fit System especially for Nordic use.

*Perfekte Passform, direkteste Verbindung und dadurch beste Kraftübertragung durch die Integration von Trigger Shark und The Boa® Fit System speziell für den nordischen Einsatz.*

Ajustement parfait, connexion la plus directe et donc meilleur transfert de puissance grâce à l'intégration du Trigger Shark et du système Boa® Fit spécialement conçu pour l'usage nordique.

*Impugnatura perfetta e collegamento diretto e quindi migliore trasmissione della forza attraverso l'integrazione del sistema Trigger Shark con il sistema The Boa® Fit per l'uso nello sci nordico.*

### SHARK SYSTEM



TRAIL SHARK  
CROSS SHARK

NORDIC SHARK  
SHARK 2.0

## GLOVE TECHNOLOGIES

### MF TOUCH

Easy operation of capacitive touch screens without taking off the gloves.


*Einfache Bedienung kapazitiver Touchscreens, ohne die Handschuhe ausziehen zu müssen.*

Utilisation facile des écrans tactiles capacitifs sans devoir retirer les gants.

*Utilizzo semplice dei touchscreens capacitivi, senza dover togliere i guanti.*



### WARMTH LEVEL



#### Heat level based on

- Shell, insulation and lining materials
- Hydrophobic properties
- Fit and construction

#### Wärmelevel basierend auf

- Shell-, Isolations- und Futtermaterialien
- Hydrophobe Eigenschaften
- Passform und Konstruktion

#### Niveau de chaleur basé sur

- Matériaux extérieurs, de l'isolation et de la doublure
- Propriétés hydrophobes
- Ajustement et structure

#### Livello di calore che si basa su

- Materiale shell, isolante e imbottitura
- Proprietà idrofobiche
- vestibilità, costruzione e struttura

#### Additional influencing factors

- Individual sensitivity
- Sufficient glove size selection
- Overall clothing concept
- Product care and impregnation

#### Zusätzliche Einflussfaktoren

- Individuelles Empfinden
- Ausreichende Größenwahl der Handschuhe
- Gesamtheitliches Bekleidungskonzept
- Produktpflege und Impregnierung


#### Autres facteurs d'influence

- Ressenti individuel
- Taille de gants suffisamment grande
- Concept vestimentaire global
- Entretien et imprégnation du produit


#### Ulteriori fattori che influenzano

- Percezione individuale
- Ampia gamma di misure
- Concetto di abbigliamento a 360°
- Cura del prodotto e impregnatura


### 1 \* Active Skin / Summer



### 3 \*\*\* Spring



### 2 \*\* Basic



## HYDROPHOBIC LEVEL


### WATERPROOF COVER

Waterproof overglove through the application of water-resistant multilayer laminates and additionally taped seams.

*Wasserdichter Überhandschuh durch den Einsatz wasserresistenter Mehrlagenlaminaten und zusätzlich getappter Nähte.*

Sur-gant imperméable grâce à l'utilisation de laminés multicouches résistants à l'eau et de coutures scellées.

*Sovraguanto impermeabile grazie all'uso di laminati multistrato resistenti all'acqua e alle cuciture nastrate.*




### HYDROPHOBIC FIBERS

Materials with hydrophobic fibre properties.

*Hydrophobe Fasereigenschaften der eingesetzten Materialien.*

Materials with hydrophobic fibre properties.

*Propriétés hydrophobes des fibres des matériaux utilisés. Utilizzo di materiali idrofobici.*



## SHELLS

### SOFTSPAN, N-MESH

Stretchable functional fabrics made from elastic hydrophobic fibers for the best wearing and climatic comfort.

*Dehnbare Funktionsstoffe aus elastischen hydrophoben Fasern für besten Trage- und Klimakomfort.*

Tissus fonctionnels extensibles fabriqués à partir de fibres hydrophobes élastiques pour le meilleur confort en termes de port et de climat.

*Tessuti funzionali estensibili prodotti a base di fibre idrofobiche elastiche per il miglior comfort e clima.*

## PALM MATERIALS

### AX™ SUEDE

Durable, snug fit and hydrophobic. Multistretch for highest wearing comfort and perfect fit. Depending on model with additional silicone print for even better grip.

*Strapazierfähig, anschmiegsam und hydrophob. Multistretch für höchsten Tragekomfort und perfekten Sitz. Je nach Modell mit zusätzlichen Silikonprint für noch besseren Grip.*

Résistant, doux et hydrophobe. Multistretch pour un confort optimal et un ajustement parfait. Selon le modèle avec empreinte siliconée supplémentaire pour une meilleure prise en main.

Resistente, confortevole e idrofobico. Multistretch per un elevato comfort di indossabilità e maneggevolezza perfetta. A seconda del modello con ulteriore stampa in silicone per un'aderenza ancora maggiore.

### NASH SLT

Superlight, snug fit and hydrophobic. Depending on model with additional ventilation perforation or silicone print for even better grip.

*Superleicht, anschmiegsam und hydrophob. Je nach Modell zusätzlich mit Belüftungsperforation oder Silikonprint für noch besseren Grip.*

Super léger, bien ajusté et hydrophobe. Selon le modèle, complété d'une perforation d'aération ou d'une impression en silicone pour une meilleure adhérence.

Super leggero, aderente e idrofobico. A seconda del modello, completato da una perforazione di ventilazione o da una stampa in silicone per una presa ancora migliore.

## TREKKING

## TREKKING

## FX-FOLDING POLES

**BLACK SERIES FX CARBON**


652 29001 Reorder

**MAKALU FX CARBON AS**

652 20631 Reorder

**MAKALU FX CARBON**

652 20621 Reorder

**MAKALU FX. ONE CARBON**

654 20701 Reorder

**MAKALU FX TA**

652 20751 Reorder

**CRESSIDA FX CARBON AS**

652 20591 Reorder

**CRESSIDA FX TA**

655 20691 Reorder

**CRESSIDA FX CARBON**


652 20671 Reorder

**KHUMBU PRO FX. ONE TA**

654 20711 Reorder

**CRESSIDA AS**

652 21191 Reorder

**KHUMBU LITE PRO**

654 21581 Reorder

**KHUMBU LITE AS**

652 21561 Reorder

**KHUMBU LITE**

652 21531 Reorder

**LEGACY LITE AS**

652 21831 Reorder

**JANNU**

652 22361 Reorder

**TRAIL LITE**

654 21261 Reorder



## ULTRALITE

**BLACK SERIES CARBON**

652 21601 Reorder

**MAKALU LITE**

652 21082 Reorder

**MAKALU LITE AS**

652 21801 Reorder

**CRESSIDA AS**

652 21151 Reorder

**CRESSIDA**

652 21191 Reorder

**KHUMBU PRO**

654 20481 Reorder

**KHUMBU AS**

652 20261 Reorder

**KHUMBU**

652 20431 Reorder

**EAGLE**

653 20111 Reorder

**VOYAGER**

653 20171 Reorder

**TRAIL**

654 20211 Reorder



## SUPERSTRONG

**MAKALU**

652 28491 Reorder

**MAKALU AS**

652 20491 Reorder



## POLE OVERVIEW

TRAIL RUNNING	
<b>SHARK 2.0</b> EVOTRAIL FX.ONE TA 652 25751	 <b>NEOTRAIL PRO FX.ONE SUPERLITE</b> 654 25891 654 25892
<b>SPARTAN ULTRA AND RTC LITE</b>	 <b>NEOTRAIL FX.ONE SUPERLITE</b> 652 25861
<b>TRAIL SHARK</b>	 <b>ULTRATRAIL FX.JUNIOR</b> 653 25831
	 <b>ULTRATRAIL FX.ONE</b> 652 25841 652 25842 <b>VERTICAL K</b> 653 25921

CROSS TRAIL

ULTRALIGHT FOLDING POLES	CROSS HIKE CARBON 65426471	CROSS TRAIL TA 65426221	CROSS HIKE CARBON 65426421	CROSS TRAIL CARBON 65426421	CROSS TRAIL FX SUPERLITE 65426801	CROSS TRAIL FX SUPERLITE COMPACT 65426851	CROSS TRAIL FX SUPERLITE COMPACT 65426851	FX-FOLDING POLES

## **NORDIC WALKING**

3-SECTION POLES / 2-SECTION POLES	SMART TIP 2.0	TRAIL TIP / SPEED TIP
<b>SPEED PACER VARIO</b> 653 26381	<b>SMART PACER LITE</b> 653 25351	<b>TRAVELLER FX.ONE CARBON</b> 653 25821
<b>TRAVELLER CARBON</b> 653 26031	<b>SMART FLASH</b> 653 25401	<b>SPEED PACER LITE</b> 653 25501
<b>INSTRUCTOR LITE</b> 653 26341		<b>FLASH CARBON</b> 653 25602

NORDIC WALKING

## **SKI ROLLER**

The image shows four fishing rods standing vertically. From top to bottom, the rods are labeled as follows:

- PRC JUNIOR**  
652 4052 91
- XTA 6.5 VARIO JR.**  
652 2484 91
- XTA 6.5 VARIO JR.**  
652 2484 91
- XTA 6.5 VARIO JR.**  
652 2484 91

## **LEGEND SERIES**



LEKI PORTAL



SERVICE & SUPPORT  
YOUTUBE



SCHULUNGS-  
UNTERLAGEN - DE



TRAINING  
MATERIAL - EN



DOCUMENTO DI  
FORMAZIONE - FR



MATÉRIEL DE  
FORMATION - IT

#### IMPRINT

Specifications, designs, technical innovations and color subject to change without notice, LEKI shall not be liable for errors.

Printed in Germany  
(GO Druck Media GmbH & Co. KG)

#### PRODUCT PHOTOS

Atelier Busche

#### ACTION & IMAGE PHOTOS

GEPA-pictures	Jordi Saragossa
Adam Raja	Matthias Soeder
Alexis Berg	Mark Fisher
Helge Roeske	Philip Kotlorz
Howie Stern	Tom Bässler



**GERMANY | DEUTSCHLAND**

LEKI Lenhart GmbH  
Karl-Arnold-Straße 30  
D-73230 Kirchheim/Teck

Tel: +49 [0]7021 94 00-0  
Fax: +49 [0]7021 94 00-99

[www.leki.com](http://www.leki.com)  
[service@leki.de](mailto:service@leki.de)

**ARGENTINA**

SUPERFIT SRL  
Rodriguez Peña 2067  
1021 Buenos Aires  
Tel: +54-9-11-62030467  
[luis@superfit1.com](mailto:luis@superfit1.com)

**AUSTRALIA**

TMO SPORTS PTY LIMITED  
9 / 85 Bourke Road  
Alexandria, NSW 2015  
Tel: +61 2 9700 7977  
Fax: +61 2 9700 7911  
[service@velovita.com.au](mailto:service@velovita.com.au)  
[www.velovita.net.au](http://www.velovita.net.au)

**AUSTRIA**

LEKI-AUSTRIA HANDELSGES.MBH  
Wolfurterstr. 4  
6923 Lauterach  
Tel.: +43 [0]5574-62060  
Fax: +43 [0]5574-62060-99  
[office@redlersports.at](mailto:office@redlersports.at)  
[www.leki.at](http://www.leki.at)

**BENELUX**

LOWA BENELUX B. V.  
Jupiterstraat 2  
6468 EV Kerkrade  
Tel: + 31 [0]45-2110888  
[verkoop@leki.nl](mailto:verkoop@leki.nl)  
[www.leki.nl](http://www.leki.nl)

**CANADA**

SPORT DINACO INC.  
4330 Joseph Dubreuil  
Lachine, Québec H8T 3C4  
Tel: +1-514 636-8081  
Toll Free: 1-800-567-9503  
Fax: +1-514 636-0042  
[info@sportdinaco.com](mailto:info@sportdinaco.com)  
[www.leki.ca](http://www.leki.ca)

**P.R. CHINA**

NANJING B.C. SPORTS PRODUCTS CO., LTD.  
20th Floors, B.C Tower,  
No. 157th Taishan Road,  
Jian Ye District  
210019 Nanjing, Jiangsu  
Tel: +86 25 8699 5248  
Fax: +86 25 8690 7480  
[chenc@northland-pro.com.cn](mailto:chenc@northland-pro.com.cn)  
[www.bc-sports.com.cn](http://www.bc-sports.com.cn)

**CZECH REPUBLIC | SLOVAKIA | HUNGARY**

LEVELSPORTKONCEPT S.R.O.  
K Bílému Vrchu 2978/5  
Horní Počernice  
193 00 Praha 9  
Tel: +420-284 840 310  
Fax: +420-284 840 314  
[info@levelsportkoncept.cz](mailto:info@levelsportkoncept.cz)  
[www.levelsportkoncept.cz](http://www.levelsportkoncept.cz)

**DENMARK | GREENLAND | FAROE ISLANDS**

SKITECH APS  
Golfvej 10  
7400 Herning  
Tel: +45 97121612  
Fax: +45 97122412  
[leo@skitech.dk](mailto:leo@skitech.dk)

**FINLAND**

TAILWIND SPORT  
Kimmo Laukkanen  
Kotojärvenrinne 49  
07150 Laukkoski  
Tel: +358 41 311 1730  
Kimmo@tailwindsporth.com  
[www.leki.com](http://www.leki.com)

**FRANCE**

02D S.A.R.L.  
19 Rue du Louvasset  
38500 Voirion  
Tel: +33 [0]476 670511  
Fax: +33 [0]476 059601  
service-o2d@outlook.com  
<https://www.leki.com/fr/fr>

**GREECE**

DIMITRIADIS S.A.  
10 Molierou st.  
Metamorfosi, 144 52 Athens  
Tel: +30 211 7056184  
Fax: +30 211 4111235  
[info@dimitriadis.gr](http://www.dimitriadis.gr)  
[www.dimitriadis.com.gr](http://www.dimitriadis.com.gr)

**HONG KONG**

ABOVE THE CLOUDS  
INTERNATIONAL LTD.  
710 Laford Centre  
838 Lai Chi Kok Road  
Lai Chi Kok, Kowloon  
Tel: +852 2368 8897  
[hello@sport-atc.com](mailto:hello@sport-atc.com)  
[www.sport-atc.com](http://www.sport-atc.com)

**ICELAND**

ÚTILÍF KRÍSTFOFA  
Hagasmári 1  
201 Kópavogur  
Tel: +354 545 1500  
Fax: +354 522 8001  
[utilif@utilif.is](mailto:utilif@utilif.is)  
[www.utilif.is](http://www.utilif.is)

**ITALY**

PLANCKER ALEX  
Plan da Tieja 38  
39048 Selva Val Gardena -  
Wolkenstein (BZ)  
Tel./Fax +39-0471-790031  
[info@alexplancker.com](mailto:info@alexplancker.com)  
[www.alexplancker.com](http://www.alexplancker.com)

**JAPAN**

CARAVAN CO., LTD.  
25-7, 1-Chome, Sugamo,  
Toshima-Ku  
Tokyo 170-0002  
Tel: +81 [0]3-3944-2331  
Fax: +81 [0]3-3944-6540  
[info@caravan-nature.co.jp](mailto:info@caravan-nature.co.jp)  
[www.caravan-web.com](http://www.caravan-web.com)

**KOREA**

MED OUTDOOR CORPORATION  
1st Floor, 222 Tojeong-ro, Mapo-gu  
Seoul 04091  
Tel: +82 [0]2-714-8781  
Fax: +82 [0]2-719-8784  
[medcompany@empas.com](mailto:medcompany@empas.com)  
[www.leki.kr](http://www.leki.kr)

**LATVIA**

R.A. SERVISS LTD.  
Outdoor Store VIRSOTNE  
Terbatas Str. 65 • 1001 Riga  
Tel: +37-1-675 06152  
Fax: +37-1-675 06153  
[virsotne@virsotne.lv](mailto:virsotne@virsotne.lv)  
[www.virsotne.lv](http://www.virsotne.lv)

**LITHUANIA**

SABINA LT, UAB  
Europos pr. 36  
46369 Kaunas  
Tel: +370 686 72129  
+370 615 85151  
[info@leki.lt](mailto:info@leki.lt)  
[www.leki.lt](http://www.leki.lt)

**NEW ZEALAND**

MOUNTAIN ADVENTURE NZ LTD.  
2 Dalziel Place, Woolston  
Christchurch 8023  
Tel: +64-3-375 5000  
[info@mountainadventure.co.nz](mailto:info@mountainadventure.co.nz)  
[www.mountainadventure.co.nz](http://www.mountainadventure.co.nz)

**NORWAY**

PREMIUM BRANDS AS  
Sofiemyrveien 10  
1412 Sofiemyr  
Tel: +47 93 40 70 90  
[post@premiumbrands.no](mailto:post@premiumbrands.no)  
[www.leki.no](http://www.leki.no)

**POLAND**

SPORTIMPEX SP. Z O.O.  
Czlekówka 99  
05-340 Czlekówka  
Tel: +48 22 664 76 32  
[info@sportimpex.pl](mailto:info@sportimpex.pl)  
[www.sportimpex.pl](http://www.sportimpex.pl)

**ROMANIA**

SC ZIPER SPORT SRL  
Str. Zizinului nr. 121  
500407 Brasov  
Tel: +40 [0]268 331 395  
Fax: +40 [0]268 333 385  
[office@zipersport.ro](mailto:office@zipersport.ro)  
[www.ski-shop.ro](http://www.ski-shop.ro)

**RUSSIA | BELARUS**

PERFORMANCE SPORT  
5/264 Staroalekseevskaya Street  
129626 Moscow  
Tel: +7-495-637-6261 (1005)  
[marketing@psport.ru](mailto:marketing@psport.ru)  
[www.trial-sport.ru](http://www.trial-sport.ru)

**SLOVENIA | CROATIA**

MATIAS 2 D.O.O.  
Spelina ulica 1  
2000 Maribor  
Tel: +386-[0]2-426-0126  
Fax: +386-[0]2-461-2741  
[info@matias2.si](mailto:info@matias2.si)  
[www.matias2.si](http://www.matias2.si)

**SPAIN | PORTUGAL | ANDORRA**

MD VIPER, S.A.  
C/ Pere IV 78-84, 2nd  
08005 Barcelona  
Tel: +34 93 300 46 00  
Fax: +34 93 300 91 19  
[viper@viper-sport.com](mailto:viper@viper-sport.com)  
[www.viper-sport.com](http://www.viper-sport.com)

**SWEDEN**

COMBISPORT AB  
Östermalmsgatan 132  
591 61 Motala  
Tel: +46 [0] 141-202700  
[info@combisport.se](mailto:info@combisport.se)  
[www.combisport.se](http://www.combisport.se)

**SWITZERLAND**

LOWA SCHUHE AG  
Wengelacher 1  
3800 Interlaken  
Tel: +41 [0]33-8281144  
Fax: +41 [0]33-8281140  
[info@lowa.ch](mailto:info@lowa.ch)  
[www.leki.ch](http://www.leki.ch)

**TAIWAN**

TING SAN IOU  
MOUNTAIN EQUIPMENT CO., LTD.  
OUTDOORPLUS INTERNATIONAL CO.  
12 F, No.120-1, Qiaohe Rd.,  
Zhonghe Dist.,  
New Taipei City 235, Taiwan (R.O.C.)  
Tel: +886-2-2243-5662  
Fax: +886-2-2243-4955  
[service@tingsaniou.com.tw](mailto:service@tingsaniou.com.tw)  
[www.tingsaniou.com.tw](http://www.tingsaniou.com.tw)

**TURKEY**

BAHRIYELI DOGA SPORLARI  
SN TIC LTD STI  
Ivedik O.S.B. 1354.cd 1376.sk No. 32  
06030 Ostim / Ankara  
Tel: +90-312 311 0350  
Fax: +90-312 324 0797  
[bahriyeli@bahriyeli.com.tr](mailto:bahriyeli@bahriyeli.com.tr)  
[www.bahriyeli.com.tr](http://www.bahriyeli.com.tr)

**UKRAINE**

VYSOTA LTD.  
1 Chernomorskaya str.  
04655 Kiev  
Tel: +380 44 417 33 86  
[info@vysota.com.ua](mailto:info@vysota.com.ua)  
[www.vysota.com.ua](http://www.vysota.com.ua)

**UNITED KINGDOM**

ARDBLAIR SPORTS IMP. LTD.  
Yard Road  
Blairgowrie/Perthshire  
PH10 6NW  
Tel: +44 [0]1250-873863  
[admin@ardblairsports.com](mailto:admin@ardblairsports.com)  
[www.ardblairsports.com](http://www.ardblairsports.com)

**USA**

LEKI USA, INC.  
458 Sonwil Drive  
Buffalo, NY 14225  
Tel: 1-800-255-9982  
Fax: 1-800-291-2161  
[service@leki.com](mailto:service@leki.com)  
[www.leki.com/us](http://www.leki.com/us)